



Variable information: LASAB124 / LASAC124 / LASAD124;
 LASAB324 / LASAC324 / LASAD324 (scale values)

LASAB124

name	label	values
bqmemo01	memory 01: important dates	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo02	memory 02: beginning of the day	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo03	memory 03: suitcase	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo04	memory 04: names and faces	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo05	memory 05: difficulties	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo06	memory 06: conscious	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo07	memory 07: other relation	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo08	memory 08: mental images	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo09	memory 09: mentally repeat	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo10	memory 10: reminders	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
bqmemo11	memory 11: nervous	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo12	memory 12: remember names	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo13	memory 13: difficult if nervous	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo14	memory 14: 10 years	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo15	memory 15: problems	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo16	memory 16: introduce	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo17	memory 17: improve	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo18	memory 18: memory test	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo19	memory 19: practice	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo20	memory 20: questions	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3),



Variable information: LASAB124 / LASAC124 / LASAD124;
 LASAB324 / LASAC324 / LASAD324 (scale values)

		agree(4), strongly agree(5)
bqmemo21	memory 21: use	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo22	memory 22: accurate	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo23	memory 23: tense	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo24	memory 24: declines	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo25	memory 25: did not do	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo26	memory 26: appointment	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo27	memory 27: exercise	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo28	memory 28: not as good	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo29	memory 29: decline when elder	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
bqmemo30	memory 30: improve when practice	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)

LASAC124/LASAD124

name	label	values
c/dqmemo01	memory 01: important dates	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo02	memory 02: beginning of the day	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo03	memory 03: suitcase	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo04	memory 04: names and faces	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo05	memory 05: difficulties	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo06	memory 06: conscious	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo07	memory 07: other relation	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo08	memory 08: mental images	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)



Variable information: LASAB124 / LASAC124 / LASAD124;
LASAB324 / LASAC324 / LASAD324 (scale values)

c/dqmemo09	memory 09: mentally repeat	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo10	memory 10: reminders	no answer(-1), never(1), seldom(2), some of the time(3), often(4), always(5)
c/dqmemo11	memory 11: nervous	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo12	memory 12: remember names	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo13	memory 13: difficult if nervous	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo14	memory 14: 10 years	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo15	memory 15: problems	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo16	memory 16: introduce	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo17	memory 17: improve	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo18	memory 18: memory test	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo19	memory 19: practice	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo20	memory 20: questions	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo21	memory 21: use	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo22	memory 22: accurate	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo23	memory 23: tense	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo24	memory 24: declines	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo25	memory 25: did not do	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo26	memory 26: appointment	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo27	memory 27: exercise	no answer(-1), strongly disagree(1),



Variable information: LASAB124 / LASAC124 / LASAD124;
 LASAB324 / LASAC324 / LASAD324 (scale values)

		disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo28	memory 28: not as good	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo29	memory 29: decline when elder	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo30	memory 30: improve when practice	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo31	memory 31: always declines	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo32	memory 32: no improvement	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo33	memory 33: upset	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo34	memory 34: difficult when upset	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo35	memory 35: nervous new place	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo36	memory 36: proud	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo37	memory 37: admire others	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo38	memory 38: important to be precise	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo38	memory 39: self without help	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo40	memory 40: pleasant	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)
c/dqmemo41	memory 41: well	no answer(-1), strongly disagree(1), disagree(2), no agreement/agreement(3), agree(4), strongly agree(5)

LASAB324

name	label	values
bqstratt	Strategy total in metamemory concept low-high	no valid data(-1), low(10) .. high(50)
bqstrat1	Strategy 1 in metamemory concept	no valid data(-1), low(4) .. high(20)



Variable information: LASAB124 / LASAC124 / LASAD124;
LASAB324 / LASAC324 / LASAD324 (scale values)

	low-high	
bqstrat2	Strategy 2 in metamemory concept low-high	no valid data(-1), low(6) .. high(30)
bqlocus	Locus of control in metamemory concept low-high	no valid data(-1), low(5) .. high(25)
bqachcha	Achievement/change metamemory concept low-high	no valid data(-1), low(4) .. high(20)
bqanxiet	Anxiety in metamemory concept low-high	no valid data(-1), low(9) .. high(45)

LASAC324/LASAD324

name	label	values
c/dqstratt	Strategy total in metamemory concept low-high	no valid data(-1), low(10) .. high(50)
c/dstrat1	Strategy 1 in metamemory concept low-high	no valid data(-1), low(4) .. high(20)
c/dqstrat2	Strategy 2 in metamemory concept low-high	no valid data(-1), low(6) .. high(30)
c/dqlocus	Locus of control in metamemory concept low-high	no valid data(-1), low(5) .. high(25)
c/dqlocusa	Locus of control with extra items low-high	no valid data(-1), low(7) .. high(35)
c/dqachcha	Achievement/change metamemory concept low-high	no valid data(-1), low(4) .. high(20)
c/dqachiev	Achievement metamemory concept low-high	no valid data(-1), low(8) .. high(40)
c/dqanxiet	Anxiety in metamemory concept low-high	no valid data(-1), low(9) .. high(45)
c/dqanxadd	Anxiety with extra items low-high	no valid data(-1), low(12) .. high(60)