



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LASAB030**

name	label	values
badl1a	Stairs: 15 steps without stopping	na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with difficulty(3), yes, without help(4)
badl1b	Stairs: using aid (BADL1A > 1)	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no(1), yes(2)
badl1c	Stairs: help from someone (BADL1A = 3)	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
badl1d	Stairs: R receive help (BADL1A = 2)	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
badl6a	Transport: use of own or public	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with difficulty(3), yes, without help(4)
badl6b	Transport: using aid (BADL6A > 1)	na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), no(1), yes(2)
badl6c	Transport: help from someone (BADL6A = 3)	na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
badl6d	Transport: R receive help (BADL6A = 2)	na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
badl4a	Toenails: cutting own	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with difficulty(3), yes, without help(4)
badl4b	Toenails: using aid (BADL4A > 1)	na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), no(1), yes(2)
badl4c	Toenails: help from someone (BADL4A = 3)	na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
badl4d	Toenails: R receive help (BADL4A = 2)	na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LASAC030 / LASAD030 / LASAE030**

name	label	values
c/d/eadl1a	Stairs: 15 steps without stopping	na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
c/d/eadl1b	Stairs: using aid (C/D/EADL1A > 1)	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl1c	Stairs: help from someone (C/D/EADL1A > 2)	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl1d	Stairs: R receive help (C/D/EADL1A = 2)	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl1e	Stairs: less than wanted (C/D/EADL1A > 1)	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl2a	(Un)dress: self	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
c/d/eadl2b	(Un)dress: using aid (C/D/EADL2A > 1)	na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl2c	(Un)dress: help from someone (C/D/EADL2A > 2)	na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl2d	(Un)dress: R receive help (C/D/EADL2A = 2)	na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl2e	(Un)dress: less than wanted (C/D/EADL2A > 1)	na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl3a	Chair: sit and rise from	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
c/d/eadl3b	Chair: using aid (C/D/EADL3A > 1)	na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl3c	Chair: help from someone (C/D/EADL3A > 2)	na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl3d	Chair: R receive help (C/D/EADL3A = 2)	na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl3e	Chair: less than wanted (C/D/EADL3A > 1)	na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl4a	Toenails: cutting own	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

		help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
c/d/eadl4b	Toenails: using aid (C/DADL4A > 1)	na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl4c	Toenails: help from someone (C/D/EADL4A > 2)	na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl4d	Toenails: R receive help (C/D/EADL4A = 2)	na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl4e	Toenails: less than wanted (C/D/EADL4A > 1)	na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl5a	Walking: 5 min. outside the house	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
c/d/eadl5b	Walking: using aid (C/D/EADL5A > 1)	na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl5c	Walking: help from someone (C/D/EADL5A > 2)	na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl5d	Walking: R receive help (C/D/EADL5A = 2)	na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl5e	Walking: less than wanted (C/D/EADL5A > 1)	na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl6a	Transport: use of own or public	na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
c/d/eadl6b	Transport: using aid (C/D/EADL6A > 1)	na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), no(1), yes(2)
c/d/eadl6c	Transport: help from someone (C/D/EADL6A > 2)	na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl6d	Transport: R receive help (C/D/EADL6A = 2)	na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
c/d/eadl6e	Transport: less than wanted (C/D/EADL6A > 1)	na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), no(1), yes(2)



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LAS2B030 / LASAF030 / LASAG030**

name	label	values
b/f/gadl1a	Stairs: 15 steps without stopping	na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl1b	Stairs: using aid (B/F/GADL1A > 1)	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl1c	Stairs: help from someone (B/F/GADL1A > 2)	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl1d	Stairs: R receive help (B/F/GADL1A = 2)	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl1e	Stairs: less than wanted (B/F/GADL1A > 1)	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl2a	(Un)dress: self	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl2b	(Un)dress: using aid (B/F/GADL2A > 1)	na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl2c	(Un)dress: help from someone (B/F/GADL2A > 2)	na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl2d	(Un)dress: R receive help (B/F/GADL2A = 2)	na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl2e	(Un)dress: less than wanted (B/F/GADL2A > 1)	na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl3a	Chair: sit and rise from	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl3b	Chair: using aid (B/F/GADL3A > 1)	na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl3c	Chair: help from someone (B/F/GADL3A > 2)	na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl3d	Chair: R receive help (B/F/GADL3A = 2)	na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl3e	Chair: less than wanted (B/F/GADL3A > 1)	na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl4a	Toenails: cutting own	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

		help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl4b	Toenails: using aid (C/DADL4A > 1)	na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl4c	Toenails: help from someone (B/F/GADL4A > 2)	na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl4d	Toenails: R receive help (B/F/GADL4A = 2)	na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl4e	Toenails: less than wanted (B/F/GADL4A > 1)	na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl5a	Walking: 5 min. outside the house	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl5b	Walking: using aid (B/F/GADL5A > 1)	na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl5c	Walking: help from someone (B/F/GADL5A > 2)	na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl5d	Walking: R receive help (B/F/GADL5A = 2)	na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl5e	Walking: less than wanted (B/F/GADL5A > 1)	na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl6a	Transport: use of own or public	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl6b	Transport: using aid (B/F/GADL6A > 1)	na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl6c	Transport: help from someone (B/F/GADL6A > 2)	na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl6d	Transport: R receive help (B/F/GADL6A = 2)	na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl6e	Transport: less than wanted (B/F/GADL6A > 1)	na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl7a	Take a bath/shower: self	na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/f/gadl7b	Take a bath/shower: using aid (B/F/GADL7A > 1)	na, wrong skip(-3), na, see B/F/GADL7A(-2), na, asked(-1), no(1), yes(2)
b/f/gadl7c	Take a bath/shower: help from	na, wrong skip(-3), na, see B/F/GADL7A(-2),



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

	someone (B/F/GADL7A > 2)	na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl7d	Take a bath/shower: R receive help (B/F/GADL7A = 2)	na, wrong skip(-3), na, see B/F/GADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/f/gadl7e	Take a bath/shower: less than wanted (B/F/GADL7A > 1)	na, wrong skip(-3), na, see B/F/GADL7A(-2), na, asked(-1), no(1), yes(2)



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LASAH030**

name	label	values
hadl1a	Stairs: 15 steps without stopping	na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl1b	Stairs: using aid (HADL1A > 1)	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no(1), yes(2)
hadl1c	Stairs: help from someone (HADL1A > 2)	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl1d	Stairs: R receive help (HADL1A = 2)	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl2a	(Un)dress: self	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl2b	(Un)dress: using aid (HADL2A > 1)	na, wrong skip(-3), na, see HADL2A(-2), na, asked(-1), no(1), yes(2)
hadl2c	(Un)dress: help from someone (HADL2A > 2)	na, wrong skip(-3), na, see HADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl2d	(Un)dress: R receive help (HADL2A = 2)	na, wrong skip(-3), na, see HADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl3a	Chair: sit and rise from	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl3b	Chair: using aid (HADL3A > 1)	na, wrong skip(-3), na, see HADL3A(-2), na, asked(-1), no(1), yes(2)
hadl3c	Chair: help from someone (HADL3A > 2)	na, wrong skip(-3), na, see HADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl3d	Chair: R receive help (HADL3A = 2)	na, wrong skip(-3), na, see HADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl4a	Toenails: cutting own	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl4b	Toenails: using aid (C/DADL4A > 1)	na, wrong skip(-3), na, see HADL4A(-2), na, asked(-1), no(1), yes(2)
hadl4c	Toenails: help from someone (HADL4A > 2)	na, wrong skip(-3), na, see HADL4A(-2), na, asked(-1), never(1), seldom(2),



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

		occasionally(3), often or always(4)
hadl4d	Toenails: R receive help (HADL4A = 2)	na, wrong skip(-3), na, see HADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl5a	Walking: 5 min. outside the house	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl5b	Walking: using aid (HADL5A > 1)	na, wrong skip(-3), na, see HADL5A(-2), na, asked(-1), no(1), yes(2)
hadl5c	Walking: help from someone (HADL5A > 2)	na, wrong skip(-3), na, see HADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl5d	Walking: R receive help (HADL5A = 2)	na, wrong skip(-3), na, see HADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl6a	Transport: use of own or public	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl6b	Transport: using aid (HADL6A > 1)	na, wrong skip(-3), na, see HADL6A(-2), na, asked(-1), no(1), yes(2)
hadl6c	Transport: help from someone (HADL6A > 2)	na, wrong skip(-3), na, see HADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl6d	Transport: R receive help (HADL6A = 2)	na, wrong skip(-3), na, see HADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl7a	Take a bath/shower: self	na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
hadl7b	Take a bath/shower: using aid (HADL7A > 1)	na, wrong skip(-3), na, see HADL7A(-2), na, asked(-1), no(1), yes(2)
hadl7c	Take a bath/shower: help from someone (HADL7A > 2)	na, wrong skip(-3), na, see HADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
hadl7d	Take a bath/shower: R receive help (HADL7A = 2)	na, wrong skip(-3), na, see HADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)





Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LAS3B030 / LASAI030**

name	label	values
b/iadl1a	Stairs: 15 steps without stopping	na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl1b	Stairs: using aid (B/IADL1A > 1)	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no(1), yes(2)
b/iadl1c	Stairs: help from someone (B/IADL1A > 2)	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl1d	Stairs: R receive help (B/IADL1A = 2)	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl2a	(Un)dress: self	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl2b	(Un)dress: using aid (B/IADL2A > 1)	na, wrong skip(-3), na, see B/IADL2A(-2), na, asked(-1), no(1), yes(2)
b/iadl2c	(Un)dress: help from someone (B/IADL2A > 2)	na, wrong skip(-3), na, see B/IADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
badl2d	(Un)dress: R receive help (B/IADL2A = 2)	na, wrong skip(-3), na, see B/IADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl3a	Chair: sit and rise from	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl3b	Chair: using aid (B/IADL3A > 1)	na, wrong skip(-3), na, see B/IADL3A(-2), na, asked(-1), no(1), yes(2)
b/iadl3c	Chair: help from someone (B/IADL3A > 2)	na, wrong skip(-3), na, see B/IADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl3d	Chair: R receive help (B/IADL3A = 2)	na, wrong skip(-3), na, see B/IADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl4a	Toenails: cutting own	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl4b	Toenails: using aid (C/DADL4A > 1)	na, wrong skip(-3), na, see B/IADL4A(-2), na, asked(-1), no(1), yes(2)
b/iadl4c	Toenails: help from someone (B/IADL4A > 2)	na, wrong skip(-3), na, see B/IADL4A(-2), na, asked(-1), never(1), seldom(2),



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

		occasionally(3), often or always(4)
b/iadl4d	Toenails: R receive help (B/IADL4A = 2)	na, wrong skip(-3), na, see B/IADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl5a	Walking: 5 min. outside the house	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl5b	Walking: using aid (B/IADL5A > 1)	na, wrong skip(-3), na, see B/IADL5A(-2), na, asked(-1), no(1), yes(2)
b/iadl5c	Walking: help from someone (B/IADL5A > 2)	na, wrong skip(-3), na, see B/IADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl5d	Walking: R receive help (B/IADL5A = 2)	na, wrong skip(-3), na, see B/IADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl6a	Transport: use of own or public	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl6b	Transport: using aid (B/IADL6A > 1)	na, wrong skip(-3), na, see B/IADL6A(-2), na, asked(-1), no(1), yes(2)
b/iadl6c	Transport: help from someone (B/IADL6A > 2)	na, wrong skip(-3), na, see B/IADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl6d	Transport: R receive help (B/IADL6A = 2)	na, wrong skip(-3), na, see B/IADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl7a	Take a bath/shower: self	na, wrong skip(-3), na, see B/IADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
b/iadl7b	Take a bath/shower: using aid (B/IADL7A > 1)	na, wrong skip(-3), na, see B/IADL7A(-2), na, asked(-1), no(1), yes(2)
b/iadl7c	Take a bath/shower: help from someone (B/IADL7A > 2)	na, wrong skip(-3), na, see B/IADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)
b/iadl7d	Take a bath/shower: R receive help (B/IADL7A = 2)	na, wrong skip(-3), na, see B/IADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4)



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LASMB030**

name	label	values
badl1a	Stairs: 15 steps without stopping	na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl1b	Stairs: using aid (BADL1A > 1)	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no(1), yes(2)
badl2a	(Un)dress: self	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl2b	(Un)dress: using aid (BADL2A > 1)	na, wrong skip(-3), na, see BADL2A(-2), na, asked(-1), no(1), yes(2)
badl3a	Chair: sit and rise from	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl3b	Chair: using aid (BADL3A > 1)	na, wrong skip(-3), na, see BADL3A(-2), na, asked(-1), no(1), yes(2)
badl4a	Toenails: cutting own	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl4b	Toenails: using aid (BADL4A > 1)	na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), no(1), yes(2)
badl5a	Walking: 5 min. outside the house	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl5b	Walking: using aid (BADL5A > 1)	na, wrong skip(-3), na, see BADL5A(-2), na, asked(-1), no(1), yes(2)
badl6a	Transport: use of own or public	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl6b	Transport: using aid (BADL6A > 1)	na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), no(1), yes(2)
badl7a	Take a bath/shower: self	na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5)
badl7b	Take a bath/shower: using aid (BADL7A > 1)	na, wrong skip(-3), na, see BADL7A(-2), na, asked(-1), no(1), yes(2)



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030;  
 LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 (constructed)

**LASAB230 / LASAC230 / LASAD230 / LASAE230**

name	label	values
b/c/d/eflwdiff	functional limitations, with difficulties #3	no valid data(-1), no difficulties(0), 2 without difficulty(1), 1 without difficulty(2), all with difficulty(3)
<b>Not in B :</b> c/d/eflwd#6	functional limitations, with difficulties #6	no valid data(-1), no difficulties(0), 5 without difficulty(1), 4 without difficulty(2), 3 without difficulty(3), 2 without difficulty(4), 1 without difficulty(5), all with difficulty(6)

**LAS2B230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230**

name	label	values
b/f/g/h/b/b/iflwdiff	functional limitations, with difficulties #3	no valid data(-1), no difficulties(0), 2 without difficulty(1), 1 without difficulty(2), all with difficulty(3)
b/f/g/h/b/b/iflwd#6	functional limitations, with difficulties #6	no valid data(-1), no difficulties(0), 5 without difficulty(1), 4 without difficulty(2), 3 without difficulty(3), 2 without difficulty(4), 1 without difficulty(5), all with difficulty(6)
b/f/g/h/b/b/iflwd#7	functional limitations, with difficulties #7	no valid data(-1), no difficulties(0), 6 without difficulty(1), 5 without difficulty(2), 4 without difficulty(3), 3 without difficulty(4), 2 without difficulty(5), 1 without difficulty(6), all with difficulty(7)