



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

NB. 1 A retest was done in a part of the sample in wave LASA-B (N=48), see datafile LASAB170

NB. 2 A retest was done in LASA-2B, LASA-G, LASA-H, LASA-3B, and LASA-I, same data file (LASA151)

NB. 3 Measures used:

Systolic blood pressure [mmHg]
 Diastolic blood pressure [mmHg]
 Pulse rate [beats/min]

LASAB151

name	label	
bmvar9	Blood pressure (1) mmHg: systolic	no measurement(-1)
bmvar10	Blood pressure (1)mmHg: diastolic	no measurement(-1)
bmvar11	Pulse rate (1)	no measurement(-1)
bmvar12	Blood pressure (1): position	no measurement(-1), standing(1), sitting(2), lying down(3)
bmvar104	Blood pressure (2) mmHg: systolic	no measurement(-1)
bmvar105	Blood pressure (2) mmHg: diastolic	no measurement(-1)
bmvar106	Pulse rate (2)	no measurement(-1)
bmvar107	Blood pressure: position	no measurement(-1), standing(1), sitting(2), lying down(3)
bmvar194	Blood pressure (3) mmHg: systolic	no measurement(-1)
bmvar195	Blood pressure (3) mmHg: diastolic	no measurement(-1)
bmvar196	Pulse rate (3)	no measurement(-1)
bmvar197	Blood pressure: position	no measurement(-1), standing(1), sitting(2), lying down(3)

LASAC151

name	label	values
cmvar9	Bloodpressure (finger) mmHg: systolic	na, see CRM151(-2), no valid measurement(-1)
cmvar10	Bloodpressure (finger) mmHg: diastolic	na, see CRM151(-2), no valid measurement(-1)
cmvar11	Pulse rate (finger)	na, see CRM151(-2), no valid measurement(-1)
cmvar12	Blood pressure (finger): position	na, see CRM151(-2), no valid measurement(-1), standing(1), sitting(2), lying down(3)
cmvar800	Bloodpr sitting (arm) mmHg: systolic	na, see CRM151(-2), no valid measurement(-1)



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

cmvar801	Bloodpr sitting (arm) mmHg: diastolic	na, see CRM151(-2), no valid measurement(-1)
cmvar802	Pulse rate sitting (arm)	na, see CRM151(-2), no valid measurement(-1)
cmvar803	Bloodpr lying (arm) mmHg: systolic	na, see CRM151(-2), no valid measurement(-1)
cmvar804	Bloodpr lying (arm) mmHg: diastolic	na, see CRM151(-2), no valid measurement(-1)
cmvar805	Pulse rate lying (arm)	na, see CRM151(-2), no valid measurement(-1)
cmvar806	Bloodpr standing (arm) mmHg: systolic	na, see CRM151(-2), no valid measurement(-1)
cmvar807	Bloodpr standing (arm) mmHg: diastolic	na, see CRM151(-2), no valid measurement(-1)
cmvar808	Pulse rate standing (arm)	na, see CRM151(-2), no valid measurement(-1)
cmvr8090	Particularities bloodpressure	na, see CRM151(-2), no(1), yes(2)
cmvr8091	Partic. bloodpressure: cannot stand	na, see CMVR8090(-2), not mentioned(0), mentioned(1)
cmvr8092	Partic. bloodpressure: cannot sit	na, see CMVR8090(-2), not mentioned(0), mentioned(1)
cmvr8093	Partic. bloodpressure: cannot lay down	na, see CMVR8090(-2), not mentioned(0), mentioned(1)
cmvr8094	Partic. bloodpressure: other	na, see CMVR8090(-2), not mentioned(0), mentioned ->CMVAR810(1)
cmvar810	Partic other: specification	na, see CMVR8094(-2), M error(1), refused(2), remark a finger(3), M on right arm(4), miscellaneous(5), no normal score(6), no specification(7)
crm151	Reason missing: LASAC151	valid data(-2), interview terminated(2)



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

LASAD151

name	label	
dmfinsy1	Bloodpressure (finger) mmHg: systolic	no valid measurement(-1)
dmfindy1	Bloodpressure (finger) mmHg: diastolic	no valid measurement(-1)
dmfinpu1	Pulse rate (finger)	no valid measurement(-1)
dmfinpo1	Blood pressure (finger): position	no valid measurement(-1, standing(1), sitting(2), lying down(3))
dmarmssi	Bloodpr sitting (arm) mmHg: systolic	no valid measurement(-1)
dmarmdsi	Bloodpr sitting (arm) mmHg: diastolic	no valid measurement(-1)
dmarmpsi	Pulse rate sitting (arm)	no valid measurement(-1)
dmarmsly	Bloodpr lying (arm) mmHg: systolic	no valid measurement(-1)
dmarmdly	Bloodpr lying (arm) mmHg: diastolic	no valid measurement(-1)
dmarmply	Pulse rate lying (arm)	no valid measurement(-1)
dmarmsst	Bloodpr standing (arm) mmHg: systolic	no valid measurement(-1)
dmarmdst	Bloodpr standing (arm) mmHg: diastolic	no valid measurement(-1)
dmarmpst	Pulse rate standing (arm)	no valid measurement(-1)
dmarmpa1	Particularities bloodpressure	na, asked(-1), no(1), yes(2)
dmarmpa2	Partic. bloodpressure: cannot stand	na, see DMARMPA1(-2), not mentioned(0), mentioned(1)
dmarmpa3	Partic. bloodpressure: cannot sit	na, see DMARMPA1(-2), not mentioned(0), mentioned(1)
dmarmpa4	Partic. bloodpressure: cannot lie down	na, see DMARMPA1(-2), not mentioned(0), mentioned(1)
dmarmpa5	Partic. bloodpressure: other	na, see DMARMPA1(-2), not mentioned(0), mentioned(1)

LASAE151

name	label	
emarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
emarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
emarmps1	Pulse rate 1 sitting (arm)	no valid measurement(-1)
emarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	no valid measurement(-1)
emarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	no valid measurement(-1)
emarmps2	Pulse rate 2 sitting (arm)	no valid measurement(-1)
emarmss3	Bloodpr 3 sitting (arm) mmHg: systolic	no valid measurement(-1)
emarmds3	Bloodpr 3 sitting (arm) mmHg: diastolic	no valid measurement(-1)
emarmps3	Pulse rate 3 sitting (arm)	no valid measurement(-1)
emarmpar	Particularities bloodpressure	test not done(-3), normal test(-1), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6)



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

LAS2B151

name	label	values
bmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	na, see BMARMPA1(-2), no valid measurement(-1)
bmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps1	Pulse rate sitting (arm) 1	no valid measurement(-1)
bmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps2	Pulse rate sitting (arm) 2	no valid measurement(-1)
bmarmpa1	Particularities bloodpressure	no valid measurement(-1), normal measurement(0), cannot sit(1), other to be coded(2)
bmarmss3	Retest Bloodpr 3 sitting (arm) mmHg: systolic	na, see BMARMPA2(-2), no valid measurement(-1)
bmarmds3	Retest Bloodpr 3 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps3	Retest Pulse rate 3 sitting (arm)	no valid measurement(-1)
bmarmss4	Retest Bloodpr 4 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds4	Retest Bloodpr 4 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps4	Retest Pulse rate 4 sitting (arm)	no valid measurement(-1)
bmarmpa2	Retest Particularities bloodpressure	no valid measurement(-1), normal measurement(0), cannot sit(1), other to be coded(2)

LASAF151

name	label	values
fmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
fmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
fmarmps1	Pulse rate 1 sitting (arm)	no valid measurement(-1)
fmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	no valid measurement(-1)
fmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	no valid measurement(-1)
fmarmps2	Pulse rate 2 sitting (arm)	no valid measurement(-1)
fmarmss3	Bloodpr 3 sitting (arm) mmHg: systolic	no valid measurement(-1)
fmarmds3	Bloodpr 3 sitting (arm) mmHg: diastolic	no valid measurement(-1)
fmarmps3	Pulse rate 3 sitting (arm)	no valid measurement(-1)
fmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement (3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded (-8)



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

LASAG151

name	label	values
gmarmss0	Pretest: bloodpr 0 sit (arm) mmHg: systolic	no valid measurement(-1)
gmarmds0	Pretest: bloodpr 0 sit (arm) mmHg: diastolic	no valid measurement(-1)
gmarmps0	Pretest: pulse rate 0 sit (arm)	no valid measurement(-1)
gmarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement (3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)
gmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
gmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
gmarmps1	Pulse rate 1 sitting (arm)	no valid measurement(-1)
gmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	no valid measurement(-1)
gmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	no valid measurement(-1)
gmarmps2	Pulse rate 2 sitting (arm)	no valid measurement(-1)
gmarmss3	Bloodpr 3 sitting (arm) mmHg: systolic	no valid measurement(-1)
gmarmds3	Bloodpr 3 sitting (arm) mmHg: diastolic	no valid measurement(-1)
gmarmps3	Pulse rate 3 sitting (arm)	no valid measurement(-1)
gmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement (3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded -(8)

LASAH151

name	label	values
hmarmss0	Pretest: bloodpressure (0) sitting (arm) mmHg: systolic	no valid measurement(-1)
hmarmds0	Pretest: bloodpressure (0) sitting (arm) mmHg: diastolic	no valid measurement(-1)
hmarmps0	Pretest: pulse rate (0) sitting (arm)	no valid measurement(-1)
hmarmss1	Bloodpressure (1) sitting (arm) mmHg: systolic	no valid measurement(-1)
hmarmds1	Bloodpressure (1) sitting (arm) mmHg: diastolic	no valid measurement(-1)
hmarmps1	Pulse rate (1) sitting (arm)	no valid measurement(-1)

Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

hmarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement (3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)
hmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement (3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)

LAS3B151

name	label	values
bmarmss01	Pretest 1: bloodpr sit (arm) mmHg: systolic	no valid measurement(-1)
bmarmds01	Pretest 1: bloodpr sit (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps01	Pretest 1: pulse rate sit (arm)	no valid measurement(-1)
bmarmss02	Pretest 2: bloodpr sit (arm) mmHg: systolic	no valid measurement(-1)
bmarmds02	Pretest 2: bloodpr sit (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps02	Pretest 2: pulse rate sit (arm)	no valid measurement(-1)
bmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps1	Pulse rate 1 sitting (arm)	no valid measurement(-1)
bmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps2	Pulse rate 2 sitting (arm)	no valid measurement(-1)
bmarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)
bmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

LASMB151

name	label	values
bmarmss1	Bloodpr 1 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds1	Bloodpr 1 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps1	Pulse rate 1 sitting (arm)	no valid measurement(-1)
bmarmss2	Bloodpr 2 sitting (arm) mmHg: systolic	no valid measurement(-1)
bmarmds2	Bloodpr 2 sitting (arm) mmHg: diastolic	no valid measurement(-1)
bmarmps2	Pulse rate 2 sitting (arm)	no valid measurement(-1)
bmarmpar	Particularities bloodpressure	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)

LASAI151

name	label	values
imarmss0	Pretest: bloodpressure (0) sitting (arm) mmHg: systolic	no valid measurement(-1)
imarmds0	Pretest: bloodpressure (0) sitting (arm) mmHg: diastolic	no valid measurement(-1)
imarmps0	Pretest: pulse rate (0) sitting (arm)	no valid measurement(-1)
imarmss1	Bloodpressure (1) sitting (arm) mmHg: systolic	no valid measurement(-1)
imarmds1	Bloodpressure (1) sitting (arm) mmHg: diastolic	no valid measurement(-1)
imarmps1	Pulse rate (1) sitting (arm)	no valid measurement(-1)
imarmpa0	Particularities bloodpressure Pretest	section not done(-3), normal test(-2), partially no valid measurement(-1), R cannot sit(1), measurement error(2), painful arm, no measurement(3), measurement on right arm(4), (part of) test refused(5), part of test wrongfully not done(6), - to be coded - (8)
imarmpar	Particularities bloodpressure	see imarmpa0



Variable information: LASAB151 / LASAC151 / LASAD151 / LASAE151 / LAS2B151 / LASAF151 / LASAG151 / LASAH151 / LAS3B151 / LASMB151 / LASAI151;
 LASAB170 (retest);
 LASAB351 (mean blood pressure)

LASAB170 (N=48)

name	label	values
bmv009re	retest bmvar9 on arm: systolic	not in sample(-3), no observation(-1)
bmv010re	retest bmvar10 on arm: diastolic	not in sample(-3), no observation(-1)
bmv104re	retest bmvar104 on arm: systolic	not in sample(-3), no observation(-1)
bmv105re	retest bmvar105 on arm: diastolic	not in sample(-3), no observation(-1)
bmv194re	retest bmvar194 on arm: systolic	not in sample(-3), no observation(-1)
bmv195re	retest bmvar195 on arm: diastolic	not in sample(-3), no observation(-1)
bmhandre	cold hands present	not in sample(-3), no observation(-1), no(1), yes(2)
bmsmocre	smoked during observation	not in sample(-3), no observation(-1), no(1), yes(2)
bmmovere	R talks/speaks during observation	not in sample(-3), no observation(-1), no(1), yes(2)
bmposire	R is sitting	not in sample(-3), no observation(-1), no(1), yes(2)

LASAB351

name	label	values
bmsysmea	mean blood pressure: systolic mmHg	no valid data(-1)
bmdiamea	mean blood pressure: diastolic mmHg	no valid data(-1)
bmpulsme	mean pulse rate	no valid data(-1)