



Variable information:

LASAB158 / LASAC158 / LASAD158 / LASAE158 / LASAG158 / LASAH158

LASAB158

name	label	values
bmvar124	Peakflow 1	R, refused(-2), no valid data(-1)
bmvar125	Peakflow 2	R, refused(-2), no valid data(-1)
bmvar126	Peakflow 3	R, refused(-2), no valid data(-1)
bmvar127	Understanding of peakflow test	no answer, skipped(-2), no answer, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5)
bmvar128	Participation with peakflow test	no answer, skipped(-2), no answer, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other reason(6)
bmvar129	Position of peakflow test	no answer, asked(-1), standing(1), sitting(2), lying down(3), other(4)
bmpeamax	Peakflow: Maximum score 3 trials	R, refused(-2), no valid data(-1)

LASAC158

name	label	values
cmpeakfl	Peakflow done: constructed	Na, interview terminated(-1), done(1), not done(2), terminated(3), not able (physical)(4)
cmrmpf	Reason peakflow not done	valid data(-2), refused(4), not able to (cognitive)(5), not able to (physical)(6), technical problem(7), unknown(8)
cmvar124	Peakflow 1	na, wrong skip(-3), na, see CMPEAKFL(-2), na, asked(-1)
cmvar125	Peakflow 2	na, wrong skip(-3), na, see CMPEAKFL(-2), na, asked(-1)
cmvar126	Peakflow 3	na, wrong skip(-3), na, see CMPEAKFL(-2), na, asked(-1)
cmvar127	Understanding of peakflow test	na, wrong skip(-3), na, see CMPEAKFL(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other: not done(10), other: not able to: physical(20), other: not able to: cognitive(30), other: not done: technical(40)
cmvar128	Participation with peakflow test	na, wrong skip(-3), na, see CMPEAKFL(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other: not done(10), other: not able to: physical(20), other: not able to: cognitive(30), other: not done: technical(40)
cmvar129	Position of peakflow test	na, wrong skip(-3), na, see CMPEAKFL(-2), na, asked(-1), standing(1), sitting(2), lying down(3), other: not done(10), other: not able to: physical(20), other: not able to: cognitive(30), other: not done: technical(40)
cmpeamax	Peakflow: Maximum score three trials	na, see CMPEAKFL(-2)



Variable information:

LASAB158 / LASAC158 / LASAD158 / LASAE158 / LASAG158 / LASAH158

LASAD158

name	label	values
dmpeakf1	Peakflow 1	R. refused(-2), no valid measurement(-1)
dmpeakf2	Peakflow 2	R. refused(-2), no valid measurement(-1)
dmpeakf3	Peakflow 3	R. refused(-2), no valid measurement(-1)
dmpeakfm	Peakflow: maximum score three trials	R. refused(-2), no valid measurement(-1)
dmpeakfu	Peakflow: understanding of test	no valid measurement(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other(6)
dmpeakfc	Peakflow: cooperation with test	no valid measurement(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other(6)
dmpeakfp	Peakflow: position during test	na, asked(-1), standing(1), sitting(2), lying(3)

LASAE158 / LASAG158

name	label	values
e/gmpeakf1	Peakflow 1	test not done(-2), no valid measurement(-1), attempted, score < 60(30)
e/gmpeakf2	Peakflow 2	test not done(-2), no valid measurement(-1), attempted, score < 60(30)
e/gmpeakf3	Peakflow 3	test not done(-2), no valid measurement(-1), attempted, score < 60(30)
e/gmpeakfm	Peakflow: maximum score three trials	test not done(-2), no valid measurement(-1), attempted, score < 60(30)
e/gmpeakfu	Peakflow: understanding of test	no valid measurement(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other(6)
e/gmpeakfc	Peakflow: cooperation with test	no valid measurement(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other(6)
e/gmpeakfp	Peakflow: position during test	na, asked(-1), standing(1), sitting(2), lying(3)

LASAH158

name	label	values
hmpeakf1	Peakflow 1	section not done(-2), no valid measurement(-1), attempted, score < 60(30)
hmpeakf2	Peakflow 2	section not done(-2), no valid measurement(-1), attempted, score < 60(30)
hmpeakf3	Peakflow 3	section not done(-2), no valid measurement(-1), attempted, score < 60(30)
hmpeakrn	Peakflow: reason not done specified	none
hmpeakfm	Peakflow: maximum score three trials	test not done(-2), no valid measurement(-1), attempted, score < 60(30)



Variable information:

LASAB158 / LASAC158 / LASAD158 / LASAE158 / LASAG158 / LASAH158

hmpeakfu	Peakflow: understanding of test	no valid measurement(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other(6)
hmpeakfc	Peakflow: cooperation with test	no valid measurement(-2), na, asked(-1), excellent(1), good(2), fair(3), bad(4), refused(5), other(6)
hmpeakfp	Peakflow: position during test	no valid measurement(-2), na, asked(-1), standing(1), sitting(2), lying(3)