

Variable information: LASAB870 (phenotyping) / LAS2B870 (genotyping)

LASAB870

name	label	values
bmapoe1	apoe allele 1	not determined(-1), isoform 2(2), isoform 3(3), isoform 4(4), missing(9)
bmapoe2	apoe allele 2	not determined(-1), isoform 2(2), isoform 3(3), isoform 4(4), missing(9)
bmapo	apoe phenotype	not determined(-1), e2/2(22), e2/3(23), e3/3(33), e2/4(42), e3/4(43), e4/4(44)
bme4	any e4 allele	not determined(-1), no e4 allele(0), any e4 allele(1)
bmblyse	usage blood LASA-B-sample	not determined(-1), usage blood LASA-B-sample(0), LASA-B-sample blood used(1)

LAS2B870

name	label	values
bmapoe1	apoe allele 1	sample concentration too low(-2), no valid determination(-1), isoform 2(2), isoform 3(3), isoform 4(4), missing(9)
bmapoe2	apoe allele 2	sample concentration too low(-2), no valid determination(-1), isoform 2(2), isoform 3(3), isoform 4(4), missing(9)
bmapo	apoe phenotype	sample concentration too low(-2), no valid determination(-1), e2/2(22), e2/3(23), e3/3(33), e2/4(42), e3/4(43), e4/4(44)

Variable information: LASAB870 (phenotyping) / LAS2B870 (genotyping)

bme4	any e4 allele	sample concentration too low(-2), no valid determination(-1), no e4 allele(0), any e4 allele(1)
bmblyse	usage blood LAS2-B-sample	no sample(-2), LAS2-B-sample blood (DNA) used(1), LASA-G-sample blood (DNA) used(2)