

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

**LASAB030**

| name   | label                                     | values   |
|--------|---|--|
| badl1a | Stairs: 15 steps without stopping         | na, interview terminated(-5),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with difficulty(3),<br>yes, without help(4)              |
| badl1b | Stairs: using aid (BADL1A > 1)            | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl1c | Stairs: help from someone (BADL1A = 3)    | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)                          |
| badl1d | Stairs: R receive help (BADL1A = 2)       | see badl1c   |
| badl6a | Transport: use of own or public           | na, wrong skip(-3),<br>na, see BADL6A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with difficulty(3),<br>yes, without help(4) |
| badl6b | Transport: using aid (BADL6A > 1)         | na, wrong skip(-3),<br>na, see BADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl6c | Transport: help from someone (BADL6A = 3) | na, wrong skip(-3),<br>na, see BADL6A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)                          |
| badl6d | Transport: R receive help (BADL6A = 2)    | see badl6c   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|        |  |  |
|--------|--|--|
| badl4a | Toenails: cutting own                    | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with difficulty(3),<br>yes, without help(4) |
| badl4b | Toenails: using aid (BADL4A > 1)         | na, wrong skip(-3),<br>na, see BADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl4c | Toenails: help from someone (BADL4A = 3) | na, wrong skip(-3),<br>na, see BADL4A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)                          |
| badl4d | Toenails: R receive help (BADL4A = 2)    | see badl4c   |

**LASAC030 / LASAD030 / LASAE030**

| name       | label                                      | values  |
|------------|--|---|
| c/d/eadl1a | Stairs: 15 steps without stopping          | na, interview terminated(-5),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| c/d/eadl1b | Stairs: using aid (C/D/EADL1A > 1)         | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)  |
| c/d/eadl1c | Stairs: help from someone (C/D/EADL1A > 2) | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)   |
| c/d/eadl1d | Stairs: R receive help (C/D/EADL1A = 2)    | see c/d/eadl1c  |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |   |  |
|------------|---|--|
| c/d/eadl1e | Stairs: less than wanted (C/D/EADL1A > 1)     | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl2a | (Un)dress: self                               | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| c/d/eadl2b | (Un)dress: using aid (C/D/EADL2A > 1)         | na, wrong skip(-3),<br>na, see C/D/EADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl2c | (Un)dress: help from someone (C/D/EADL2A > 2) | na, wrong skip(-3),<br>na, see C/D/EADL2A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| c/d/eadl2d | (Un)dress: R receive help (C/D/EADL2A = 2)    | see c/d/eadl2c   |
| c/d/eadl2e | (Un)dress: less than wanted (C/D/EADL2A > 1)  | na, wrong skip(-3),<br>na, see C/D/EADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl3a | Chair: sit and rise from                      | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| c/d/eadl3b | Chair: using aid (C/D/EADL3A > 1)             | na, wrong skip(-3),<br>na, see C/D/EADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |  |  |
|------------|--|--|
| c/d/eadl3c | Chair: help from someone (C/D/EADL3A > 2)    | na, wrong skip(-3),<br>na, see C/D/EADL3A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| c/d/eadl3d | Chair: R receive help (C/D/EADL3A = 2)       | see c/d/eadl3c   |
| c/d/eadl3e | Chair: less than wanted (C/D/EADL3A > 1)     | na, wrong skip(-3),<br>na, see C/D/EADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl4a | Toenails: cutting own                        | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| c/d/eadl4b | Toenails: using aid (C/DADL4A > 1)           | na, wrong skip(-3),<br>na, see C/D/EADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl4c | Toenails: help from someone (C/D/EADL4A > 2) | na, wrong skip(-3),<br>na, see C/D/EADL4A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| c/d/eadl4d | Toenails: R receive help (C/D/EADL4A = 2)    | see c/d/eadl4c   |
| c/d/eadl4e | Toenails: less than wanted (C/D/EADL4A > 1)  | na, wrong skip(-3),<br>na, see C/D/EADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl5a | Walking: 5 min. outside the house            | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |   |  |
|------------|---|--|
| c/d/eadl5b | Walking: using aid (C/D/EADL5A > 1)           | na, wrong skip(-3),<br>na, see C/D/EADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl5c | Walking: help from someone (C/D/EADL5A > 2)   | na, wrong skip(-3),<br>na, see C/D/EADL5A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| c/d/eadl5d | Walking: R receive help (C/D/EADL5A = 2)      | see c/d/eadl5c   |
| c/d/eadl5e | Walking: less than wanted (C/D/EADL5A > 1)    | na, wrong skip(-3),<br>na, see C/D/EADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl6a | Transport: use of own or public               | na, wrong skip(-3),<br>na, see C/D/EADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| c/d/eadl6b | Transport: using aid (C/D/EADL6A > 1)         | na, wrong skip(-3),<br>na, see C/D/EADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| c/d/eadl6c | Transport: help from someone (C/D/EADL6A > 2) | na, wrong skip(-3),<br>na, see C/D/EADL6A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| c/d/eadl6d | Transport: R receive help (C/D/EADL6A = 2)    | see c/d/eadl6c   |
| c/d/eadl6e | Transport: less than wanted (C/D/EADL6A > 1)  | na, wrong skip(-3),<br>na, see C/D/EADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

**LAS2B030 / LASAF030 / LASAG030**

| name       | label                                      | values   |
|------------|--|--|
| b/f/gadl1a | Stairs: 15 steps without stopping          | na, interview terminated(-5),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5)                  |
| b/f/gadl1b | Stairs: using aid (B/F/GADL1A > 1)         | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl1c | Stairs: help from someone (B/F/GADL1A > 2) | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl1d | Stairs: R receive help (B/F/GADL1A = 2)    | see b/f/gadl1c   |
| b/f/gadl1e | Stairs: less than wanted (B/F/GADL1A > 1)  | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl2a | (Un)dress: self                            | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/f/gadl2b | (Un)dress: using aid (B/F/GADL2A > 1)      | na, wrong skip(-3),<br>na, see B/F/GADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |   |  |
|------------|---|--|
| b/f/gadl2c | (Un)dress: help from someone (B/F/GADL2A > 2) | na, wrong skip(-3),<br>na, see B/F/GADL2A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl2d | (Un)dress: R receive help (B/F/GADL2A = 2)    | see b/f/gadl2c   |
| b/f/gadl2e | (Un)dress: less than wanted (B/F/GADL2A > 1)  | na, wrong skip(-3),<br>na, see B/F/GADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl3a | Chair: sit and rise from                      | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/f/gadl3b | Chair: using aid (B/F/GADL3A > 1)             | na, wrong skip(-3),<br>na, see B/F/GADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl3c | Chair: help from someone (B/F/GADL3A > 2)     | na, wrong skip(-3),<br>na, see B/F/GADL3A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl3d | Chair: R receive help (B/F/GADL3A = 2)        | see b/f/gadl3c   |
| b/f/gadl3e | Chair: less than wanted (B/F/GADL3A > 1)      | na, wrong skip(-3),<br>na, see B/F/GADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl4a | Toenails: cutting own                         | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |  |  |
|------------|--|--|
| b/f/gadl4b | Toenails: using aid (C/DADL4A > 1)           | na, wrong skip(-3),<br>na, see B/F/GADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl4c | Toenails: help from someone (B/F/GADL4A > 2) | na, wrong skip(-3),<br>na, see B/F/GADL4A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl4d | Toenails: R receive help (B/F/GADL4A = 2)    | see b/f/gadl4c   |
| b/f/gadl4e | Toenails: less than wanted (B/F/GADL4A > 1)  | na, wrong skip(-3),<br>na, see B/F/GADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl5a | Walking: 5 min. outside the house            | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/f/gadl5b | Walking: using aid (B/F/GADL5A > 1)          | na, wrong skip(-3),<br>na, see B/F/GADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl5c | Walking: help from someone (B/F/GADL5A > 2)  | na, wrong skip(-3),<br>na, see B/F/GADL5A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl5d | Walking: R receive help (B/F/GADL5A = 2)     | see b/f/gadl5c   |
| b/f/gadl5e | Walking: less than wanted (B/F/GADL5A > 1)   | na, wrong skip(-3),<br>na, see B/F/GADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |  |  |
|------------|--|--|
| b/f/gadl6a | Transport: use of own or public                        | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/f/gadl6b | Transport: using aid (B/F/GADL6A > 1)                  | na, wrong skip(-3),<br>na, see B/F/GADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl6c | Transport: help from someone (B/F/GADL6A > 2)          | na, wrong skip(-3),<br>na, see B/F/GADL6A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl6d | Transport: R receive help (B/F/GADL6A = 2)             | see b/f/gadl6c   |
| b/f/gadl6e | Transport: less than wanted (B/F/GADL6A > 1)           | na, wrong skip(-3),<br>na, see B/F/GADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl7a | Take a bath/shower: self                               | na, wrong skip(-3),<br>na, see B/F/GADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/f/gadl7b | Take a bath/shower: using aid (B/F/GADL7A > 1)         | na, wrong skip(-3),<br>na, see B/F/GADL7A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/f/gadl7c | Take a bath/shower: help from someone (B/F/GADL7A > 2) | na, wrong skip(-3),<br>na, see B/F/GADL7A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/f/gadl7d | Take a bath/shower: R receive help (B/F/GADL7A = 2)    | see b/f/gadl7c   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |   |  |
|------------|---|--|
| b/f/gadl7e | Take a bath/shower: less than wanted (B/F/GADL7A > 1) | na, wrong skip(-3),<br>na, see B/F/GADL7A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2) |
|------------|---|--|

**LASAH030**

| name   | label                                  | values   |
|--------|--|--|
| hadl1a | Stairs: 15 steps without stopping      | na, interview terminated(-5),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5)              |
| hadl1b | Stairs: using aid (HADL1A > 1)         | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| hadl1c | Stairs: help from someone (HADL1A > 2) | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl1d | Stairs: R receive help (HADL1A = 2)    | see hadl1c   |
| hadl2a | (Un)dress: self                        | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| hadl2b | (Un)dress: using aid (HADL2A > 1)      | na, wrong skip(-3),<br>na, see HADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|        |   |  |
|--------|---|--|
| hadl2c | (Un)dress: help from someone (HADL2A > 2) | na, wrong skip(-3),<br>na, see HADL2A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl2d | (Un)dress: R receive help (HADL2A = 2)    | see hadl2c   |
| hadl3a | Chair: sit and rise from                  | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| hadl3b | Chair: using aid (HADL3A > 1)             | na, wrong skip(-3),<br>na, see HADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| hadl3c | Chair: help from someone (HADL3A > 2)     | na, wrong skip(-3),<br>na, see HADL3A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl3d | Chair: R receive help (HADL3A = 2)        | see hadl3c   |
| hadl4a | Toenails: cutting own                     | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| hadl4b | Toenails: using aid (C/DADL4A > 1)        | na, wrong skip(-3),<br>na, see HADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|        |  |  |
|--------|--|--|
| hadl4c | Toenails: help from someone (HADL4A > 2) | na, wrong skip(-3),<br>na, see HADL4A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl4d | Toenails: R receive help (HADL4A = 2)    | see hadl4c   |
| hadl5a | Walking: 5 min. outside the house        | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| hadl5b | Walking: using aid (HADL5A > 1)          | na, wrong skip(-3),<br>na, see HADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| hadl5c | Walking: help from someone (HADL5A > 2)  | na, wrong skip(-3),<br>na, see HADL5A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl5d | Walking: R receive help (HADL5A = 2)     | see hadl5c   |
| hadl6a | Transport: use of own or public          | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| hadl6b | Transport: using aid (HADL6A > 1)        | na, wrong skip(-3),<br>na, see HADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|        |  |  |
|--------|--|--|
| hadl6c | Transport: help from someone (HADL6A > 2)          | na, wrong skip(-3),<br>na, see HADL6A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl6d | Transport: R receive help (HADL6A = 2)             | see hadl6c   |
| hadl7a | Take a bath/shower: self                           | na, wrong skip(-3),<br>na, see HADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| hadl7b | Take a bath/shower: using aid (HADL7A > 1)         | na, wrong skip(-3),<br>na, see HADL7A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| hadl7c | Take a bath/shower: help from someone (HADL7A > 2) | na, wrong skip(-3),<br>na, see HADL7A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| hadl7d | Take a bath/shower: R receive help (HADL7A = 2)    | see hadl6c   |

**LAS3B030 / LASAI030 / LASAJ030**

| name       | label                              | values  |
|------------|------------------------------------|---|
| b/i/jadl1a | Stairs: 15 steps without stopping  | na, interview terminated(-5),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl1b | Stairs: using aid (B/I/JADL1A > 1) | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)  |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |   |  |
|------------|---|--|
| b/i/jadl1c | Stairs: help from someone (B/I/JADL1A > 2)    | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/i/jadl1d | Stairs: R receive help (B/I/JADL1A = 2)       | see b/i/jadl1c   |
| b/i/jadl2a | (Un)dress: self                               | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl2b | (Un)dress: using aid (B/I/JADL2A > 1)         | na, wrong skip(-3),<br>na, see B/I/JADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/i/jadl2c | (Un)dress: help from someone (B/I/JADL2A > 2) | na, wrong skip(-3),<br>na, see B/I/JADL2A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/i/jadl2d | (Un)dress: R receive help (B/I/JADL2A = 2)    | see b/i/jadl2c   |
| b/i/jadl3a | Chair: sit and rise from                      | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl3b | Chair: using aid (B/I/JADL3A > 1)             | na, wrong skip(-3),<br>na, see B/I/JADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |  |  |
|------------|--|--|
| b/i/jadl3c | Chair: help from someone (B/I/JADL3A > 2)    | na, wrong skip(-3),<br>na, see B/I/JADL3A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/i/jadl3d | Chair: R receive help (B/I/JADL3A = 2)       | see b/i/jadl3c   |
| b/i/jadl4a | Toenails: cutting own                        | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl4b | Toenails: using aid (B/I/JADL4A > 1)         | na, wrong skip(-3),<br>na, see B/I/JADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/i/jadl4c | Toenails: help from someone (B/I/JADL4A > 2) | na, wrong skip(-3),<br>na, see B/I/JADL4A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/i/jadl4d | Toenails: R receive help (B/I/JADL4A = 2)    | see b/i/jadl4c   |
| b/i/jadl5a | Walking: 5 min. outside the house            | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl5b | Walking: using aid (B/I/JADL5A > 1)          | na, wrong skip(-3),<br>na, see B/I/JADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |  |  |
|------------|--|--|
| b/i/jadl5c | Walking: help from someone (B/I/JADL5A > 2)    | na, wrong skip(-3),<br>na, see B/I/JADL5A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/i/jadl5d | Walking: R receive help (B/I/JADL5A = 2)       | see b/i/jadl5c   |
| b/i/jadl6a | Transport: use of own or public                | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl6b | Transport: using aid (B/I/JADL6A > 1)          | na, wrong skip(-3),<br>na, see B/I/JADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| b/i/jadl6c | Transport: help from someone (B/I/JADL6A > 2)  | na, wrong skip(-3),<br>na, see B/I/JADL6A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4)  |
| b/i/jadl6d | Transport: R receive help (B/I/JADL6A = 2)     | see b/i/jadl6c   |
| b/i/jadl7a | Take a bath/shower: self                       | na, wrong skip(-3),<br>na, see B/I/JADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| b/i/jadl7b | Take a bath/shower: using aid (B/I/JADL7A > 1) | na, wrong skip(-3),<br>na, see B/I/JADL7A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |



Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|            |  |   |
|------------|--|---|
| b/i/jadl7c | Take a bath/shower: help from someone (B/I/JADL7A > 2) | na, wrong skip(-3),<br>na, see B/I/JADL7A(-2),<br>na, asked(-1),<br>never(1),<br>seldom(2),<br>occasionally(3),<br>often or always(4) |
| b/i/jadl7d | Take a bath/shower: R receive help (B/I/JADL7A = 2)    | see b/i/jadl7c  |

**LASMB030**

| name   | label                             | values   |
|--------|-----------------------------------|--|
| badl1a | Stairs: 15 steps without stopping | na, interview terminated(-5),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5)              |
| badl1b | Stairs: using aid (BADL1A > 1)    | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl2a | (Un)dress: self                   | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| badl2b | (Un)dress: using aid (BADL2A > 1) | na, wrong skip(-3),<br>na, see BADL2A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl3a | Chair: sit and rise from          | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|        |                                   |  |
|--------|-----------------------------------|--|
| badl3b | Chair: using aid (BADL3A > 1)     | na, wrong skip(-3),<br>na, see BADL3A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl4a | Toenails: cutting own             | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| badl4b | Toenails: using aid (BADL4A > 1)  | na, wrong skip(-3),<br>na, see BADL4A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl5a | Walking: 5 min. outside the house | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| badl5b | Walking: using aid (BADL5A > 1)   | na, wrong skip(-3),<br>na, see BADL5A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |
| badl6a | Transport: use of own or public   | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| badl6b | Transport: using aid (BADL6A > 1) | na, wrong skip(-3),<br>na, see BADL6A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

|        |   |  |
|--------|---|--|
| badl7a | Take a bath/shower: self                      | na, wrong skip(-3),<br>na, see BADL1A(-2),<br>na, asked(-1),<br>no, I cannot(1),<br>only with help(2),<br>yes, with much difficulty(3),<br>yes, with some difficulty(4),<br>yes, without help(5) |
| badl7b | Take a bath/shower: using aid<br>(BADL7A > 1) | na, wrong skip(-3),<br>na, see BADL7A(-2),<br>na, asked(-1),<br>no(1),<br>yes(2)   |

Variable information:

LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 (constructed)

**LASAB230 / LASAC230 / LASAD230 / LASAE230**

| name                             | label  | values  |
|----------------------------------|--|---|
| b/c/d/eflwdiff                   | functional limitations, with difficulties #3 | no valid data(-1),<br>no difficulties(0),<br>2 without difficulty(1),<br>1 without difficulty(2),<br>all with difficulty(3)   |
| <b>Not in B :</b><br>c/d/eflwd#6 | functional limitations, with difficulties #6 | no valid data(-1),<br>no difficulties(0),<br>5 without difficulty(1),<br>4 without difficulty(2),<br>3 without difficulty(3),<br>2 without difficulty(4),<br>1 without difficulty(5),<br>all with difficulty(6) |

**LAS2B230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230**

| name                   | label  | values  |
|------------------------|--|---|
| b/f/g/h/b/b/i/jflwdiff | functional limitations, with difficulties #3 | no valid data(-1),<br>no difficulties(0),<br>2 without difficulty(1),<br>1 without difficulty(2),<br>all with difficulty(3)   |
| b/f/g/h/b/b/i/jflwd#6  | functional limitations, with difficulties #6 | no valid data(-1),<br>no difficulties(0),<br>5 without difficulty(1),<br>4 without difficulty(2),<br>3 without difficulty(3),<br>2 without difficulty(4),<br>1 without difficulty(5),<br>all with difficulty(6)                             |
| b/f/g/h/b/b/i/jflwd#7  | functional limitations, with difficulties #7 | no valid data(-1),<br>no difficulties(0),<br>6 without difficulty(1),<br>5 without difficulty(2),<br>4 without difficulty(3),<br>3 without difficulty(4),<br>2 without difficulty(5),<br>1 without difficulty(6),<br>all with difficulty(7) |