

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

LASAB030

| name | label | values |
|--------|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| badl1a | Stairs: 15 steps without stopping | na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with difficulty(3), yes, without help(4) |
| badl1b | Stairs: using aid (BADL1A > 1) | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no(1), yes(2) |
| badl1c | Stairs: help from someone (BADL1A = 3) | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| badl1d | Stairs: R receive help (BADL1A = 2) | see badl1c |
| badl6a | Transport: use of own or public | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with difficulty(3), yes, without help(4) |
| badl6b | Transport: using aid (BADL6A > 1) | na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), no(1), yes(2) |
| badl6c | Transport: help from someone (BADL6A = 3) | na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| badl6d | Transport: R receive help (BADL6A = 2) | see badl6c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| badl4a | Toenails: cutting own | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with difficulty(3), yes, without help(4) |
| badl4b | Toenails: using aid (BADL4A > 1) | na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), no(1), yes(2) |
| badl4c | Toenails: help from someone (BADL4A = 3) | na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| badl4d | Toenails: R receive help (BADL4A = 2) | see badl4c |

LASAC030 / LASAD030 / LASAE030

| name | label | values |
|------------|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| c/d/eadl1a | Stairs: 15 steps without stopping | na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| c/d/eadl1b | Stairs: using aid (C/D/EADL1A > 1) | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl1c | Stairs: help from someone (C/D/EADL1A > 2) | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| c/d/eadl1d | Stairs: R receive help (C/D/EADL1A = 2) | see c/d/eadl1c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| c/d/eadl1e | Stairs: less than wanted (C/D/EADL1A > 1) | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl2a | (Un)dress: self | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| c/d/eadl2b | (Un)dress: using aid (C/D/EADL2A > 1) | na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl2c | (Un)dress: help from someone (C/D/EADL2A > 2) | na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| c/d/eadl2d | (Un)dress: R receive help (C/D/EADL2A = 2) | see c/d/eadl2c |
| c/d/eadl2e | (Un)dress: less than wanted (C/D/EADL2A > 1) | na, wrong skip(-3), na, see C/D/EADL2A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl3a | Chair: sit and rise from | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| c/d/eadl3b | Chair: using aid (C/D/EADL3A > 1) | na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), no(1), yes(2) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| c/d/eadl3c | Chair: help from someone (C/D/EADL3A > 2) | na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| c/d/eadl3d | Chair: R receive help (C/D/EADL3A = 2) | see c/d/eadl3c |
| c/d/eadl3e | Chair: less than wanted (C/D/EADL3A > 1) | na, wrong skip(-3), na, see C/D/EADL3A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl4a | Toenails: cutting own | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| c/d/eadl4b | Toenails: using aid (C/DADL4A > 1) | na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl4c | Toenails: help from someone (C/D/EADL4A > 2) | na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| c/d/eadl4d | Toenails: R receive help (C/D/EADL4A = 2) | see c/d/eadl4c |
| c/d/eadl4e | Toenails: less than wanted (C/D/EADL4A > 1) | na, wrong skip(-3), na, see C/D/EADL4A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl5a | Walking: 5 min. outside the house | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| c/d/eadl5b | Walking: using aid (C/D/EADL5A > 1) | na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl5c | Walking: help from someone (C/D/EADL5A > 2) | na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| c/d/eadl5d | Walking: R receive help (C/D/EADL5A = 2) | see c/d/eadl5c |
| c/d/eadl5e | Walking: less than wanted (C/D/EADL5A > 1) | na, wrong skip(-3), na, see C/D/EADL5A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl6a | Transport: use of own or public | na, wrong skip(-3), na, see C/D/EADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| c/d/eadl6b | Transport: using aid (C/D/EADL6A > 1) | na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), no(1), yes(2) |
| c/d/eadl6c | Transport: help from someone (C/D/EADL6A > 2) | na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| c/d/eadl6d | Transport: R receive help (C/D/EADL6A = 2) | see c/d/eadl6c |
| c/d/eadl6e | Transport: less than wanted (C/D/EADL6A > 1) | na, wrong skip(-3), na, see C/D/EADL6A(-2), na, asked(-1), no(1), yes(2) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

LAS2B030 / LASAF030 / LASAG030

| name | label | values |
|------------|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/f/gadl1a | Stairs: 15 steps without stopping | na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/f/gadl1b | Stairs: using aid (B/F/GADL1A > 1) | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl1c | Stairs: help from someone (B/F/GADL1A > 2) | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl1d | Stairs: R receive help (B/F/GADL1A = 2) | see b/f/gadl1c |
| b/f/gadl1e | Stairs: less than wanted (B/F/GADL1A > 1) | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl2a | (Un)dress: self | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/f/gadl2b | (Un)dress: using aid (B/F/GADL2A > 1) | na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), no(1), yes(2) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/f/gadl2c | (Un)dress: help from someone (B/F/GADL2A > 2) | na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl2d | (Un)dress: R receive help (B/F/GADL2A = 2) | see b/f/gadl2c |
| b/f/gadl2e | (Un)dress: less than wanted (B/F/GADL2A > 1) | na, wrong skip(-3), na, see B/F/GADL2A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl3a | Chair: sit and rise from | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/f/gadl3b | Chair: using aid (B/F/GADL3A > 1) | na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl3c | Chair: help from someone (B/F/GADL3A > 2) | na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl3d | Chair: R receive help (B/F/GADL3A = 2) | see b/f/gadl3c |
| b/f/gadl3e | Chair: less than wanted (B/F/GADL3A > 1) | na, wrong skip(-3), na, see B/F/GADL3A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl4a | Toenails: cutting own | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/f/gadl4b | Toenails: using aid (C/DADL4A > 1) | na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl4c | Toenails: help from someone (B/F/GADL4A > 2) | na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl4d | Toenails: R receive help (B/F/GADL4A = 2) | see b/f/gadl4c |
| b/f/gadl4e | Toenails: less than wanted (B/F/GADL4A > 1) | na, wrong skip(-3), na, see B/F/GADL4A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl5a | Walking: 5 min. outside the house | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/f/gadl5b | Walking: using aid (B/F/GADL5A > 1) | na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl5c | Walking: help from someone (B/F/GADL5A > 2) | na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl5d | Walking: R receive help (B/F/GADL5A = 2) | see b/f/gadl5c |
| b/f/gadl5e | Walking: less than wanted (B/F/GADL5A > 1) | na, wrong skip(-3), na, see B/F/GADL5A(-2), na, asked(-1), no(1), yes(2) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/f/gadl6a | Transport: use of own or public | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/f/gadl6b | Transport: using aid (B/F/GADL6A > 1) | na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl6c | Transport: help from someone (B/F/GADL6A > 2) | na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl6d | Transport: R receive help (B/F/GADL6A = 2) | see b/f/gadl6c |
| b/f/gadl6e | Transport: less than wanted (B/F/GADL6A > 1) | na, wrong skip(-3), na, see B/F/GADL6A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl7a | Take a bath/shower: self | na, wrong skip(-3), na, see B/F/GADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/f/gadl7b | Take a bath/shower: using aid (B/F/GADL7A > 1) | na, wrong skip(-3), na, see B/F/GADL7A(-2), na, asked(-1), no(1), yes(2) |
| b/f/gadl7c | Take a bath/shower: help from someone (B/F/GADL7A > 2) | na, wrong skip(-3), na, see B/F/GADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/f/gadl7d | Take a bath/shower: R receive help (B/F/GADL7A = 2) | see b/f/gadl7c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|------------|-------------------------------------------------------|--------------------------------------------------------------------------------------|
| b/f/gadl7e | Take a bath/shower: less than wanted (B/F/GADL7A > 1) | na, wrong skip(-3), na, see B/F/GADL7A(-2), na, asked(-1), no(1), yes(2) |
|------------|-------------------------------------------------------|--------------------------------------------------------------------------------------|

LASAH030

| name | label | values |
|--------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| hadl1a | Stairs: 15 steps without stopping | na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl1b | Stairs: using aid (HADL1A > 1) | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no(1), yes(2) |
| hadl1c | Stairs: help from someone (HADL1A > 2) | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| hadl1d | Stairs: R receive help (HADL1A = 2) | see hadl1c |
| hadl2a | (Un)dress: self | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl2b | (Un)dress: using aid (HADL2A > 1) | na, wrong skip(-3), na, see HADL2A(-2), na, asked(-1), no(1), yes(2) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| hadl2c | (Un)dress: help from someone (HADL2A > 2) | na, wrong skip(-3), na, see HADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| hadl2d | (Un)dress: R receive help (HADL2A = 2) | see hadl2c |
| hadl3a | Chair: sit and rise from | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl3b | Chair: using aid (HADL3A > 1) | na, wrong skip(-3), na, see HADL3A(-2), na, asked(-1), no(1), yes(2) |
| hadl3c | Chair: help from someone (HADL3A > 2) | na, wrong skip(-3), na, see HADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| hadl3d | Chair: R receive help (HADL3A = 2) | see hadl3c |
| hadl4a | Toenails: cutting own | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl4b | Toenails: using aid (C/DADL4A > 1) | na, wrong skip(-3), na, see HADL4A(-2), na, asked(-1), no(1), yes(2) |
| hadl4c | Toenails: help from someone (HADL4A > 2) | na, wrong skip(-3), na, see HADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| hadl4d | Toenails: R receive help (HADL4A = 2) | see hadl4c |
| hadl5a | Walking: 5 min. outside the house | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl5b | Walking: using aid (HADL5A > 1) | na, wrong skip(-3), na, see HADL5A(-2), na, asked(-1), no(1), yes(2) |
| hadl5c | Walking: help from someone (HADL5A > 2) | na, wrong skip(-3), na, see HADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| hadl5d | Walking: R receive help (HADL5A = 2) | see hadl5c |
| hadl6a | Transport: use of own or public | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl6b | Transport: using aid (HADL6A > 1) | na, wrong skip(-3), na, see HADL6A(-2), na, asked(-1), no(1), yes(2) |
| hadl6c | Transport: help from someone (HADL6A > 2) | na, wrong skip(-3), na, see HADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| hadl6d | Transport: R receive help (HADL6A = 2) | see hadl6c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------|----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| hadl7a | Take a bath/shower: self | na, wrong skip(-3), na, see HADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| hadl7b | Take a bath/shower: using aid (HADL7A > 1) | na, wrong skip(-3), na, see HADL7A(-2), na, asked(-1), no(1), yes(2) |
| hadl7c | Take a bath/shower: help from someone (HADL7A > 2) | na, wrong skip(-3), na, see HADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| hadl7d | Take a bath/shower: R receive help (HADL7A = 2) | see hadl6c |

LAS3B030 / LASAI030 / LASAJ030 / LASAK030

| name | label | values |
|--------------|----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/i/j/kadl1a | Stairs: 15 steps without stopping | na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl1b | Stairs: using aid (B/I/J/KADL1A > 1) | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl1c | Stairs: help from someone (B/I/J/KADL1A > 2) | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl1d | Stairs: R receive help (B/I/J/KADL1A = 2) | see b/i/j/kadl1c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/i/j/kadl2a | (Un)dress: self | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl2b | (Un)dress: using aid (B/I/J/KADL2A > 1) | na, wrong skip(-3), na, see B/I/J/KADL2A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl2c | (Un)dress: help from someone (B/I/J/KADL2A > 2) | na, wrong skip(-3), na, see B/I/J/KADL2A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl2d | (Un)dress: R receive help (B/I/J/KADL2A = 2) | see b/i/j/kadl2c |
| b/i/j/kadl3a | Chair: sit and rise from | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl3b | Chair: using aid (B/I/J/KADL3A > 1) | na, wrong skip(-3), na, see B/I/J/KADL3A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl3c | Chair: help from someone (B/I/J/KADL3A > 2) | na, wrong skip(-3), na, see B/I/J/KADL3A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl3d | Chair: R receive help (B/I/J/KADL3A = 2) | see b/i/j/kadl3c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------------|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/i/j/kadl4a | Toenails: cutting own | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl4b | Toenails: using aid (B/I/J/KADL4A > 1) | na, wrong skip(-3), na, see B/I/J/KADL4A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl4c | Toenails: help from someone (B/I/J/KADL4A > 2) | na, wrong skip(-3), na, see B/I/J/KADL4A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl4d | Toenails: R receive help (B/I/J/KADL4A = 2) | see b/i/j/kadl4c |
| b/i/j/kadl5a | Walking: 5 min. outside the house | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl5b | Walking: using aid (B/I/J/KADL5A > 1) | na, wrong skip(-3), na, see B/I/J/KADL5A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl5c | Walking: help from someone (B/I/J/KADL5A > 2) | na, wrong skip(-3), na, see B/I/J/KADL5A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl5d | Walking: R receive help (B/I/J/KADL5A = 2) | see b/i/j/kadl5c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/i/j/kadl6a | Transport: use of own or public | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl6b | Transport: using aid (B/I/J/KADL6A > 1) | na, wrong skip(-3), na, see B/I/J/KADL6A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl6c | Transport: help from someone (B/I/J/KADL6A > 2) | na, wrong skip(-3), na, see B/I/J/KADL6A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl6d | Transport: R receive help (B/I/J/KADL6A = 2) | see b/i/j/kadl6c |
| b/i/j/kadl7a | Take a bath/shower: self | na, wrong skip(-3), na, see B/I/J/KADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| b/i/j/kadl7b | Take a bath/shower: using aid (B/I/J/KADL7A > 1) | na, wrong skip(-3), na, see B/I/J/KADL7A(-2), na, asked(-1), no(1), yes(2) |
| b/i/j/kadl7c | Take a bath/shower: help from someone (B/I/J/KADL7A > 2) | na, wrong skip(-3), na, see B/I/J/KADL7A(-2), na, asked(-1), never(1), seldom(2), occasionally(3), often or always(4) |
| b/i/j/kadl7d | Take a bath/shower: R receive help (B/I/J/KADL7A = 2) | see b/i/j/kadl7c |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

LASMB030

| name | label | values |
|--------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| badl1a | Stairs: 15 steps without stopping | na, interview terminated(-5), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| badl1b | Stairs: using aid (BADL1A > 1) | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no(1), yes(2) |
| badl2a | (Un)dress: self | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| badl2b | (Un)dress: using aid (BADL2A > 1) | na, wrong skip(-3), na, see BADL2A(-2), na, asked(-1), no(1), yes(2) |
| badl3a | Chair: sit and rise from | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| badl3b | Chair: using aid (BADL3A > 1) | na, wrong skip(-3), na, see BADL3A(-2), na, asked(-1), no(1), yes(2) |
| badl4a | Toenails: cutting own | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

| | | |
|--------|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| badl4b | Toenails: using aid (BADL4A > 1) | na, wrong skip(-3), na, see BADL4A(-2), na, asked(-1), no(1), yes(2) |
| badl5a | Walking: 5 min. outside the house | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| badl5b | Walking: using aid (BADL5A > 1) | na, wrong skip(-3), na, see BADL5A(-2), na, asked(-1), no(1), yes(2) |
| badl6a | Transport: use of own or public | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| badl6b | Transport: using aid (BADL6A > 1) | na, wrong skip(-3), na, see BADL6A(-2), na, asked(-1), no(1), yes(2) |
| badl7a | Take a bath/shower: self | na, wrong skip(-3), na, see BADL1A(-2), na, asked(-1), no, I cannot(1), only with help(2), yes, with much difficulty(3), yes, with some difficulty(4), yes, without help(5) |
| badl7b | Take a bath/shower: using aid (BADL7A > 1) | na, wrong skip(-3), na, see BADL7A(-2), na, asked(-1), no(1), yes(2) |

Variable information: LASAB030 / LASAC030 / LASAD030 / LAS2B030 / LASAE030 / LASAF030 / LASAG030 / LASAH030 / LAS3B030 / LASMB030 / LASAI030 / LASAJ030 / LASAK030; LASAB230 / LASAC230 / LASAD230 / LAS2B230 / LASAE230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230 (constructed)

LASAB230 / LASAC230 / LASAD230 / LASAE230

| name | label | values |
|----------------------------------|----------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/c/d/eflwdiff | functional limitations, with difficulties #3 | no valid data(-1), no difficulties(0), 2 without difficulty(1), 1 without difficulty(2), all with difficulty(3) |
| Not in B : c/d/eflwd#6 | functional limitations, with difficulties #6 | no valid data(-1), no difficulties(0), 5 without difficulty(1), 4 without difficulty(2), 3 without difficulty(3), 2 without difficulty(4), 1 without difficulty(5), all with difficulty(6) |

LAS2B230 / LASAF230 / LASAG230 / LASAH230 / LAS3B230 / LASMB230 / LASAI230 / LASAJ230 / LASAK230

| name | label | values |
|--------------------------|----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| b/f/g/h/b/b/i/j/kflwdiff | functional limitations, with difficulties #3 | no valid data(-1), no difficulties(0), 2 without difficulty(1), 1 without difficulty(2), all with difficulty(3) |
| b/f/g/h/b/b/i/j/kflwd#6 | functional limitations, with difficulties #6 | no valid data(-1), no difficulties(0), 5 without difficulty(1), 4 without difficulty(2), 3 without difficulty(3), 2 without difficulty(4), 1 without difficulty(5), all with difficulty(6) |
| b/f/g/h/b/b/i/j/kflwd#7 | functional limitations, with difficulties #7 | no valid data(-1), no difficulties(0), 6 without difficulty(1), 5 without difficulty(2), 4 without difficulty(3), 3 without difficulty(4), 2 without difficulty(5), 1 without difficulty(6), all with difficulty(7) |