

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035

name	label	values
bcara01	CNSLD: asthma, chr bronch, emphysema	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bcara02	CNSLD: from which age	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1)
bcara03	CNSLD: take medicine	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(0), yes(1)
bcara04	CNSLD: treatment doctor	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bcara05	CNSLD: cough almost daily	na, short version(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(0), yes(1)
bcara06	CNSLD: phlegm almost daily	na, short version(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(0), yes(1)
bcara07	CNSLD: period increased phlegm past year	see bcara06
bcara08	CNSLD: shortness of breath sometimes	na, short version(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(0), yes, with heavy exertion(1), yes, with light exertion(2), yes, at rest(3)
bcara09	CNSLD: wheezing breath ever	see bcara06
bcara10	CNSLD: wheezing breath during rest	see bcara06

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bcara11	CNSLD: disturbed night-rest or sleeping	na, short version(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bcara12	CNSLD: going outdoors less because of CNSLD	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bhart01	Heart: heart disease	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bhart02	Heart: from which age	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1)
bhart03	Heart: take medicine	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(0), yes(1)
bhart04	Heart: treatment doctor	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bhart05	Heart: myocardial infarction	na, short version(-4), na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(0), yes(1)
bhart06	Heart: myocardial inf no of times	na, wrong skip(-3), na, see BHART05(-2), na, asked(-1), once(1), two times or more(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bhart07	Heart: one infarction age	na, wrong skip(-3), na, see BHART06(-2), na, asked(-1)
bhart08	Heart: first infarction age	see bhart07
bhart09	Heart: last infarction age	see bhart07
bhart10	Heart: chest pain during exertion	na, short version(-4), na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(0), yes(1), no exertion: chest pain(2), no exertion: pain legs(3), no exertion: shortness of breath(4), no exertion: joint complaints(5), no exertion: other reason(6)
bhart11	Heart: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see BHART10(-2), na, asked(-1), no(0), yes(1)
bhart12	Heart: >1 pillow for shortness of breath	na, short version(-4), na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(0), yes(1)
bhart13	Heart: edema morning; legs, feet, ankles	see bhart07
bhart14	Heart: edema evening; legs, feet, ankles	see bhart07
bhart15	Heart: cardiac surgery	see bhart07
bhart15a	Heart: surgery valves	na, wrong skip(-3), na, see BHART15(-2), na, asked(-1), not mentioned(0), mentioned(1)
bhart15b	Heart: surgery bypass	see bhart15a
bhart15c	Heart: surgery dotter	see bhart15a
bhart15d	Heart: surgery pacemaker	see bhart15a
bhart15e	Heart: surgery other	see bhart15a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bhart16	Heart: going outdoors less because of heart disease	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bartvei1	Arteries: disease or abnormalities	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bartvei2	Arteries: from which age	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1)
bartvei3	Arteries: take medicine	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(0), yes(1)
bartvei4	Arteries: treatment doctor	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bartvei5	Arteries: pain when walking	na, short version(-4), na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(0), yes(1)
bartvei6	Arteries: pain when walking: meters	na, wrong skip(-3), na, see BARTVEI5(-2), na, asked(-1)
bartvei7	Arteries: pain disappears standing still	na, wrong skip(-3), na, see BARTVEI5(-2), na, asked(-1), no(0), yes(1)
bartvei8	Arteries: surgery	na, short version(-4), na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(0), yes(1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bartve8a	Arteries: surgery bifurcation	na, wrong skip(-3), na, see BARTVEI8(-2), na, asked(-1), not mentioned(0), mentioned(1)
bartve8b	Arteries: surgery femoral legs	see bartve8a
bartve8c	Arteries: surgery femoral groin	see bartve8a
bartve8d	Arteries: surgery dotter	see bartve8a
bartve8e	Arteries: surgery other	see bartve8a
bartvei9	Arteries: going outdoors less because of these diseases or abnormalities of the arteries or blood vessels	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bdiabe01	Diabetes: yes/no	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bdiabe02	Diabetes: from which age	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1)
bdiabe03	Diabetes: take medicine	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(0), yes, insulin injections(1), yes, tablets only(2)
bdiabe04	Diabetes: treatment doctor	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bdiabe05	Diabetes: treatment related eye problems	na, short version(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(0), yes(1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bdiabe06	Diabetes: type of treatment eye problems	na, wrong skip(-3), na, see BDIABE05(-2), na, asked(-1), laser coagulation treatment(1), cataract surgery(2), both(3), other(4)
bdiabe07	Diabetes: pain when walking	already asked BARTVEI5(-6), na, short version(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(0), yes(1)
bdiabe08	Diabetes: pain when walking: no of meter	na, wrong skip(-3), na, see BDIABE07(-2), na, asked(-1)
bdiabe09	Diabetes: pain disappears standing still	na, wrong skip(-3), na, see BDIABE07(-2), na, asked(-1), no(0), yes(1)
bdiabe10	Diabetes: pain in legs during rest	na, short version(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(0), yes(1)
bdiabe11	Diabetes: chest pain during exertion	already asked BHART10(-6), na, short version(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(0), yes(1), no exertion: chest pain(2), no exertion: pain legs(3), no exertion: shortness of breath(4), no exertion: joint complaints(5), no exertion: other reason(6)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bdiabe12	Diabetes: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see BDIABE11(-2), na, asked(-1), no(0), yes(1)
bdiabe13	Diabetes: going outdoors less because of diabetes	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bcva01	CVA: yes/no	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bcva02	CVA: how many times	na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), once(1), two times or more(2)
bcva03	CVA: one stroke age	na, wrong skip(-3), na, see BCVA02(-2), na, asked(-1)
bcva04	CVA: first stroke age	see bcva03
bcva05	CVA: last stroke age	see bcva03
bcva06	CVA: take medicine	na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(0), yes(1)
bcva07	CVA: treatment doctor	na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bcva08	CVA: still problems with arms and legs	na, short version(-4), na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(0), yes(1)
bcva09	CVA: still problems with vision	see bcva08
bcva10	CVA: still problems speech	see bcva08

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bcva11	CVA: still problems understanding written text	see bcva08
bcva12	CVA: going outdoors less because of CVA	na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bincon1	Incontinence: yes/no	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bincon2	Incontinence: from which age	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1)
bincon3	Incontinence: take medicine	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(0), yes(1)
bincon4	Incontinence: treatment doctor	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bincon5	Incontinence: how often loss of urine	na, short version(-4), na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), 2 times a month or less(1), 3-4 times a month(2), a few times a week(3), daily(4)
bincon6	Incontinence: use special material	na, short version(-4), na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(0), only by certain occasion(1), yes, most of the time(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bincon7	Incontinence: surgery yes/no	na, short version(-4), na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(0), yes(1)
bincon8	Incontinence: going outdoors less because of loss of urine	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
brheum01	Rheum/arthrosis: osteoarthritis	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
brheum02	Rheum/arthrosis: rheumatoid arthritis	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
brheum03	Rheum/arthrosis: from which age	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1)
brheum04	Rheum/arthrosis: take medicine	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(0), yes(1)
brheum05	Rheum/arthrosis: treatment doctor	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
brheum06	Rheum/arthrosis: pain in joints past 3 months	na, short version(-4), na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(0), yes(1)
brheum07	Rheum/arthrosis: stiffness joints past 3 month	see brheum06
brheum08	Rheum/arthrosis: swelling joints past month	see brheum06
brheum8a	Rheum/arthrosis: complaints fingers	see brheum06
brheum8b	Rheum/arthrosis: complaints hand/wrist	see brheum06

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
brheum8c	Rheum/arthrosis: complaints elbows	see brheum06
brheum8d	Rheum/arthrosis: complaints shoulders	see brheum06
brheum8e	Rheum/arthrosis: complaints toes	see brheum06
brheum8f	Rheum/arthrosis: complaints feet/ankles	see brheum06
brheum8g	Rheum/arthrosis: complaints knees	see brheum06
brheum8h	Rheum/arthrosis: complaints hip	see brheum06
brheum8i	Rheum/arthrosis: complaints neck	see brheum06
brheum09	Rheum/arthrosis: surgery yes/no	na, short version(-4), na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(0), yes(1)
brheum9a	Rheum/arthrosis: surgery fingers	na, wrong skip(-3), na, see BRHEUM09(-2), na, asked(-1), not mentioned(0), mentioned(1)
brheum9b	Rheum/arthrosis: surgery hand/wrist	see brheum9a
brheum9c	Rheum/arthrosis: surgery elbows	see brheum9a
brheum9d	Rheum/arthrosis: surgery shoulders	see brheum9a
brheum9e	Rheum/arthrosis: surgery toes	see brheum9a
brheum9f	Rheum/arthrosis: surgery feet/ankles	see brheum9a
brheum9g	Rheum/arthrosis: surgery knees	see brheum9a
brheum9h	Rheum/arthrosis: surgery hip	see brheum9a
brheum9i	Rheum/arthrosis: surgery neck	see brheum9a
brheum10	Rheum/arthrosis: joint prostheses	see brheum9a
brheum11	Rheum/arthrosis: going outdoors less because of complaints of joints	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
brheum12	Rheum/arthrosis: observation hands	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), rheumatic hands(1), no rheumatic hands(2), observation not possible(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bcancer1	Cancer: yes/no	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bcancer2	Cancer: from which age	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1)
bcancer3	Cancer: take medicine	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), no(0), yes(1)
bcancer4	Cancer: treatment doctor	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bcance5a	Cancer: lungs	na, short version(-4), na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(0), mentioned(1)
bcance5b	Cancer: breast	see bcance5a
bcance5c	Cancer: uterus	see bcance5a
bcance5d	Cancer: cervix	see bcance5a
bcance5e	Cancer: intestines	see bcance5a
bcance5f	Cancer: prostate	see bcance5a
bcance5g	Cancer: larynx	see bcance5a
bcance5h	Cancer: esophagus	see bcance5a
bcance5i	Cancer: stomach	see bcance5a
bcance5j	Cancer: blood	see bcance5a
bcance5k	Cancer: skin	see bcance5a
bcance5l	Cancer: other	see bcance5a
bcancer6	Cancer: metastases yes/no	see bcance5a
bcance6a	Cancer: metastases bone/skeleton	na, wrong skip(-3), na, see BCANCER6(-2), na, asked(-1), not mentioned(0), mentioned(1)
bcance6b	Cancer: metastases liver	see bcance6a
bcance6c	Cancer: metastases brain	see bcance6a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bcance6d	Cancer: metastases lungs	see bcance6a
bcance6e	Cancer: metastases other	see bcance6a
bcance7a	Cancer: treatment surgery	see bcance5a
bcance7b	Cancer: treatment chemotherapy	see bcance5a
bcance7c	Cancer: treatment radiotherapy	see bcance5a
bcance7d	Cancer: treatment alternative (Moerman etc)	see bcance5a
bcancer8	Cancer: going outdoors less because of cancer	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bothsi01	Other: other diseases yes/no (first)	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
bothsi02	Other: first disease	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), see Table Other diseases*
bothsi04	Other: from which age (first)	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1)
bothsi05	Other: take medicine (first)	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), no(0), yes(1)
bothsi06	Other: treatment doctor (first)	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
bothsi07	Other: other diseases yes/no (second)	na, short version(-4), na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), no(0), yes(1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB035 (continued)		
bothsi08	Other: second disease	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1), see Table Other diseases*
bothsi10	Other: from which age (second)	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1)
bothsi11	Other: take medicine (second)	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1), no(0), yes(1)
bothsi12	Other: treatment doctor (second)	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1), no(0), yes, family physician(1), yes, specialist(2)
brmch	Reason missing chronic diseases	valid data(-2), terminated interview(1), short interview(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035

name	label	values
ccara01	CNSLD: asthma, chr bronch, emphysema	na, see CRMCH(-5), na, asked(-1), no, never(0), no, BCARA01 yes(1), yes, BCARA01 no(2), yes, BCARA01 yes(3)
ccara02	CNSLD: from which age	na, wrong skip(-3), na, see CCARA01(-2), na, asked(-1)
ccara03	CNSLD: taking medication	na, wrong skip(-3), na, see CCARA01(-2), na, asked(-1), no(1), yes(2)
ccara04	CNSLD: treatment doctor	na, wrong skip(-3), na, see CCARA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
ccara05	CNSLD: cough almost daily	see ccara03
ccara06	CNSLD: phlegm almost daily	see ccara03
ccara07	CNSLD: period increased phlegm past year	see ccara03
ccara08	CNSLD: shortness of breath sometimes	na, wrong skip(-3), na, see CCARA01(-2), na, asked(-1), no(1), yes, with heavy exertion(2), yes, with light exertion(3), yes, at rest(4)
ccara09	CNSLD: wheezing breath ever	see ccara03
ccara10	CNSLD: wheezing breath during rest	see ccara03
ccara11	CNSLD: disturbed night-rest or sleep	na, wrong skip(-3), na, see CCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
ccara12	CNSLD: outdoors less often	see ccara11

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
chart01	Heart: heart disease	na, see CRMCH(-5), na, asked(-1), no, never(0), no, BHART01 yes(1), yes, BHART01 no(2), yes, BHART01 yes(3)
chart02	Heart: from which age	na, wrong skip(-3), na, see CHART01(-2), na, asked(-1)
chart03	Heart: taking medication	see chart02, no(1), yes(2)
chart04	Heart: treatment doctor	na, wrong skip(-3), na, see CHART01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
chart05	Heart: myocardial infarction since last	see chart03
chart06	Heart: no of myocardial inf since last interview	na, wrong skip(-3), na, see CHART05(-2), na, asked(-1), once(1), two times or more(2)
chart07m	Heart: one infarction month	na, wrong skip(-3), na, see CHART06(-2), na, asked(-1)
chart07j	Heart: one infarction year	see chart07m
chart08m	Heart: >1; first infarction month	see chart07m
chart08j	Heart: >1; first infarction year	see chart07m
chart09m	Heart: >1; last infarction month	see chart07m
chart09j	Heart: >1; last infarction year	see chart07m
chart10	Heart: chest pain during exertion	na, wrong skip(-3), na, see CHART01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
chart11	Heart: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see CHART10(-2), na, asked(-1), no(1), yes(2)
chart12	Heart: >1 pillow for shortness of breath	na, wrong skip(-3), na, see CHART01(-2), na, asked(-1), no(1), yes(2)
chart13	Heart: edema morning; legs, feet, ankles	see chart12
chart14	Heart: edema evening; legs, feet, ankles	see chart12
chart15	Heart: cardiac surgery sin 3be last interview	see chart12
chart15a	Heart: valves/cardiac surgery since last	na, wrong skip(-3), na, see CHART15(-2), na, asked(-1), not mentioned(0), mentioned(1)
chart15b	Heart: bypass/cardiac surgery since last int.	see chart15a
chart15c	Heart: dotter/cardiac surgery since last int.	see chart15a
chart15d	Heart: pacemaker/cardiac surgery since last interview	see chart15a
chart15e	Heart: other/cardiac surgery since last int.	see chart15a
chart16	Heart: outdoors less often	na, wrong skip(-3), na, see CHART01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
cartvei1	Arteries: disease or abnormalities	na, see CRMCH(-5), na, asked(-1), no, never(0), no, BARTVEI1 yes(1), yes, BARTVEI1 no(2), yes, BARTVEI1 yes(3)
cartvei2	Arteries: from which age	na, wrong skip(-3), na, see CARTVEI1(-2), na, asked(-1)
cartvei3	Arteries: taking medication	na, wrong skip(-3), na, see CARTVEI1(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
cartvei4	Arteries: treatment doctor	na, wrong skip(-3), na, see CARTVEI1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
cartvei5	Arteries: pain when walking	na, wrong skip(-3), na, see CARTVEI1(-2), na, asked(-1), no(1), yes(2)
cartvei6	Arteries: pain when walking: meters	na, wrong skip(-3), na, see CARTVEI5(-2), na, asked(-1)
cartvei7	Arteries: pain disappears standing still	see cartvei6, no(1), yes(2)
cartvei8	Arteries: surgery since last interview	na, wrong skip(-3), na, see CARTVEI1(-2), na, asked(-1), no(1), yes(2)
cartve8a	Arteries: surgery, bifurcation	na, wrong skip(-3), na, see CARTVEI8(-2), na, asked(-1), not mentioned(0), mentioned(1)
cartve8b	Arteries: surgery, femoral	see cartve8a
cartve8c	Arteries: surgery, groins	see cartve8a
cartve8d	Arteries: surgery, dotter	see cartve8a
cartve8e	Arteries: surgery, other	see cartve8a
cartvei9	Arteries: outdoors less often	na, wrong skip(-3), na, see CARTVEI1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
cdiabe01	Diabetes	na, see CRMCH(-5), na, asked(-1), no, never(0), no, BDIABE01 yes(1), yes, BDIABE01 no(2), yes, BDIABE01 yes(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
cdiabe02	Diabetes: from which age	na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1)
cdiabe03	Diabetes: taking medication	na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), no(1), yes, insulin injections(2), yes, tablets only(3)
cdiabe04	Diabetes: treatment doctor	na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
cdiabe05	Diabetes: treatment related eye problems	na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), no(1), yes(2)
cdiabe6a	Diabetes: eye probl, laser	na, wrong skip(-3), na, see CDIABE05(-2), na, asked(-1), not mentioned(0), mentioned(1)
cdiabe6b	Diabetes: eye probl, cataract	see cdiabe6a
cdiabe6c	Diabetes: eye probl, other treatment	see cdiabe6a
cdiabe07	Diabetes: pain when walking	na, see CARTVEI1(-6), na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), no(1), yes(2)
cdiabe08	Diabetes: pain when walking: no of meter	na, wrong skip(-3), na, see CDIABE07(-2), na, asked(-1)
cdiabe09	Diabetes: pain disappears standing still	see cdiabe08, no(1), yes(2)
cdiabe10	Diabetes: pain in legs during rest	na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
cdiabe11	Diabetes: chest pain during exertion	already asked CHART01(-6), na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
cdiabe12	Diabetes: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see CDIABE11(-2), na, asked(-1), no(1), yes(2)
cdiabe13	Diabetes: outdoors less often	na, wrong skip(-3), na, see CDIABE01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
ccva01	CVA	na, see CRMCH(-5), na, asked(-1), no never(0), no, BCVA01 yes(1), yes, BCVA01 no(2), yes, BCVA01 yes(3)
ccva02a	CVA: stroke since last interview	na, wrong skip(-3), na, see CCVA01(-2), na, asked(-1), no(1), yes(2)
ccva02b	CVA: no of strokes	na, wrong skip(-3), na, see CCVA02A(-2), na, asked(-1), once(1), two times or more(2)
ccva03m	CVA: 1, stroke month	na, wrong skip(-3), na, see CCVA02B(-2), na, asked(-1)
ccva03j	CVA: 1, stroke year	see ccva03m
ccva04m	CVA: > 1, first stroke month	see ccva03m

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
ccva04j	CVA: > 1, first stroke year	see ccva03m
ccva05m	CVA: > 1, last stroke month	see ccva03m
ccva05j	CVA: > 1, last stroke year	see ccva03m
ccva06	CVA: taking medication	na, wrong skip(-3), na, see CCVA01(-2), na, asked(-1), no(1), yes(2)
ccva07	CVA: treatment doctor	na, wrong skip(-3), na, see CCVA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
ccva08	CVA: still problems with arms and legs	na, wrong skip(-3), na, see CCVA01(-2), na, asked(-1), no(1), yes(2)
ccva09	CVA: still problems with vision	see ccva08
ccva10	CVA: still problems speech	see ccva08
ccva11	CVA: still problems understanding written text	see ccva08
ccva12	CVA: outdoors less often	na, wrong skip(-3), na, see CCVA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
cincon1	Incontinence	na, see CRMCH(-5), na, asked(-1), no never(0), no, BINCON1 yes(1), yes, BINCON1 no(2), yes, BINCON1 yes(3)
cincon2	Incontinence: from which age	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1)
cincon3	Incontinence: taking medication	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
cincon4	Incontinence: treatment doctor	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
cincon5	Incontinence: how often loss of urine	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1), 2 times a month or less(1), 3-4 times a month(2), a few times a week(3), daily(4)
cincon6	Incontinence: use special material	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1), no(1), only on certain occasion(2), yes, most of the time(3)
cincon7	Incontinence: surgery since last interview	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1), no(1), yes(2)
cincon8	Incontinence: outdoors less often	na, wrong skip(-3), na, see CINCON1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
crheum01	Osteo/rheum art: osteoarthritis	na, see CRMCH(-5), na, asked(-1), no never(0), no, BRHEUM01 yes(1), yes, BRHEUM01 no(2), yes, BRHEUM01 yes(3)
crheum02	Osteo/rheum art: rheumatoid arthritis	na, see CRMCH(-5), na, asked(-1), no never(0), no, BRHEUM02 yes(1), yes, BRHEUM02 no(2), yes, BRHEUM02 yes(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
crheum03	Osteo/rheum art: from which age	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1)
crheum04	Osteo/rheum art: taking medication	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
crheum05	Osteo/rheum art: treatment doctor	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
crheum06	Osteo/rheum art: pain in joints past 3 m	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
crheum07	Osteo/rheum art: morning stiffness joint	see crheum06
crheum08	Osteo/rheum art: swelling joints past month	see crheum06
crheum8a	Osteo/rheum art: complaints fingers	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), not mentioned(1), mentioned(2)
crheum8b	Osteo/rheum art: complaints hand/wrist	see crheum8a
crheum8c	Osteo/rheum art: complaints elbows	see crheum8a
crheum8d	Osteo/rheum art: complaints shoulders	see crheum8a
crheum8e	Osteo/rheum art: complaints toes	see crheum8a
crheum8f	Osteo/rheum art: complaints feet/ankles	see crheum8a
crheum8g	Osteo/rheum art: complaints knees	see crheum8a
crheum8h	Osteo/rheum art: complaints hip	see crheum8a
crheum8i	Osteo/rheum art: complaints neck	see crheum8a
crheum09	Osteo/rheum art: surgery since last int	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
crheum9a	Osteo/rheum art: surgery fingers	na, wrong skip(-3), na, see CRHEUM09(-2), na, asked(-1), not mentioned(1), mentioned(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
crheum9b	Osteo/rheum art: surgery hand/wrist	see crheum9a
crheum9c	Osteo/rheum art: surgery elbows	see crheum9a
crheum9d	Osteo/rheum art: surgery shoulders	see crheum9a
crheum9e	Osteo/rheum art: surgery toes since	see crheum9a
crheum9f	Osteo/rheum art: surgery feet/ankles	see crheum9a
crheum9g	Osteo/rheum art: surgery knees	see crheum9a
crheum9h	Osteo/rheum art: surgery hip	see crheum9a
crheum9i	Osteo/rheum art: surgery neck	see crheum9a
crheum10	Osteo/rheum art: joint prostheses	na, wrong skip(-3), na, see CRHEUM01(-2), na, asked(-1), no(1), yes(2)
crheum11	Osteo/rheum art: outdoors less often	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
crheum12	Osteo/rheum art: observation hands	na, wrong skip(-3), na, see CRHEUM01&02(-2), na, asked(-1), rheumatic hands(1), no rheumatic hands(2), observation not possible(3)
ccancer1	Cancer	na, see CRMCH(-5), na, asked(-1), no never(0), no, BCANCER1 yes(1), yes, BCANCER1 no(2), yes, BCANCER1 yes(3)
ccancer2	Cancer: from which age	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1)
ccancer3	Cancer: taking medication	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
ccancer4	Cancer: treatment doctor	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
ccancer5	Cancer: tumor since last interview	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), no(1), yes(2)
ccance5a	Cancer: tumor, lungs	na, see CCANCER5(-6), na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
ccance5b	Cancer: tumor, breast	see ccance5a
ccance5c	Cancer: tumor, uterus	not asked, male(-7), na, see CCANCER5(-6), na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
ccance5d	Cancer: tumor, cervix	see ccance5c
ccance5e	Cancer: tumor, intestines	see ccance5a
ccance5f	Cancer: tumor, prostate	not asked, female(-7), na, see CCANCER5(-6), na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
ccance5g	Cancer: tumor, larynx	see ccance5a
ccance5h	Cancer: tumor, esophagus	see ccance5a
ccance5i	Cancer: tumor, stomach	see ccance5a
ccance5j	Cancer: tumor, blood	see ccance5a
ccance5k	Cancer: tumor, skin	see ccance5a
ccance5l	Cancer: tumor, other	see ccance5a
ccance5m	Cancer: tumor, which other	na, wrong skip(-3), na, see CCANCE5L(-2), na, asked(-1), to be coded(0)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
ccancer6	Cancer: metastases since last interview	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), no(1), yes(2)
ccance6a	Cancer: metastases, bone/skeleton	na, wrong skip(-3), na, see CCANCER6(-2), na, asked(-1), not mentioned(1), mentioned(2)
ccance6b	Cancer: metastases, liver	see ccance6a
ccance6c	Cancer: metastases, brain	see ccance6a
ccance6d	Cancer: metastases, lungs	see ccance6a
ccance6e	Cancer: metastases, lymph nodes	see ccance6a
ccance6f	Cancer: metastases, other	see ccance6a
ccance6g	Cancer: metastases, which other	na, wrong skip(-3), na, see CCANCE6F(-2), na, asked(-1), to be coded(0)
ccance7a	Cancer: surgery, since last interview	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
ccance7b	Cancer: chemotherapy, since last interview	see ccance6a
ccance7c	Cancer: radiotherapy, since last interview	see ccance6a
ccance7d	Cancer: alternative treatment, since last interview	see ccance6a
ccancer8	Cancer: outdoors less often	na, wrong skip(-3), na, see CCANCER1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
cothsi01	Other1: other chronic diseases	na, see CRMCH(-5), na, asked(-1), no(1), yes(2)
cothsi02	Other1: disease	na, wrong skip(-3), na, see COTH1(-2), na, asked(-1), see Table Other diseases*

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
cothsi04	Other1: from which age	na, wrong skip(-3), na, see COTH1(-2), na, asked(-1)
cothsi05	Other1: taking medication	na, wrong skip(-3), na, see COTH1(-2), na, asked(-1), no(1), yes(2)
cothsi06	Other1: treatment doctor	na, wrong skip(-3), na, see COTH1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
cothsi07	Other2: other chronic diseases	na, wrong skip(-3), na, see COTH1(-2), na, asked(-1), no(1), yes(2)
cothsi08	Other2: disease	na, wrong skip(-3), na, see COTH71(-2), na, asked(-1), see Table Other diseases*
cothsi10	Other2: from which age	na, wrong skip(-3), na, see COTH71(-2), na, asked(-1)
cothsi11	Other2: taking medication	na, wrong skip(-3), na, see COTH71(-2), na, asked(-1), no(1), yes(2)
cothsi12	Other2: treatment doctor	na, wrong skip(-3), na, see COTH71 (-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
chbd1	Hypertension	na, see CRMCH(-5), na, asked(-1), no(1), yes(2)
chbd2	Hypertension: from which age	na, wrong skip(-3), na, see CHBD1(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAC035 (continued)		
chbd2a	Hypertension: taking medication	na, wrong skip(-3), na, see CHBD1(-2), na, asked(-1), no(1), yes(2)
chbd3	Hypertension: treatment doctor	na, wrong skip(-3), na, see CHBD1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
crmch	Reason missing: chronical diseases	valid data(-2), interview terminated(2), refused test(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035

name	label	values
bcara01	CNSLD: asthma, chr bronch, emphysema	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bcara02	CNSLD: from which age	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1)
bcara03	CNSLD: taking medication	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(1), yes(2)
bcara04	CNSLD: treatment doctor	na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bcara05	CNSLD: cough almost daily	na, short interview(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(1), yes(2)
bcara06	CNSLD: phlegm almost daily	see bcara05
bcara07	CNSLD: period increased phlegm past year	see bcara05
bcara08	CNSLD: shortness of breath sometimes	na, short interview(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), no(1), yes, with heavy exertion(2), yes, with light exertion(3), yes, at rest(4)
bcara09	CNSLD: wheezing breath ever	see bcara05
bcara10	CNSLD: wheezing breath during rest	see bcara05

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bcara11	CNSLD: disturbed night-rest or sleep	na, short interview(-4), na, wrong skip(-3), na, see BCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
bhart01	Heart: heart disease	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bhart02	Heart: from which age	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1)
bhart03	Heart: taking medication	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(1), yes(2)
bhart04	Heart: treatment doctor	na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bhart05	Heart: myocardial infarction	na, short interview(-4), na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(1), yes(2)
bhart06	Heart: no of myocardial infarctions	na, wrong skip(-3), na, see BHART05(-2), na, asked(-1), once(1), two times or more(2)
bhart07m	Heart: one infarction month	na, wrong skip(-3), na, see BHART06(-2), na, asked(-1), see Table Month****
bhart07j	Heart: one infarction year	na, wrong skip(-3), na, see BHART06(-2), na, asked(-1)
bhart08m	Heart: >1; first infarction month	see bhart07m

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bhart08j	Heart: >1; first infarction year	see bhart07j
bhart09m	Heart: >1; last infarction month	see bhart07m
bhart09j	Heart: >1; last infarction year	see bhart07j
bhart10	Heart: chest pain during exertion	na, short interview(-4), na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
bhart11	Heart: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see BHART10(-2), na, asked(-1), no(1), yes(2)
bhart12	Heart: >1 pillow for shortness of breath	na, short interview(-4), na, wrong skip(-3), na, see BHART01(-2), na, asked(-1), no(1), yes(2)
bhart13	Heart: edema morning; legs, feet, ankles	see bhart12
bhart14	Heart: edema evening; legs, feet, ankles	see bhart12
bhart15	Heart: cardiac surgery	see bhart12
bhart15a	Heart: valves/cardiac surgery	na, wrong skip(-3), na, see BHART15(-2), na, asked(-1), not mentioned(0), mentioned(1)
bhart15b	Heart: bypass/cardiac surgery	see bhart15a
bhart15c	Heart: dotter/cardiac surgery	see bhart15a
bhart15d	Heart: pacemaker/cardiac surgery	see bhart15a
bhart15e	Heart: other/cardiac surgery	see bhart15a
bartvei1	Arteries: disease or abnormalities	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bartvei2	Arteries: from which age	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1)
bartvei3	Arteries: taking medication	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(1), yes(2)
bartvei4	Arteries: treatment doctor	na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bartvei5	Arteries: pain when walking	na, short interview(-4), na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(1), yes(2)
bartvei6	Arteries: pain when walking: meters	na, wrong skip(-3), na, see BARTVEI5(-2), na, asked(-1)
bartvei7	Arteries: pain disappears standing still	na, wrong skip(-3), na, see BARTVEI5(-2), na, asked(-1), no(1), yes(2)
bartvei8	Arteries: surgery	na, short interview(-4), na, wrong skip(-3), na, see BARTVEI1(-2), na, asked(-1), no(1), yes(2)
bartve8a	Arteries: surgery, bifurcation	na, wrong skip(-3), na, see BARTVEI8(-2), na, asked(-1), not mentioned(0), mentioned(1)
bartve8b	Arteries: surgery, femoral	see bartve8a
bartve8c	Arteries: surgery, groins	see bartve8a
bartve8d	Arteries: surgery, dotter	see bartve8a
bartve8e	Arteries: surgery, other	see bartve8a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bdiabe01	Diabetes	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bdiabe02	Diabetes: from which age	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1)
bdiabe03	Diabetes: taking medication	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(1), yes, insulin injections(2), yes, tablets only(3) In wave 3B extra: yes, insulin and tablets(4)
bdiabe04	Diabetes: treatment doctor	na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bdiabe05	Diabetes: treatment related eye problems	na, short interview(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(1), yes(2)
Only in 2B: bdiabe6a	Diabetes: eye probl, laser	na, wrong skip(-3), na, see BDIABE05(-2), na, asked(-1), not mentioned(0), mentioned(1)
Only in 2B: bbdiabe6b	Diabetes: eye probl, cataract	see bdiabe6a
Only in 2B: bdiabe6c	Diabetes: eye probl, other treatment	see bdiabe6a
Only in 3B: bdiabe06	Diabetes: eye problems: type of treatment	na, see BDIABE05(-2), na, asked(-1), laser treatment(1), cataract operation(2), other treatment(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bdiabe07	Diabetes: pain when walking	na, see BARTVEI1(-6), na, short interview(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(1), yes(2)
bdiabe08	Diabetes: pain when walking: no of meter	na, wrong skip(-3), na, see BDIABE07(-2), na, asked(-1)
bdiabe09	Diabetes: pain disappears standing still	na, wrong skip(-3), na, see BDIABE07(-2), na, asked(-1), no(1), yes(2)
bdiabe10	Diabetes: pain in legs during rest	na, short interview(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(1), yes(2)
bdiabe11	Diabetes: chest pain during exertion	already asked/na, see BHART01(-6), na, short interview(-4), na, wrong skip(-3), na, see BDIABE01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
bdiabe12	Diabetes: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see BDIABE11(-2), na, asked(-1), no(1), yes(2)
bcva01	CVA	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bcva02b	CVA: number of strokes	na, short interview(-4), na, wrong skip(-3), na, see BCVA02A(-2), na, asked(-1), once(1), two times or more(2)
bcva03m	CVA: 1, stroke month	na, wrong skip(-3), na, see BCVA02B(-2), na, asked(-1), see Table Month****
bcva03j	CVA: 1, stroke year	na, wrong skip(-3), na, see BCVA02B(-2), na, asked(-1)
bcva04m	CVA: > 1, first stroke month	see bcva03m
bcva04j	CVA: > 1, first stroke year	see bcva03j
bcva05m	CVA: > 1, last stroke month	see bcva03m
bcva05j	CVA: > 1, last stroke year	see bcva03j
bcva06	CVA: taking medication	In wave 2B: na, wrong skip(-3), na, asked(-1), no(1), yes(2) In wave 3B: na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(1), yes(2)
bcva07	CVA: treatment doctor	na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bcva08	CVA: still problems with arms and legs	na, short interview(-4), na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bcva09	CVA: still problems with vision	na, short interview(-4), na, wrong skip(-3), na, see BCVA01(-2), na, asked(-1), no(1), yes(2)
bcva10	CVA: still problems speech	see bcva09
bcva11	CVA: still problems understanding written text	see bcva09
bincon1	Incontinence	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bincon2	Incontinence: from which age	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1)
bincon3	Incontinence: taking medication	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(1), yes(2)
bincon4	Incontinence: treatment doctor	na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bincon5	Incontinence: how often loss of urine	na, short interview(-4), na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), 2 times a month or less(1), 3-4 times a month(2), a few times a week(3), daily(4)
bincon6	Incontinence: use special material	na, short interview(-4), na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(1), only on certain occasion(2), yes, most of the time(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bincon7	Incontinence: surgery	na, short interview(-4), na, wrong skip(-3), na, see BINCON1(-2), na, asked(-1), no(1), yes(2)
brheum01	Osteo/rheum art: osteoarthritis	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
brheum02	Osteo/rheum art: rheumatoid arthritis	In wave 2B: na, see BRMCH(-5), na, asked(-1), no(1), yes(2) In wave 3B: na, see BRMCH(-5), no(1), yes(2)
brheum03	Osteo/rheum art: from which age	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1)
brheum04	Osteo/rheum art: taking medication	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
brheum05	Osteo/rheum art: treatment doctor	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
brheum06	Osteo/rheum art: pain in joints past 3 months	na, short interview(-4), na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
brheum07	Osteo/rheum art: morning stiffness joint	see brheum06
brheum08	Osteo/rheum art: swelling joints past month	see brheum06

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
brheum8a	Osteo/rheum art: complaints fingers	na, short interview(-4), na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), not mentioned(1), mentioned(2)
brheum8b	Osteo/rheum art: complaints hand/wrist	see brheum8a
brheum8c	Osteo/rheum art: complaints elbows	see brheum8a
brheum8d	Osteo/rheum art: complaints shoulders	see brheum8a
brheum8e	Osteo/rheum art: complaints toes	see brheum8a
brheum8f	Osteo/rheum art: complaints feet/ankles	see brheum8a
brheum8g	Osteo/rheum art: complaints knees	see brheum8a
brheum8h	Osteo/rheum art: complaints hip	see brheum8a
brheum8i	Osteo/rheum art: complaints neck	see brheum8a
Only in 3B: brheum8j	Osteo/rheum art: complaints back	see brheum8a
brheum09	Osteo/rheum art: surgery	see brheum8a
brheum9a	Osteo/rheum art: surgery fingers	na, wrong skip(-3), na, see BRHEUM09(-2), na, asked(-1), not mentioned(1), mentioned(2)
brheum9b	Osteo/rheum art: surgery hand/wrist	see brheum9a
brheum9c	Osteo/rheum art: surgery elbows	see brheum9a
brheum9d	Osteo/rheum art: surgery shoulders	see brheum9a
brheum9e	Osteo/rheum art: surgery toes since	see brheum9a
brheum9f	Osteo/rheum art: surgery feet/ankles	see brheum9a
brheum9g	Osteo/rheum art: surgery knees	see brheum9a
brheum9h	Osteo/rheum art: surgery hip	see brheum9a
brheum9i	Osteo/rheum art: surgery neck	see brheum9a
Only in 3B: brheum9j	Osteo/rheum art: surgery back	see brheum9a
brheum10	Osteo/rheum art: joint prostheses	na, short interview(-4), na, wrong skip(-3), na, see BRHEUM01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
brheum12	Osteo/rheum art: observation hands	na, wrong skip(-3), na, see BRHEUM01&02(-2), na, asked(-1), rheumatic hands(1), no rheumatic hands(2), observation not possible(3)
bcancer1	Cancer	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bcancer2	Cancer: from which age	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1)
bcancer3	Cancer: taking medication	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), no(1), yes(2)
bcancer4	Cancer: treatment doctor	na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
Only in 2B: bcancer5	Cancer: tumor	na, short interview(-4), na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), no(1), yes(2)
bcance5a	Cancer: tumor, lungs	In wave 2B: na, see BCANCER5(-6), In waves 2B and 3B: na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance5b	Cancer: tumor, breast	see bcance5a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bcance5c	Cancer: tumor, uterus	not asked, male(-7), In wave 2B: na, see BCANCER5(-6), In waves 2B and 3B: na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance5d	Cancer: tumor, cervix	not asked, male(-7), In wave 2B: na, see BCANCER5(-6), In waves 2B and 3B: na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance5e	Cancer: tumor, intestines	In wave 2B: na, see BCANCER5(-6), In waves 2B and 3B: na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance5f	Cancer: tumor, prostate	not asked, female(-7), In wave 2B: na, see BCANCER5(-6), In waves 2B and 3B: na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance5g	Cancer: tumor, larynx	In wave 2B: na, see BCANCER5(-6), In waves 2B and 3B: na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance5h	Cancer: tumor, esophagus	see bcance5g
bcance5i	Cancer: tumor, stomach	see bcance5g

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bcance5j	Cancer: tumor, blood	see bcance5g
bcance5k	Cancer: tumor, skin	see bcance5g
bcance5l	Cancer: tumor, other	see bcance5g
bcance5m	Cancer: tumor, which other	In 2B: na, wrong skip(-3), na, see BCANCE5L(-2), na, asked(-1), to be coded(0) In 3B (string): none
bcancer6	Cancer: metastases	na, short interview(-4), na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), no(1), yes(2)
bcance6a	Cancer: metastases, bone/skeleton	na, wrong skip(-3), na, see BCANCER6(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance6b	Cancer: metastases, liver	see bcance6a
bcance6c	Cancer: metastases, brain	see bcance6a
bcance6d	Cancer: metastases, lungs	see bcance6a
bcance6e	Cancer: metastases, lymph nodes	see bcance6a
bcance6f	Cancer: metastases, other	see bcance6a
bcance6g	Cancer: metastases, which other	In 2B: na, wrong skip(-3), na, see BCANCE6F(-2), na, asked(-1), to be coded(0) In 3B: (string) none
bcance7a	Cancer: surgery	na, short interview(-4), na, wrong skip(-3), na, see BCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
bcance7b	Cancer: chemotherapy surgery	see bcance7a
bcance7c	Cancer: radiotherapy surgery	see bcance7a
bcance7d	Cancer: alternative treatment	see bcance7a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bothsi01	Other1: other chronic diseases	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bothsi02	Other1: disease	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), In wave 2B: see Table Other diseases* , In wave 3B: see Table Other diseases***
bothsi04	Other1: from which age	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1)
bothsi05	Other1: taking medication	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), no(1), yes(2)
bothsi06	Other1: treatment doctor	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bothsi07	Other2: other chronic diseases	na, wrong skip(-3), na, see BOTHSI01(-2), na, asked(-1), no(1), yes(2)
bothsi08	Other2: disease	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1), In wave 2B: see Table Other diseases* , In wave 3B: see Table Other diseases***
bothsi10	Other2: from which age	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LAS2B035 / LAS3B035 (continued)		
bothsi12	Other2: treatment doctor	na, wrong skip(-3), na, see BOTHSI07(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
bhbd1	Hypertension	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bhbd2	Hypertension: from which age	na, wrong skip(-3), na, see BHBD1 (-2), na, asked(-1)
bhbd2a	Hypertension: taking medication	na, wrong skip(-3), na, see BHBD1(-2), na, asked(-1), no(1), yes(2)
bhbd3	Hypertension: treatment doctor	na, wrong skip(-3), na, see BHBD1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
Only in 3B: brchmodus	Long or short interview	na, see BRMCH(-2), long interview(1), short interview(2)
brmch	Reason missing: chronical diseases	valid data(-2), interview terminated(2), refused test(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035

name	label	Values
d/e/f/g/hcara01	CNSLD: asthma, chr bronch, emphysema	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hcara02	CNSLD: from which age	na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1)
d/e/f/g/hcara03	CNSLD: taking medication	na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcara04	CNSLD: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hcara05	CNSLD: cough almost daily	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcara06	CNSLD: phlegm almost daily	see d/e/f/g/hcara05
d/e/f/g/hcara07	CNSLD: period increased phlegm past year	see d/e/f/g/hcara05
d/e/f/g/hcara08	CNSLD: shortness of breath sometimes	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), no(1), yes, with heavy exertion(2), yes, with light exertion(3), yes, at rest(4)
d/e/f/g/hcara09	CNSLD: wheezing breath ever	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hcara10	CNSLD: wheezing breath during rest	see d/e/f/g/hcara09
d/e/f/g/hcara11	CNSLD: disturbed night-rest or sleep	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hcara12	CNSLD: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hhart01	Heart: heart disease	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hhart02	Heart: from which age	na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1)
d/e/f/g/hhart03	Heart: taking medication	na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hhart04	Heart: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hhart05	Heart: myocardial infarction since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hhart06	Heart: no of myocardial inf since last interview	na, wrong skip(-3), na, see D/E/F/G/HHART05(-2), na, asked(-1), once(1), two times or more(2)
d/e/f/g/hhart07m	Heart: one infarction month	na, wrong skip(-3), na, see D/E/F/G/HHART06(-2), na, asked(-1), see Table Month****
d/e/f/g/hhart07j	Heart: one infarction year	na, wrong skip(-3), na, see D/E/F/G/HHART06(-2), na, asked(-1)
d/e/f/g/hhart08m	Heart: >1; first infarction month	see d/e/f/g/hhart07m
d/e/f/g/hhart08j	Heart: >1; first infarction year	see d/e/f/g/hhart07j
d/e/f/g/hhart09m	Heart: >1; last infarction month	see d/e/f/g/hhart07m
d/e/f/g/hhart09j	Heart: >1; last infarction year	see d/e/f/g/hhart07j
d/e/f/g/hhart10	Heart: chest pain during exertion	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
d/e/f/g/hhart11	Heart: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see D/E/F/G/HHART10(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hhart12	Heart: >1 pillow for shortness of breath	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hhart13	Heart: edema morning; legs, feet, ankles	see d/e/f/g/hhart12
d/e/f/g/hhart14	Heart: edema evening; legs, feet, ankles	see d/e/f/g/hhart12
d/e/f/g/hhart15	Heart: cardiac surgery since last int.	see d/e/f/g/hhart12

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hhart15a	Heart: valves/cardiac surgery since last interview	na, wrong skip(-3), na, see D/E/F/G/HHART15(-2), na, asked(-1), not mentioned(0), mentioned(1)
d/e/f/g/hhart15b	Heart: bypass/cardiac surgery since last interview	see d/e/f/g/hhart12
d/e/f/g/hhart15c	Heart: dotter/cardiac surgery since last interview	see d/e/f/g/hhart12
d/e/f/g/hhart15d	Heart: pacemaker/cardiac surgery since last interview	see d/e/f/g/hhart12
d/e/f/g/hhart15e	Heart: other/cardiac surgery since l. int.	see d/e/f/g/hhart12
d/e/f/g/hhart16	Heart: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HHART01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hartvei1	Arteries: disease or abnormalities	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hartvei2	Arteries: from which age	na, wrong skip(-3), na, see D/E/F/G/HARTVEI1(-2), na, asked(-1)
d/e/f/g/hartvei3	Arteries: taking medication	na, wrong skip(-3), na, see D/E/F/G/HARTVEI1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hartvei4	Arteries: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HARTVEI1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hartvei5	Arteries: pain when walking	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HARTVEI1(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hartvei6	Arteries: pain when walking: meters	na, wrong skip(-3), na, see D/E/F/G/HARTVEI5(-2), na, asked(-1)
d/e/f/g/hartvei7	Arteries: pain disappears standing still	na, wrong skip(-3), na, see D/E/F/G/HARTVEI5(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hartvei8	Arteries: surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HARTVEI1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hartve8a	Arteries: surgery, bifurcation	na, wrong skip(-3), na, see D/E/F/G/HARTVEI8(-2), na, asked(-1), not mentioned(0), mentioned(1)
d/e/f/g/hartve8b	Arteries: surgery, femoral	see d/e/f/g/hartve8a
d/e/f/g/hartve8c	Arteries: surgery, groins	see d/e/f/g/hartve8a
d/e/f/g/hartve8d	Arteries: surgery, dotter	see d/e/f/g/hartve8a
d/e/f/g/hartve8e	Arteries: surgery, other	see d/e/f/g/hartve8a
d/e/f/g/hartvei9	Arteries: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HARTVEI1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hdiabe01	Diabetes	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hdiabe02	Diabetes: from which age	na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1)
d/e/f/g/hdiabe03	Diabetes: taking medication	na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), no(1), yes, insulin injections(2), yes, tablets only(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hdiabe04	Diabetes: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hdiabe05	Diabetes: treatment related eye problems	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hdiabe6a	Diabetes: eye probl, laser	na, wrong skip(-3), na, see D/E/F/G/HDIABE05(-2), na, asked(-1), not mentioned(0), mentioned(1)
d/e/f/g/hdiabe6b	Diabetes: eye probl, cataract	see d/e/f/g/hdiabe6a
d/e/f/g/hdiabe6c	Diabetes: eye probl, other treatment	see d/e/f/g/hdiabe6a
d/e/f/g/hdiabe07	Diabetes: pain when walking	na, see DARTVEI1(-6), na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hdiabe08	Diabetes: pain when walking: no of meter	na, wrong skip(-3), na, see D/E/F/G/HDIABE07(-2), na, asked(-1)
d/e/f/g/hdiabe09	Diabetes: pain disappears standing still	na, wrong skip(-3), na, see D/E/F/G/HDIABE07(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hdiabe10	Diabetes: pain in legs during rest	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hdiabe11	Diabetes: chest pain during exertion	na, see D/E/F/G/HHART01(-6), na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
d/e/f/g/hdiabe12	Diabetes: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see D/E/F/G/HDIABE11(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hdiabe13	Diabetes: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HDIABE01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hcva01	CVA	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hcva02a	CVA: stroke since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCVA01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcva02b	CVA: no of strokes	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCVA02A(-2), na, asked(-1), once(1), two times or more(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
Not in H : d/e/f/gcva02c	CVA: (short) no of strokes	na, no short version(-4), na, wrong skip(-3), na, see D/E/F/GCVA01(-2), na, asked(-1), once(1), two times or more(2)
d/e/f/g/hcva03m	CVA: 1, stroke month	na, wrong skip(-3), na, see D/E/F/G/HCVA02B(-2), na, asked(-1), see Table Month****
d/e/f/g/hcva03j	CVA: 1, stroke year	na, wrong skip(-3), na, see D/E/F/G/HCVA02B(-2), na, asked(-1)
Not in H : d/e/f/gcva03a	CVA: (short) 1 stroke age	na, wrong skip(-3), na, see D/E/F/GCVA02C(-2), na, asked(-1)
d/e/f/g/hcva04m	CVA: > 1, first stroke month	na, wrong skip(-3), na, see D/E/F/G/HCVA02B(-2), na, asked(-1), see Table Month****
d/e/f/g/hcva04j	CVA: > 1, first stroke year	na, wrong skip(-3), na, see D/E/F/G/HCVA02B(-2), na, asked(-1)
Not in H : d/e/f/gcva04a	CVA: (short) > 1, first stroke age	na, wrong skip(-3), na, see D/E/F/GCVA02C(-2), na, asked(-1)
d/e/f/g/hcva05m	CVA: > 1, last stroke month	na, wrong skip(-3), na, see D/E/F/G/HCVA02B(-2), na, asked(-1), see Table Month****
d/e/f/g/hcva05j	CVA: > 1, last stroke year	na, wrong skip(-3), na, see D/E/F/G/HCVA02B(-2), na, asked(-1)
Not in H : d/e/f/gcva05a	CVA: (short) > 1, last stroke age	na, wrong skip(-3), na, see D/E/F/GCVA02C(-2), na, asked(-1)
d/e/f/g/hcva06	CVA: taking medication	na, wrong skip(-3), na, see D/E/F/G/HCVA01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hcva07	CVA: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HCVA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hcva08	CVA: still problems with arms and legs	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCVA01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcva09	CVA: still problems with vision	see d/e/f/g/hcva08
d/e/f/g/hcva10	CVA: still problems speech	see d/e/f/g/hcva08
d/e/f/g/hcva11	CVA: still problems understanding written text	see d/e/f/g/hcva08
d/e/f/g/hcva12	CVA: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HCVA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hincon1	Incontinence	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no (0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hincon2	Incontinence: from which age	na, wrong skip(-3), na, see D/E/F/G/HINCON1(-2), na, asked(-1)
d/e/f/g/hincon3	Incontinence: taking medication	na, wrong skip(-3), na, see D/E/F/G/HINCON1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hincon4	Incontinence: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HINCON1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hincon5	Incontinence: how often loss of urine	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HINCON1(-2), na, asked(-1), 2 times a month or less(1), 3-4 times a month(2), a few times a week(3), daily(4)
d/e/f/g/hincon6	Incontinence: use special material	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HINCON1(-2), na, asked(-1), no(1), only on certain occasion(2), yes, most of the time(3)
d/e/f/g/hincon7	Incontinence: surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HINCON1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hincon8	Incontinence: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HINCON1 (-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hrheum01	Osteo/rheum art: osteoarthritis	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hrheum02	Osteo/rheum art: rheumatoid arthritis	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hrheum03	Osteo/rheum art: from which age	na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hrheum04	Osteo/rheum art: taking medication	na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hrheum05	Osteo/rheum art: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hrheum06	Osteo/rheum art: pain in joints past 3 months	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hrheum07	Osteo/rheum art: morning stiffness joint	see d/e/f/g/hrheum06
d/e/f/g/hrheum08	Osteo/rheum art: swelling joints past month	see d/e/f/g/hrheum06
d/e/f/g/hrheum8a	Osteo/rheum art: complaints fingers	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hrheum8b	Osteo/rheum art: complaints hand/wrist	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8c	Osteo/rheum art: complaints elbows	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8d	Osteo/rheum art: complaints shoulders	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8e	Osteo/rheum art: complaints toes	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8f	Osteo/rheum art: complaints feet/ankles	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8g	Osteo/rheum art: complaints knees	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8h	Osteo/rheum art: complaints hip	see d/e/f/g/hrheum8a
d/e/f/g/hrheum8i	Osteo/rheum art: complaints neck	see d/e/f/g/hrheum8a
Not in D, E: f/g/hrheum8j	Osteo/rheum art: complaints back	na, short interview(-4), na, wrong skip(-3), na, see F/G/HRHEUM01&02(-2), na, asked(-1), not mentioned(1), mentioned(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hrheum09	Osteo/rheum art: surgery since last int.	see d/e/f/g/hrheum8a
d/e/f/g/hrheum9a	Osteo/rheum art: surgery fingers	na, wrong skip(-3), na, see D/E/F/G/HRHEUM09(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hrheum9b	Osteo/rheum art: surgery hand/wrist	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9c	Osteo/rheum art: surgery elbows	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9d	Osteo/rheum art: surgery shoulders	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9e	Osteo/rheum art: surgery toes since	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9f	Osteo/rheum art: surgery feet/ankles	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9g	Osteo/rheum art: surgery knees	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9h	Osteo/rheum art: surgery hip	see d/e/f/g/hrheum9a
d/e/f/g/hrheum9i	Osteo/rheum art: surgery neck	see d/e/f/g/hrheum9a
Not in D, E: f/g/hrheum9j	Osteo/rheum art: surgery back	na, wrong skip(-3), na, see F/G/HRHEUM09(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hrheum10	Osteo/rheum art: joint prostheses	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HRHEUM01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hrheum11	Osteo/rheum art: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hrheum12	Osteo/rheum art: observation hands	na, wrong skip(-3), na, see D/E/F/G/HRHEUM01&02(-2), na, asked(-1), rheumatic hands(1), no rheumatic hands(2), observation not possible(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hcancer1	Cancer	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
d/e/f/g/hcancer2	Cancer: from which age	na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1)
d/e/f/g/hcancer3	Cancer: taking medication	na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcancer4	Cancer: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hcancer5	Cancer: tumor since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcance5a	Cancer: tumor, lungs	na, see D/E/F/G/HCANCER5(-6), na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hcance5b	Cancer: tumor, breast	see d/e/f/g/hcance5a
d/e/f/g/hcance5c	Cancer: tumor, uterus	not asked, male(-7), na, see D/E/F/G/HCANCER5(-6), na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hcance5d	Cancer: tumor, cervix	see d/e/f/g/hcance5c
d/e/f/g/hcance5e	Cancer: tumor, intestines	see d/e/f/g/hcance5a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hcance5f	Cancer: tumor, prostate	not asked, female(-7), na, see D/E/F/G/HCANCER5(-6), na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hcance5g	Cancer: tumor, larynx	see d/e/f/g/hcance5a
d/e/f/g/hcance5h	Cancer: tumor, esophagus	see d/e/f/g/hcance5a
d/e/f/g/hcance5i	Cancer: tumor, stomach	see d/e/f/g/hcance5a
d/e/f/g/hcance5j	Cancer: tumor, blood	see d/e/f/g/hcance5a
d/e/f/g/hcance5k	Cancer: tumor, skin	see d/e/f/g/hcance5a
d/e/f/g/hcance5l	Cancer: tumor, other	see d/e/f/g/hcance5a
d/e/f/g/hcance5m	Cancer: tumor, which other	na, wrong skip(-3), na, see D/E/F/G/HCANCE5L(-2), na, asked(-1), to be coded(0)
d/e/f/g/hcancer6	Cancer: metastases since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hcance6a	Cancer: metastases, bone/skeleton	na, wrong skip(-3), na, see D/E/F/G/HCANCER6(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hcance6b	Cancer: metastases, liver	see d/e/f/g/hcance6a
d/e/f/g/hcance6c	Cancer: metastases, brain	see d/e/f/g/hcance6a
d/e/f/g/hcance6d	Cancer: metastases, lungs	see d/e/f/g/hcance6a
d/e/f/g/hcance6e	Cancer: metastases, lymph nodes	see d/e/f/g/hcance6a
d/e/f/g/hcance6f	Cancer: metastases, other	see d/e/f/g/hcance6a
d/e/f/g/hcance6g	Cancer: metastases, which other	na, wrong skip(-3), na, see D/E/F/G/HCANCE6F(-2), na, asked(-1), to be coded(0)
d/e/f/g/hcance7a	Cancer: surgery, since last interview	na, short interview(-4), na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
d/e/f/g/hcance7b	Cancer: chemotherapy, since last int.	see d/e/f/g/hcance7a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hcance7c	Cancer: radiotherapy, since last int.	see d/e/f/g/hcance7a
d/e/f/g/hcance7d	Cancer: altern. treatment, since l. int.	see d/e/f/g/hcance7a
d/e/f/g/hcancer8	Cancer: outdoors less often	na, wrong skip(-3), na, see D/E/F/G/HCANCER1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
d/e/f/g/hothsi01	Other1: other chronic diseases	na, see DRMCH(-5), na, asked(-1), no(1), yes(2)
d/e/f/g/hothsi02	Other1: disease	na, wrong skip(-3), na, see D/E/F/G/HOTHSI01(-2), na, asked(-1), In waves D/E/F: see Table Other diseases* , In wave G: see Table Other diseases** , In wave H: see Table Other diseases***
d/e/f/g/hothsi04	Other1: from which age	na, wrong skip(-3), na, see D/E/F/G/HOTHSI01(-2), na, asked(-1)
d/e/f/g/hothsi05	Other1: taking medication	na, wrong skip(-3), na, see D/E/F/G/HOTHSI01(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hothsi06	Other1: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HOTHSI01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hothsi07	Other2: other chronic diseases	na, wrong skip(-3), na, see D/E/F/G/HOTHSI01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hothsi08	Other2: disease	na, wrong skip(-3), na, see D/E/F/G/HOTHSI07(-2), na, asked(-1), In waves D/E/F: see Table Other diseases* , In wave G: see Table Other diseases** , In wave H: see Table Other diseases***
d/e/f/g/hothsi10	Other2: from which age	na, wrong skip(-3), na, see D/E/F/G/HOTHSI07(-2), na, asked(-1)
d/e/f/g/hothsi11	Other2: taking medication	na, wrong skip(-3), na, see D/E/F/G/HOTHSI07 (-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hothsi12	Other2: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HOTHSI07(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
d/e/f/g/hhbd1	Hypertension	na, see D/E/F/G/HRMCH(-5), na, asked(-1), no(1), yes(2)
d/e/f/g/hhbd2	Hypertension: from which age	na, wrong skip(-3), na, see D/E/F/G/HHBD1(-2), na, asked(-1)
d/e/f/g/hhbd2a	Hypertension: taking medication	na, wrong skip(-3), na, see D/E/F/G/HHBD1(-2), na, asked(-1), no(1), yes(2)
d/e/f/g/hhbd3	Hypertension: treatment doctor	na, wrong skip(-3), na, see D/E/F/G/HHBD1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAD035 / LASAE035 / LASAF035 / LASAG035 / LASAH035 (continued)		
d/e/f/g/hchmodus	Long or short interview	<p>In waves D, E, and F: valid data(-2), long interview(1), short interview(2)</p> <p>In wave G and H: na, see G/HRMCH(-5), long interview(1), short interview(2)</p>
d/e/f/g/hrmch	Reason missing: chronical diseases	valid data(-2), interview terminated(2), refused test(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASMB035

bcara01	CNSLD: asthma, chr bronch, emphysema	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bhart01	Heart: heart disease	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bartvei1	Arteries: disease or abnormalities	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bdaiaabe01	Diabetes	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bcvaa01	CVA	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
brheum01	Osteo/rheum art: osteoarthritis	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
brheum02	Osteo/rheum art: rheumatoid arthritis	na, see BRMCH(-5), na, asked(-1), no(1), yes(2)
bcancer1	Reason missing: chronical diseases	valid data(-2), interview terminated(2), refused test(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035

name	label	Values
i/jcara01	CNSLD: asthma, chr bronch, emphysema	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
i/jcara02	CNSLD: from which age	na, wrong skip(-3), na, see I/JCARA01(-2), In I: na, asked(-1) In J: na, asked / R does not know(-1)
i/jcara04	CNSLD: treatment doctor	na, wrong skip(-3), na, see I/JCARA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jcara08	CNSLD: shortness of breath sometimes	na, short interview(-4), na, wrong skip(-3), na, see I/JCARA01(-2), na, asked(-1), no(1), yes, with heavy exertion(2), yes, with light exertion(3), yes, at rest(4)
i/jcara11	CNSLD: disturbed night-rest or sleep	na, short interview(-4), na, wrong skip(-3), na, see I/JCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
i/jhart01	Heart: heart disease	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jhart04	Heart: treatment doctor	na, wrong skip(-3), na, see I/JHART01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jhart05	Heart: myocardial infarction since last interview	na, short interview(-4), na, wrong skip(-3), na, see I/JHART01(-2), na, asked(-1), no(1), yes(2)
Only in I: ihart06	Heart: no of myocardial inf since last interview	na, wrong skip(-3), na, see IHART05(-2), na, asked(-1), once(1), two times or more(2)
i/jhart07m	In I: Heart: one infarction month In J: Heart: (first) infarction month	na, wrong skip(-3), In I: na, see IHART06(-2) In J: na, see JHART05(-2) na, asked(-1), see Table Month****
i/jhart07j	In I: Heart: one infarction year In J: Heart: (first) infarction year	na, wrong skip(-3), In I: na, see IHART06(-2) In J: na, see JHART05(-2) na, asked(-1)
Only in I: ihart08m	Heart: >1; first infarction month	na, wrong skip(-3), na, see IHART06(-2), na, asked(-1), see Table Month****
Only in I: ihart08j	Heart: >1; first infarction year	na, wrong skip(-3), na, see IHART06(-2), na, asked(-1)
Only in I: ihart09m	Heart: >1; last infarction month	na, wrong skip(-3), na, see IHART06(-2), na, asked(-1), see Table Month****
Only in I: ihart09j	Heart: >1; last infarction year	na, wrong skip(-3), na, see IHART06(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jhart10	Heart: chest pain during exertion	na, short interview(-4), na, wrong skip(-3), na, see I/JHART01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
i/jhart11	Heart: exertion pain disappears in 10 min	na, wrong skip(-3), na, see I/JHART10(-2), na, asked(-1), no(1), yes(2)
i/jhart12	Heart: >1 pillow for shortness of breath	na, short interview(-4), na, wrong skip(-3), na, see I/JHART01(-2), na, asked(-1), no(1), yes(2)
Not in J: ihart13	Heart: edema morning; legs, feet, ankles	na, short interview(-4), na, wrong skip(-3), na, see IHART01(-2), na, asked(-1), no(1), yes(2)
Not in I: jhart14	Heart: edema evening; legs, feet, ankles	na, short interview(-4), na, wrong skip(-3), na, see JHART01(-2), na, asked(-1), no(1), yes(2)
i/jhart15	Heart: cardiac surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see I/JHART01(-2), na, asked(-1), no(1), yes(2)
i/jhart15a	Heart: valves/cardiac surgery since last interview	na, wrong skip(-3), na, see I/JHART15(-2), na, asked(-1), not mentioned(0), mentioned(1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jhart15b	Heart: bypass/cardiac surgery since last interview	see i/jhart15a
i/jhart15c	Heart: dotter/cardiac surgery since last interview	see i/jhart15a
i/jhart15d	Heart: pacemaker/cardiac surgery since interview	see i/jhart15a
i/jhart15e	Heart: other/cardiac surgery since last interview	see i/jhart15a
i/jartvei1	Arteries: disease or abnormalities	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
i/jartvei4	Arteries: treatment doctor	na, wrong skip(-3), na, see I/JARTVEI1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jartvei5	Arteries: pain when walking	na, short interview(-4), na, wrong skip(-3), na, see I/JARTVEI1(-2), na, asked(-1), no(1), yes(2)
i/jartvei7	Arteries: pain disappears standing still	na, wrong skip(-3), na, see I/JARTVEI5(-2), na, asked(-1), no(1), yes(2)
i/jartvei8	Arteries: surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see I/JARTVEI1(-2), na, asked(-1), no(1), yes(2)
i/jartve8a	Arteries: surgery, bifurcation	na, wrong skip(-3), na, see I/JARTVEI8(-2), na, asked(-1), not mentioned(0), mentioned(1)
i/jartve8b	Arteries: surgery, femoral	see i/jartve8a
i/jartve8c	Arteries: surgery, groins	see i/jartve8a
i/jartve8d	Arteries: surgery, dotter	see i/jartve8a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jartve8e	Arteries: surgery, other	see i/jartve8a
Only in I: iartvei9	Arteries: outdoors less often	na, wrong skip(-3), na, see IARTVEI1(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
i/jdiabe01	Diabetes	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
i/jdiabe02	Diabetes: from which age	na, wrong skip(-3), na, see I/JDIABE01(-2), na, asked(-1)
i/jdiabe03a	Diabetes: which medication from onset	na, wrong skip(-3), na, see I/JDIABE01(-2), na, asked(-1), none(1), insulin injections(2), tablets(3), Not in I: insulin pump
i/jdiabe04	Diabetes: treatment doctor	na, wrong skip(-3), na, see I/JDIABE01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
Only in I : idiabe05	Diabetes: treatment related eye problems	na, short interview(-4), na, wrong skip(-3), na, see IDIABE01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
Only in I : idiabe6a	Diabetes eye problems: laser treatment	na, wrong skip(-3), na, see IDIABE05(-2), na, asked(-1), not mentioned(0), mentioned(1)
Only in I : idiabe6b	Diabetes eye problems: cataract operation	see idiabe6a
Only in I : idiabe6c	Diabetes eye problems: other treatment	see idiabe6a
i/jdiabe07	Diabetes: pain when walking	na, see I/JARTVEI1(-6), na, short interview(-4), na, wrong skip(-3), na, see I/JDIABE01(-2), na, asked(-1), no(1), yes(2)
i/jdiabe09	Diabetes: pain disappears standing still	na, wrong skip(-3), na, see I/JDIABE07(-2), na, asked(-1), no(1), yes(2)
i/jdiabe11	Diabetes: chest pain during exertion	In I: na, see IHART01(-6) In J: na, see IHART10(-6), na, short interview(-4), na, wrong skip(-3), na, see I/JDIABE01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
i/jdiabe12	Diabetes: exertion pain disappears in 10 minutes	na, wrong skip(-3), na, see I/JDIABE11(-2), na, asked(-1), no(1), yes(2)
i/jcva01	CVA	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jcva02a	CVA: stroke since last interview	na, short interview(-4), na, wrong skip(-3), na, see I/JCVA01(-2), na, asked(-1), no(1), yes(2)
Only in I : icva02b	CVA: no of strokes	na, short interview(-4), na, wrong skip(-3), na, see ICVA02A(-2), na, asked(-1), once(1), two times or more(2)
i/jcva03m	In I: CVA: 1, stroke month In J: CVA: (first) stroke month	na, wrong skip(-3), In I: na, see ICVA02B(-2) In J: na, see JCVA02A(-2), na, asked(-1), see Table Month****
i/jcva03j	In I: CVA: 1, stroke year In J: CVA: (first) stroke year	na, wrong skip(-3), In I: na, see ICVA02B(-2) In J: na, see JCVA02A(-2), na, asked(-1)
Only in I : icva04m	CVA: > 1, first stroke month	na, wrong skip(-3), na, see ICVA02B(-2), na, asked(-1), see Table Month****
Only in I : icva04j	CVA: > 1, first stroke year	na, wrong skip(-3), na, see ICVA02B(-2), na, asked(-1)
Only in I : icva05m	CVA: > 1, last stroke month	na, wrong skip(-3), na, see ICVA02B(-2), na, asked(-1), see Table Month****
Only in I : icva05j	CVA: > 1, last stroke year	na, wrong skip(-3), na, see ICVA02B(-2), na, asked(-1)
i/jcva07	CVA: treatment doctor	na, wrong skip(-3), na, see I/JCVA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
Only in I: icva09	CVA: still problems with vision	na, short interview(-4), na, wrong skip(-3), na, see ICVA01(-2), na, asked(-1), no(1), yes(2)
i/jincon9	Past month: unintentional urine loss with physical exertion	na, see I/JRMCH(-5), Not in I: not applicable: stoma, catheter or something else(-2), In I, J: na, asked(-1), 2 times a month or less(1), 3-4 times a month(2), a few times a week (3), daily(4)
i/jincon10	Past month: strong urge to urinate and unable to make it to the toilet on time	see i/jincon9
i/jrheum01	Osteo/rheum art: osteoarthritis	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
i/jrheum02	Osteo/rheum art: rheumatoid arthritis	na, see I/JRMCH(-5), Not in I: na, wrong skip(-3), In I, J: na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
i/jrheum04	Osteo/rheum art: taking medication	na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jrheum05	Osteo/rheum art: treatment doctor	na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jrheum06	Osteo/rheum art: pain in joints past 3 months	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
i/jrheum07	Osteo/rheum art: morning stiffness joint	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
i/jrheum08	Osteo/rheum art: swelling joints past month	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
i/jrheum8a	Osteo/rheum art: complaints fingers	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), not mentioned(1), mentioned(2)
i/jrheum8b	Osteo/rheum art: complaints hand/wrist	see i/jrheum8a
i/jrheum8c	Osteo/rheum art: complaints elbows	see i/jrheum8a
i/jrheum8d	Osteo/rheum art: complaints shoulders	see i/jrheum8a
i/jrheum8e	Osteo/rheum art: complaints toes	see i/jrheum8a
i/jrheum8f	Osteo/rheum art: complaints feet/ankles	see i/jrheum8a
i/jrheum8g	Osteo/rheum art: complaints knees	see i/jrheum8a
i/jrheum8h	Osteo/rheum art: complaints hip	see i/jrheum8a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jrheum8i	Osteo/rheum art: complaints neck	see i/jrheum8a
i/jrheum8j	Osteo/rheum art: complaints back	see i/jrheum8a
i/jrheum09	Osteo/rheum art: surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
i/jrheum9a	Osteo/rheum art: surgery fingers	na, wrong skip(-3), na, see I/JRHEUM09(-2), na, asked(-1), not mentioned(1), mentioned(2)
i/jrheum9b	Osteo/rheum art: surgery hand/wrist	see i/jrheum9a
i/jrheum9c	Osteo/rheum art: surgery elbows	see i/jrheum9a
i/jrheum9d	Osteo/rheum art: surgery shoulders	see i/jrheum9a
i/jrheum9e	Osteo/rheum art: surgery toes since	see i/jrheum9a
i/jrheum9f	Osteo/rheum art: surgery feet/ankles	see i/jrheum9a
i/jrheum9g	Osteo/rheum art: surgery knees	see i/jrheum9a
i/jrheum9h	Osteo/rheum art: surgery hip	see i/jrheum9a
i/jrheum9i	Osteo/rheum art: surgery neck	see i/jrheum9a
i/jrheum9j	Osteo/rheum art: surgery back	see i/jrheum9a
i/jrheum10a	Osteo/rheum art: joint replacement surgery	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jrh10_1j	Joint replacement surgery (1): joint	<p>Not in I: na wrong skip(-3),</p> <p>In I, J: na, see I/JRHEUM10A(-2), na, asked(-1),</p> <p>In wave I: see Table Joints(I)*****</p> <p>In wave J: see Table Joints(J)*****</p>
i/jrh10_1s	Joint replacement surgery (1): side	na, wrong skip(-3), na, see I/JRHEUM10A(-2), na, asked(-1), right(1), left(2), right and left(3)
i/jrh10_1y1	Joint replacement surgery (1): year (1)	na, wrong skip(-3), na, see I/JRHEUM10A(-2), na, asked(-1)
i/jrh10_1y2	Joint replacement surgery (1): year (2)	na, wrong skip(-3), na, see I/JRH10_1S(-2), na, asked(-1)
i/jrh10_1r	Joint replacement surgery (1): reason	<p>Not in I: na, wrong skip,</p> <p>In I, J: na, see I/JRHEUM10A(-2), na, asked(-1), osteoarthritis/wear and tear/loss of cartilage(1), rheumatoid arthritis(2), infection (unclear if this is due to osteoarthritis or rheumatoid arthritis)(3), fracture (due to accident)(4), pain(5), other (unable to stand or walk/immobility/etc)(6)</p>
i/jrheum10a2	Osteo/rheum art: joint replacement surgery (2)	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM10A2(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jrh10_2j	Joint replacement surgery (2): joint	<p>In wave I: na, see IRHEUM10A2(-2), na, asked(-1), see Table Joints(I)*****</p> <p>In wave J: na wrong skip(-3), na, see JRHEUM10A2(-2), na, asked(-1), see Table Joints(J)*****</p>
i/jrh10_2s	Joint replacement surgery (2): side	na, wrong skip(-3), na, see I/JRHEUM10A2(-2), na, asked(-1), right(1), left(2), right and left(3)
i/jrh10_2y1	Joint replacement surgery (2): year (1)	na, wrong skip(-3), na, see I/JRHEUM10A2(-2), na, asked(-1)
i/jrh10_2y2	Joint replacement surgery (2): year (2)	na, wrong skip(-3), na, see I/JRH10_2S(-2), na, asked(-1)
i/jrh10_2r	Joint replacement surgery (2): reason	<p>Not in I: na, wrong skip, In I, J: na, see I/JRHEUM10A2(-2), na, asked(-1), osteoarthritis/wear and tear/loss of cartilage(1), rheumatoid arthritis(2), infection (unclear if this is due to osteoarthritis or rheumatoid arthritis)(3), fracture (due to accident)(4), pain(5), other (unable to stand or walk/immobility/etc)(6)</p>
i/jrheum10a3	Osteo/rheum art: joint replacement surgery (3)	na, short interview(-4), na, wrong skip(-3), na, see I/JRHEUM10A2(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jrh10_3j	Joint replacement surgery (3): joint	<p>In wave I: na, see IRHEUM10A3(-2), na, asked(-1), see Table Joints(I)*****</p> <p>In wave J: na wrong skip(-3), na, see JRHEUM10A3(-2), na, asked(-1), see Table Joints(J)*****</p>
i/jrh10_3s	Joint replacement surgery (3): side	na, wrong skip(-3), na, see I/JRHEUM10A3(-2), na, asked(-1), right(1), left(2), right and left(3)
i/jrh10_3y1	Joint replacement surgery (3): year (1)	na, wrong skip(-3), na, see I/JRHEUM10A3(-2), na, asked(-1)
i/jrh10_3y2	Joint replacement surgery (3): year (2)	na, wrong skip(-3), na, see I/JRH10_3S(-2), na, asked(-1)
i/jrh10_3r	Joint replacement surgery (3): reason	<p>Not in I: na, wrong skip(-3), In I, J: na, see I/JRHEUM10A3(-2), na, asked(-1), osteoarthritis/wear and tear/loss of cartilage(1), rheumatoid arthritis(2), infection (unclear if this is due to osteoarthritis or rheumatoid arthritis)(3), fracture (due to accident)(4), pain(5), other (unable to stand or walk/immobility/etc)(6)</p>
i/jrheum12	Osteo/rheum art: observation hands	na, wrong skip(-3), na, see I/JRHEUM01&02(-2), na, asked(-1), rheumatic hands(1), no rheumatic hands(2), observation not possible(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jkneep1	Knee pain past 6 months	na, see I/JRMCH(-5), na, asked(-1), no(1), yes(2)
i/jkneep2	Knee pain: pain level now	na, wrong skip(-3), na, see I/JKNEEP1(-2), na, asked(-1), no pain(0), worst conceivable pain(10)
i/jkneep3	Knee pain: worst pain past 6 months	see i/jkneep2
i/jkneep4	Knee pain: average pain past 6 months	see i/jkneep2
i/jkneep5	Knee pain: number of days unable to perform normal activities	na, wrong skip(-3), na, see I/JKNEEP1(-2), na, asked(-1), 0-6 days(1), 7-14 days(2), 15-30 days(3), 31 days or more(4)
i/jkneep6	Knee pain: to which extent impeded daily activities	na, wrong skip(-3), na, see I/JKNEEP1(-2), na, asked(-1), not impeded(0), unable to continue activities(10)
i/jkneep7	Knee pain: to which extent changed social activities	na, wrong skip(-3), na, see I/JKNEEP1(-2), na, asked(-1), no change(0), extreme change(10)
i/jkneep8	Knee pain: to which extent changed daily work activities	na, wrong skip(-3), na, see I/JKNEEP1(-2), na, asked(-1), no change(0), extreme change(10)
i/jkneep9	Knee pain: number of days pain past 6 months	na, wrong skip(-3), na, see I/JKNEEP1(-2), na, asked(-1), not a single day(1), 1-30 days(2), 31-89 days(3), 90 days or more(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jcancer1	Cancer	na, see I/JRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
Not in I: jcance1x	Cancer: nature of tumor	na, technical error(-8), na, wrong skip(-3), na, see JCANCER1(-2), na, asked(-1), benign(1), malign(2), unknown(3)
i/jcancer4	Cancer: treatment doctor	na, wrong skip(-3), In I: na, see ICANCER1(-2) In J: na, see JCANCER1 & JCANCE1X(-2), In I, J: na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jcancer5	Cancer: tumor since last interview	na, previous interview no cancer(-6), na, short interview(-4), na, wrong skip(-3), In I: na, see ICANCER1(-2) In J: na, see JCANCER1 & JCANCE1X(-2), In I, J: na, asked(-1), no(1), yes(2)
Only in I: icance5a	Cancer: tumor, lungs	na, see ICANCER5(-6), na, wrong skip(-3), na, see ICANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
Only in J: jcance5a	Cancer: tumor, lungs	na, short interview(-4), na, wrong skip(-3), na, see JCANCER1 & JCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
Only in I: icance5b	Cancer: tumor, breast	see jcance5a
Only in J: jcance5b	Cancer: tumor, breast	see jcance5a
Only in I: icance5c	Cancer: tumor, uterus	not asked, male(-7), na, see ICANCER5(-6), na, wrong skip(-3), na, see ICANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)
Only in J: jcance5c	Cancer: tumor, uterus	not asked, male(-7), na, short interview(-4), na, wrong skip(-3), na, see JCANCER1 & JCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
Only in I: icance5d	Cancer: tumor, cervix	see icance5c
Only in J: jcance5d	Cancer: tumor, cervix	see jcance5c
Only in I: icance5e	Cancer: tumor, intestines	see icance5a
Only in J: jcance5e	Cancer: tumor, intestines	see icance5a
Only in I: icance5f	Cancer: tumor, prostate	not asked, female(-7), na, see ICANCER5(-6), na, wrong skip(-3), na, see ICANCER1(-2), na, asked(-1), not mentioned(1), mentioned(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
Only in J: jcance5f	Cancer: tumor, prostate	not asked, female(-7), na, short interview(-4), na, wrong skip(-3), na, see JCANCER1 & JCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
Only in I: jcance5g	Cancer: tumor, larynx	see jcance5a
Only in J: jcance5g	Cancer: tumor, larynx	see jcance5a
Only in I: jcance5h	Cancer: tumor, esophagus	see jcance5a
Only in J: jcance5h	Cancer: tumor, esophagus	see jcance5a
Only in I: jcance5i	Cancer: tumor, stomach	see jcance5a
Only in J: jcance5i	Cancer: tumor, stomach	see jcance5a
Only in I: jcance5j	Cancer: tumor, blood	see jcance5a
Only in J: jcance5j	Cancer: tumor, blood	see jcance5a
Only in I: jcance5k	Cancer: tumor, skin	see jcance5a
Only in J: jcance5k	Cancer: tumor, skin	see jcance5a
Only in I: jcance5l	Cancer: tumor, other	see jcance5a
Only in J: jcance5l	Cancer: tumor, other	see jcance5a
Only in I: jcance5m	Cancer: tumor, which other	none
i/jcancer6	Cancer: metastases since last interview	na, short interview(-4), na, wrong skip(-3), In I: na, see ICANCER1(-2) In J: na, see JCANCER1 & JCANCE1X(-2), In I, J: na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jcance6a	Cancer: metastases, bone/skeleton	na, wrong skip(-3), na, see I/JCANCER6(-2), na, asked(-1), not mentioned(1), mentioned(2)
i/jcance6b	Cancer: metastases, liver	see i/jcance6a
i/jcance6c	Cancer: metastases, brain	see i/jcance6a
i/jcance6d	Cancer: metastases, lungs	see i/jcance6a
i/jcance6e	Cancer: metastases, lymph nodes	see i/jcance6a
i/jcance6f	Cancer: metastases, other	see i/jcance6a
Only in I: jcance6g	Cancer: metastases, which other	none
i/jcance7a	Cancer: surgery, since last interview	na, short interview(-4), na, wrong skip(-3), In I: na, see ICANCER1(-2), In J: na, see JCANCER1 & JCANCE1X(-2), In I, J: na, asked(-1), not mentioned(1), mentioned(2)
i/jcance7b	Cancer: chemotherapy, since last interview	see i/jcance7a
i/jcance7c	Cancer: radiotherapy, since last interview	see i/jcance7a
i/jcance7d	Cancer: alternative treatment, since last interview	see i/jcance7a
i/jothsi01	Other1: other chronic diseases	na, see I/JRMCH(-5), na, asked(-1), no(1), yes(2)
i/jothsi02	Other1: disease	na, wrong skip(-3), na, see I/JOTHSI01(-2), na, asked(-1), see Table Other diseases***
i/jothsi04	Other1: from which age	na, wrong skip(-3), na, see I/JOTHSI01(-2), na, asked(-1)
Only in I: iothsi05	Other1: taking medication	na, wrong skip(-3), na, see IOTHSI01(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jothsi06	Other1: treatment doctor	na, wrong skip(-3), na, see I/JOTHSI01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jothsi07	Other2: other chronic diseases	na, wrong skip(-3), na, see I/JOTHSI01(-2), na, asked(-1), no(1), yes(2)
i/jothsi08	Other2: disease	na, wrong skip(-3), na, see I/JOTHSI07(-2), na, asked(-1), see Table Other diseases***
i/jothsi10	Other2: from which age	na, wrong skip(-3), na, see I/JOTHSI07(-2), na, asked(-1)
i/jothsi12	Other2: treatment doctor	na, wrong skip(-3), na, see I/JOTHSI07(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jhbd1	Hypertension	na, see I/JRMCH(-5), na, asked(-1), no(1), yes(2), Not in I: R does not know(3)
i/jhbd1a	Hypertension: taking medication	na, wrong skip(-3), na, see I/JHBD1(-2), na, asked(-1), no(1), yes(2)
i/jhbd2	Hypertension: from which age	na, wrong skip(-3), na, see I/JHBD1 & I/JHBD1A1(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jhbd3	Hypertension: treatment doctor	na, wrong skip(-3), na, see I/JHBD1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
i/jhtrauma, i/jtrau#, i/jtraum, i/jtrauy	see LASA035_headtrauma_varinfo	
i/jchoudt	Chronic diseases: outdoors less often	na, see I/JRMCH(-5), na, wrong skip(-3), In I: na, see I/HEALTH1 & not any chronic disease(-2), In J: na, not any chronic disease(-2), In I, J: na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
i/jchoudt01	Ch. dis. outdoors less often: CNSD	na, see I/JCHOUTD(-2), na, asked(-1), not mentioned(0), mentioned(1)
i/jchoudt02	Ch. dis. outdoors less often: heart	see i/jchoudt01
i/jchoudt03	Ch. dis. outdoors less often: arteries	see i/jchoudt01
i/jchoudt04	Ch. dis. outdoors less often: diabetes	see i/jchoudt01
i/jchoudt05	Ch. dis. outdoors less often: CVA	see i/jchoudt01
i/jchoudt06	Ch. dis. outdoors less often: incontinence	see i/jchoudt01
i/jchoudt07	Ch. dis. outdoors less often: osteoarthritis	see i/jchoudt01
i/jchoudt08	Ch. dis. outdoors less often: rheumatoid arthritis	see i/jchoudt01
i/jchoudt09	Ch. dis. outdoors less often: cancer	see i/jchoudt01
i/jchoudt10	Ch. dis. outdoors less often: other chronic disease 1	see i/jchoudt01

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAI035 / LASAJ035 (continued)		
i/jchoutd11	Ch. dis. outdoors less often: other chronic disease 2	see i/jchoutd01
i/jchoutd12	Ch. dis. outdoors less often: hypertension	see i/jchoutd01
i/jchmodus	Long or short interview	na, see I/JRMCH(-2), long interview(1), short interview(2)
i/jrmch	Reason missing: chronical diseases	valid data(-2), interview terminated(2), refused test(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035

name	label	Values
kcura01	CNSLD: asthma, chr bronch, emphysema	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
kcura02	CNSLD: from which age	na, wrong skip(-3), na, see KCARA01(-2), na, asked / R does not know(-1)
kcura04	CNSLD: treatment doctor	na, wrong skip(-3), na, see KCARA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
kcura08	CNSLD: shortness of breath sometimes	na, short interview(-4), na, wrong skip(-3), na, see KCARA01(-2), na, asked(-1), no(1), yes, with heavy exertion(2), yes, with light exertion(3), yes, at rest(4)
kcura11	CNSLD: disturbed night-rest or sleep	na, short interview(-4), na, wrong skip(-3), na, see KCARA01(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)
khart01	Heart: heart disease	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
khart02	Heart: from which age	na, wrong skip(-3), na, see KHART01(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
khart04	Heart: treatment doctor	na, wrong skip(-3), na, see KHART01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
khart05	Heart: myocardial infarction since last interview	na, short interview(-4), na, wrong skip(-3), na, see KHART01(-2), na, asked(-1), no(1), yes(2)
khart10	Heart: chest pain during exertion	na, short interview(-4), na, wrong skip(-3), na, see KHART01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
khart11	Heart: exertion pain disappears in 10 min	na, wrong skip(-3), na, see KHART10(-2), na, asked(-1), no(1), yes(2)
khart12	Heart: >1 pillow for shortness of breath	na, short interview(-4), na, wrong skip(-3), na, see KHART01(-2), na, asked(-1), no(1), yes(2)
khart14	Heart: edema evening; legs, feet, ankles	na, short interview(-4), na, wrong skip(-3), na, see KHART01(-2), na, asked(-1), no, do not have compression stockings(1), no, because of use compression stockings(2), yes(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
khart15	Heart: cardiac surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see KHART01(-2), na, asked(-1), no(1), yes(2)
khart15a	Heart: valves/cardiac surgery since last interview	na, wrong skip(-3), na, see KHART15(-2), na, asked(-1), not mentioned(0), mentioned(1)
khart15b	Heart: bypass/cardiac surgery since last interview	see khart15a
khart15c	Heart: dotter/cardiac surgery since last interview	see khart15a
khart15d	Heart: pacemaker/cardiac surgery since interview	see khart15a
khart15e	Heart: other/cardiac surgery since last interview	see khart15a
kartvei1	Arteries: disease or abnormalities	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
kartvei1b	Arteries: No, previous interview Yes	na, wrong skip(-3), na, see original (raw data) ARTVE1(-1), na, asked(-1), no, disease still exists(1), yes, disease not present anymore(2), R has complaints, but doctor says no disease(3), R says he/she never had the disease(4), interviewer error(5)
kartvei1c	Arteries: disease not present since	na, wrong skip(-3), na, see KKARTVEI1B(-2), na, asked / R does not know(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kartvei1d	Arteries: reason disease not present	na, wrong skip(-3), na, see KARTVEI1B(-2), no trouble anymore, complaints disappeared by itself(1), no trouble anymore, disease is under control(2), no trouble anymore, complaints disappeared after surgery(3), according to the doctor, the disease is no longer present(4), previous measurement is wrong(5), other reason mentioned(6), R does not know(7)
kartvei4	Arteries: treatment doctor	na, wrong skip(-3), na, see KARTVEI1(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
kartvei5	Arteries: pain when walking	na, short interview(-4), na, wrong skip(-3), na, see KARTVEI1(-2), na, asked(-1), no(1), yes(2)
kartvei7	Arteries: pain disappears standing still	na, wrong skip(-3), na, see KARTVEI5(-2), na, asked(-1), no(1), yes(2)
kartvei8	Arteries: surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see KARTVEI1(-2), na, asked(-1), no(1), yes(2)
kartve8a	Arteries: surgery, bifurcation	na, wrong skip(-3), na, see KARTVEI8(-2), na, asked(-1), not mentioned(0), mentioned(1)
kartve8b	Arteries: surgery, femoral	see kartve8a
kartve8c	Arteries: surgery, groins	see kartve8a
kartve8d	Arteries: surgery, dotter	see kartve8a
kartve8e	Arteries: surgery, other	see kartve8a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kdiabe01	Diabetes	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
kdiabe02	Diabetes: from which age	na, wrong skip(-3), na, see KDIABE01(-2), na, asked(-1)
kdiabe03	Diabetes: medication from onset	na, see KDIABE01(-2), no medication use(1), medication use(2)
kdiabe03a	Diabetes: medication; insulin injections	na, see KDIABE03(-2), not mentioned(0), mentioned(1)
kdiabe03b	Diabetes: medication; insulin tablets	see kdiabe03a
kdiabe03c	Diabetes: medication; insulin pump	see kdiabe03a
kdiabe04	Diabetes: treatment doctor	na, wrong skip(-3), na, see KDIABE01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
kdiabe07	Diabetes: pain when walking	na, see KARTVEI5(-6), na, short interview(-4), na, wrong skip(-3), na, see KDIABE01(-2), na, asked(-1), no(1), yes(2)
kdiabe09	Diabetes: pain disappears standing still	na, wrong skip(-3), na, see KDIABE07(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kdiabe11	Diabetes: chest pain during exertion	na, see KHART10(-6), na, short interview(-4), na, wrong skip(-3), na, see KDIABE01(-2), na, asked(-1), no(1), yes(2), no exertion: chest pain(3), no exertion: pain legs(4), no exertion: shortness of breath(5), no exertion: joint complaints(6), no exertion: other reason(7)
kdiabe12	Diabetes: exertion pain disappears in 10 minutes	na, short interview(-4), na, wrong skip(-3), na, see KDIABE11(-2), na, asked(-1), no(1), yes(2)
kcva01	CVA	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
kcva02a	CVA: stroke since last interview	na, short interview(-4), na, wrong skip(-3), na, see KCVA01(-2), na, asked(-1), no(1), yes(2)
kcva03m	CVA: (first) stroke month	na, wrong skip(-3), na, see KCVA02A(-2), na, asked(-1), see Table Month****
kcva03j	CVA: (first) stroke year	na, wrong skip(-3), na, see KCVA02A(-2), na, asked(-1)
kcva07	CVA: treatment doctor	na, wrong skip(-3), na, see KCVA01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kincon9	Past month: unintentional urine loss with physical exertion	na, see KRMCH(-5), not applicable: stoma, catheter or something else(-2), na, asked(-1), 2 times a month or less(1), 3-4 times a month(2), a few times a week (3), daily(4)
kincon10	Past month: strong urge to urinate and unable to make it to the toilet on time	see kincon9
krheum01	Osteo/rheum art: osteoarthritis (knee, hip or hand)	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
krheum01a	Osteo/rheum art: osteoarthritis (other than knee, hip or hand)	na, see KRMCH(-5), na, asked(-1), no(1), yes(2)
krheum02	Osteo/rheum art: rheumatoid arthritis	na, see KRMCH(-5), na, wrong skip(-3), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
krheum04	Osteo/rheum art: taking medication	na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
krheum05	Osteo/rheum art: treatment doctor	na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
krheum06	Osteo/rheum art: pain in joints past 3 months	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
krheum07	Osteo/rheum art: morning stiffness joint	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
krheum08	Osteo/rheum art: swelling joints past month	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), no(1), yes(2)
krheum8a	Osteo/rheum art: complaints fingers	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), not mentioned(1), mentioned(2)
krheum8b	Osteo/rheum art: complaints hand/wrist	see krheum8a
krheum8c	Osteo/rheum art: complaints elbows	see krheum8a
krheum8d	Osteo/rheum art: complaints shoulders	see krheum8a
krheum8e	Osteo/rheum art: complaints toes	see krheum8a
krheum8f	Osteo/rheum art: complaints feet/ankles	see krheum8a
krheum8g	Osteo/rheum art: complaints knees	see krheum8a
krheum8h	Osteo/rheum art: complaints hip	see krheum8a
krheum8i	Osteo/rheum art: complaints neck	see krheum8a
krheum8j	Osteo/rheum art: complaints back	see krheum8a
krheum09	Osteo/rheum art: surgery since last interview	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
krheum9a	Osteo/rheum art: surgery fingers	na, wrong skip(-3), na, see KRHEUM09(-2), na, asked(-1), not mentioned(1), mentioned(2)
krheum9b	Osteo/rheum art: surgery hand/wrist	see krheum9a
krheum9c	Osteo/rheum art: surgery elbows	see krheum9a
krheum9d	Osteo/rheum art: surgery shoulders	see krheum9a
krheum9e	Osteo/rheum art: surgery toes since	see krheum9a
krheum9f	Osteo/rheum art: surgery feet/ankles	see krheum9a
krheum9g	Osteo/rheum art: surgery knees	see krheum9a
krheum9h	Osteo/rheum art: surgery hip	see krheum9a
krheum9i	Osteo/rheum art: surgery neck	see krheum9a
krheum9j	Osteo/rheum art: surgery back	see krheum9a
krheum10a	Osteo/rheum art: joint replacement surgery	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM01(-2), na, asked(-1), no(1), yes(2)
krh10_1j	Joint replacement surgery (1): joint	na wrong skip(-3), na, see KRHEUM10A(-2), na, asked(-1), see Table Joints(K)*****
krh10_1s	Joint replacement surgery (1): side	na, wrong skip(-3), na, see KRHEUM10A(-2), na, asked(-1), right(1), left(2), right and left(3)
krh10_1y1	Joint replacement surgery (1): year (1)	na, wrong skip(-3), na, see KRHEUM10A(-2), na, asked(-1)
krh10_1y2	Joint replacement surgery (1): year (2)	na, wrong skip(-3), na, see KRH10_1S(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
krh10_1r	Joint replacement surgery (1): reason	na, wrong skip, na, see KRHEUM10A(-2), na, asked(-1), osteoarthritis/wear and tear/loss of cartilage(1), rheumatoid arthritis(2), infection (unclear if this is due to osteoarthritis or rheumatoid arthritis)(3), fracture (due to accident)(4), pain(5), other (unable to stand or walk/immobility/etc)(6)
krheum10a2	Osteo/rheum art: joint replacement surgery (2)	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM10A2(-2), na, asked(-1), no(1), yes(2)
krh10_2j	Joint replacement surgery (2): joint	na wrong skip(-3), na, see KRHEUM10A2(-2), na, asked(-1), see Table Joints(K)*****
krh10_2s	Joint replacement surgery (2): side	na, wrong skip(-3), na, see KRHEUM10A2(-2), na, asked(-1), right(1), left(2), right and left(3)
krh10_2y1	Joint replacement surgery (2): year (1)	na, wrong skip(-3), na, see KRHEUM10A2(-2), na, asked(-1)
krh10_2y2	Joint replacement surgery (2): year (2)	na, wrong skip(-3), na, see KRH10_2S(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
krh10_2r	Joint replacement surgery (2): reason	na, wrong skip(-3), na, see KRHEUM10A2(-2), na, asked(-1), osteoarthritis/wear and tear/loss of cartilage(1), rheumatoid arthritis(2), infection (unclear if this is due to osteoarthritis or rheumatoid arthritis)(3), fracture (due to accident)(4), pain(5), other (unable to stand or walk/immobility/etc)(6)
krheum10a3	Osteo/rheum art: joint replacement surgery (3)	na, short interview(-4), na, wrong skip(-3), na, see KRHEUM10A2(-2), na, asked(-1), no(1), yes(2)
krh10_3j	Joint replacement surgery (3): joint	na wrong skip(-3), na, see JRHEUM10A3(-2), na, asked(-1), see Table Joints(K)*****
krh10_3s	Joint replacement surgery (3): side	na, wrong skip(-3), na, see KRHEUM10A3(-2), na, asked(-1), right(1), left(2), right and left(3)
krh10_3y1	Joint replacement surgery (3): year (1)	na, wrong skip(-3), na, see KRHEUM10A3(-2), na, asked(-1)
krh10_3y2	Joint replacement surgery (3): year (2)	na, wrong skip(-3), na, see KRH10_3S(-2), na, asked(-1)
krh10_3r	Joint replacement surgery (3): reason	na, see KRHEUM10A3(-2), na, asked(-1), osteoarthritis/wear and tear/loss of cartilage(1), rheumatoid arthritis(2), infection (unclear if this is due to osteoarthritis or rheumatoid arthritis)(3), fracture (due to accident)(4), pain(5), other (unable to stand or walk/immobility/etc)(6)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
krheum12	Osteo/rheum art: observation hands	na, wrong skip(-3), na, see KRHEUM01&02(-2), na, asked(-1), rheumatic hands(1), no rheumatic hands(2), observation not possible(3)
kcancer1	Cancer	na, see KRMCH(-5), na, asked(-1), no(0), no, previous interview yes(1), yes, previous interview no(2), yes, previous interview yes(3)
kcance1x	Cancer: nature of tumor	na, technical error(-8), na, wrong skip(-3), na, see KCANCER1(-2), na, asked(-1), benign(1), maligh(2), unknown(3)
kcancer4	Cancer: treatment doctor	na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2) na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
kcancer5	Cancer: tumor since last interview	na, previous interview no cancer(-6), na, short interview(-4), na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2) na, asked(-1), no(1), yes(2)
kcance5x	Cancer: nature of new tumor	na, wrong skip(-3), na, see KCANCER5(-2), na, asked(-1), benign(1), maligh(2), unknown(3)
kcance5a	Cancer: tumor, lungs	na, short interview(-4), na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
kcance5b	Cancer: tumor, breast	see kcance5a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kcance5c	Cancer: tumor, uterus	not asked, male(-7), na, short interview(-4), na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
kcance5d	Cancer: tumor, cervix	see kcance5c
kcance5e	Cancer: tumor, intestines	see kcance5a
kcance5f	Cancer: tumor, prostate	not asked, female(-7), na, short interview(-4), na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
kcance5g	Cancer: tumor, larynx	see kcance5a
kcance5h	Cancer: tumor, esophagus	see kcance5a
kcance5i	Cancer: tumor, stomach	see kcance5a
kcance5j	Cancer: tumor, blood	see kcance5a
kcance5k	Cancer: tumor, skin	see kcance5a
kcance5l	Cancer: tumor, other	see kcance5a
kcancer6	Cancer: metastases since last interview	na, short interview(-4), na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2), na, asked(-1), no(1), yes(2)
kcance6a	Cancer: metastases, bone/skeleton	na, wrong skip(-3), na, see KCANCER6(-2), na, asked(-1), not mentioned(1), mentioned(2)
kcance6b	Cancer: metastases, liver	see kcance6a
kcance6c	Cancer: metastases, brain	see kcance6a
kcance6d	Cancer: metastases, lungs	see kcance6a
kcance6e	Cancer: metastases, lymph nodes	see kcance6a
kcance6f	Cancer: metastases, other	see kcance6a

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kcance7a	Cancer: surgery, since last interview	na, short interview(-4), na, wrong skip(-3), na, see KCANCER1 & KCANCE1X(-2), na, asked(-1), not mentioned(1), mentioned(2)
kcance7b	Cancer: chemotherapy, since last interview	see kcance7a
kcance7c	Cancer: radiotherapy, since last interview	see kcance7a
kcance7d	Cancer: alternative treatment, since last interview	see kcance7a
kothsi01	Other1: other chronic diseases	na, see KRMCH(-5), na, asked(-1), no(1), yes(2)
kothsi02	Other1: disease	na, wrong skip(-3), na, see KOTHSI01(-2), na, asked(-1), see Table Other diseases(K)
kothsi04	Other1: from which age	na, wrong skip(-3), na, see KOTHSI01(-2), na, asked(-1)
kothsi06	Other1: treatment doctor	na, wrong skip(-3), na, see KOTHSI01(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
kothsi07	Other2: other chronic diseases	na, wrong skip(-3), na, see KOTHSI01(-2), na, asked(-1), no(1), yes(2)
kothsi08	Other2: disease	na, wrong skip(-3), na, see KOTHSI07(-2), na, asked(-1), see Table Other diseases(K)
kothsi10	Other2: from which age	na, wrong skip(-3), na, see KOTHSI07(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kothsi12	Other2: treatment doctor	na, wrong skip(-3), na, see KOTHSI07(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
khbd1	Hypertension	na, see KRMCH(-5), na, asked(-1), no(1), yes(2), R does not know(3)
khbd1a	Hypertension: taking medication	na, see KRMCH(-5), na, wrong skip(-3), na, see KHBD1(-2), na, asked(-1), no(1), yes(2)
khbd2	Hypertension: from which age	na, wrong skip(-3), na, see KHBD1 & KHBD1A1(-2), na, asked(-1)
khbd3	Hypertension: treatment doctor	na, wrong skip(-3), na, see KHBD1 & KHBD1A(-2), na, asked(-1), no(1), yes, family physician(2), yes, specialist(3)
kchol1	Hypercholesterolemia	na, see KRMCH(-5), na, asked(-1), no(1), yes(2), R does not know(3)
kchol2	Hypercholesterolemia: taking medication	see kchol1
khtrauma, kntraum, khtraumm, khtraumj	see LASA035_headtrauma_varinfo	
kchoutd	Chronic diseases: outdoors less often	na, see KRMCH(-5), na, wrong skip(-3), na, not any chronic disease(-2), na, asked(-1), not at all(1), sometimes(2), often(3), always(4)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kchoutd01	Ch. dis. outdoors less often: CNSLD	na, see KCHOUTD(-2), na, asked(-1), not mentioned(0), mentioned(1)
kchoutd02	Ch. dis. outdoors less often: heart	see kchoutd01
kchoutd03	Ch. dis. outdoors less often: arteries	see kchoutd01
kchoutd04	Ch. dis. outdoors less often: diabetes	see kchoutd01
kchoutd05	Ch. dis. outdoors less often: CVA	see kchoutd01
kchoutd06	Ch. dis. outdoors less often: incontinence	see kchoutd01
kchoutd07	Ch. dis. outdoors less often: osteoarthritis	see kchoutd01
kchoutd08	Ch. dis. outdoors less often: rheumatoid arthritis	see kchoutd01
kchoutd09	Ch. dis. outdoors less often: cancer	see kchoutd01
kchoutd10	Ch. dis. outdoors less often: other chronic disease 1	see kchoutd01
kchoutd11	Ch. dis. outdoors less often: other chronic disease 2	see kchoutd01
kchoutd12	Ch. dis. outdoors less often: hypertension	see kchoutd01
kkneep1	Knee pain past 6 months	na, see KRMCH(-5), na, asked(-1), no(1), yes(2)
kkneep2	Knee pain: pain level now	na, wrong skip(-3), na, see KKNEEP1(-2), na, asked(-1), no pain(0), worst conceivable pain(10)
kkneep3	Knee pain: worst pain past 6 months	see kkneep2
kkneep4	Knee pain: average pain past 6 months	see kkneep2

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
kkneep5	Knee pain: number of days unable to perform normal activities	na, wrong skip(-3), na, see KKNEEP1(-2), na, asked(-1), 0-6 days(1), 7-14 days(2), 15-30 days(3), 31 days or more(4)
kkneep6	Knee pain: to which extent impeded daily activities	na, wrong skip(-3), na, see KKNEEP1(-2), na, asked(-1), not impeded(0), <u>unable to continue activities(10)</u>
kkneep7	Knee pain: to which extent changed social activities	na, wrong skip(-3), na, see KKNEEP1(-2), na, asked(-1), no change(0), extreme change(10)
kkneep8	Knee pain: to which extent changed daily work activities	na, wrong skip(-3), na, see KKNEEP1(-2), na, asked(-1), no change(0), extreme change(10)
kkneep9	Knee pain: number of days pain past 6 months	na, wrong skip(-3), na, see KKNEEP1(-2), na, asked(-1), not a single day(1), 1-30 days(2), 31-89 days(3), 90 days or more(4)
KCORONA1	Since March, 2020: R tested positive on corona test	na, see KRMCH(-5), na, asked(-1), no(1), yes(2)
KCORONA1_M	Month positive corona test	na, wrong skip(-3), na, see KCORONA1(-2), na, asked(-1), see Table Month****
KCORONA1_Y	Year positive corona test	na, wrong skip(-3), na, see KCORONA1(-2), na, asked(-1)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
KCORONA1_LC1	Long-Covid 1: shortness of breath / fatigue	Not applicable, positive corona test less than 3 months ago(-4), na, wrong skip(-3), na, see KCORONA1 & KCORONA2(-2), na, asked(-1), no(1), yes(2)
KCORONA1_LC2	Long-Covid 1: gloom / anxious	see kcorona1_lc1
KCORONA1_LC3	Long-Covid 1: forgetfulness / concentration problems	see kcorona1_lc1
KCORONA1_LC4	Long-Covid 1: more help from others / decreased working ability	see kcorona1_lc1
KCORONA2	Second positive corona test	na, wrong skip(-3), na, see KCORONA1(-2), na, asked(-1), no(1), yes(2)
KCORONA2_M	Month second positive corona test	na, wrong skip(-3), na, see KCORONA2(-2), na, asked(-1), see Table Month****
KCORONA2_Y	Year second positive corona test	na, wrong skip(-3), na, see KCORONA2(-2), na, asked(-1)
KCORONA2_LC1	Long-Covid 2: shortness of breath / fatigue	Not applicable, positive corona test less than 3 months ago(-4), na, wrong skip(-3), na, see KCORONA2(-2), na, asked(-1), no(1), yes(2)
KCORONA2_LC2	Long-Covid 2: gloom / anxious	see kcorona2_lc1
KCORONA2_LC3	Long-Covid 2: forgetfulness / concentration problems	see kcorona2_lc1
KCORONA2_LC4	Long-Covid 2: more help from others / decreased working ability	see kcorona2_lc1
KVACCIN	R vaccinated against corona	na, see KRMCH(-5), not asked(-4), na, asked(-1), no(1), yes(2)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAK035 (continued)		
KVACCIN_M	R vaccinated against corona: month first vaccination	na, wrong skip(-3), na, see KVACCIN(-2), na, asked(-1), see Table Month****
kvaccin_y	R vaccinated against corona: year first vaccination	na, wrong skip(-3), na, see KVACCIN(-2), na, asked(-1)
kchmodus	Long or short interview	na, see KRMCH(-2), long interview(1), short interview(2)
krmch	Reason missing: chronical diseases	valid data(-2), interview terminated(2), refused test(4)

*)

Table Other diseases: b/c/d/e/b/fothsi02, b/c/d/e/b/fothsi08 (in B, C, D, E, 2B, and F)

value	value label
1	hypertension
2	ulcer stomach or duodenum
3	serious intestinal disease
4	gall-stones/gall-bladder
5	liver disease or cirrhosis
6	inguinal hernia
7	kidney stone
8	kidney disease-serious
9	chronic cystitis
10	prostate complaints (males)
11	prolapse (females)
12	thyroid disease
13	back problems, hernia
14	epilepsy
15	dizziness with falling
16	migraine
17	serious skin disease
18	decubitus-ulcer
19	allergy/hay-fever
20	serious consequences accident
21	other serious consequences/burns
22	consequences surgery/operations
23	disease of nervous system

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

24	mental problems, incl. depression
25	in B/C: eye diseases; in D/E/2B/F: - to be coded -
26	ear diseases/hearing problems
27	venous insufficiency/varicose veins
28	anaemia
29	chronic headaches (no migraine)
30	chronic neck-problems
31	dizziness without falling
32	congenital disorders
33	hypercholesterolaemia
34	gout
35	menopausal complaints (females)
36	osteoporosis
37	other pulmonary disease (no CNSLD)
38	systemic diseases
39	other hormonal diseases (no diabetes/thyroid)
40	other urological disease (no incontinence)
41	other locomotor disease
42	other vascular disease
43	other neurological disease
44	TIA
45	other haematological disease
46	pancreatitis-chronic
47	no label
48	addiction
49	other chronic disease
50	other non-chronic disease

**)

Table Other diseases: gothsi02, gothsi08 (in G)

value	value label
1	hypertension
2	ulcer stomach or duodenum
3	serious intestinal disease
4	gall-stones/gall-bladder
5	liver disease or cirrhosis
6	inguinal hernia
7	kidney stone
8	kidney disease-serious
9	chronic cystitis
10	prostate complaints (males)
11	prolapse (females)

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

12	thyroid disease
13	back problems, hernia
14	epilepsy
15	dizziness with falling
16	migraine
17	serious skin disease
18	decubitus-ulcer
19	allergy/hay-fever
20	serious consequences accident
21	other serious consequences/burns
22	consequences surgery/operations
23	disease of nervous system
24	mental problems, incl. depression
25	other → to be coded

***)

Table Other diseases: h/b/i/jothsi02, h/b/i/jothsi08 (in H, 3B, I and J)

value	value label
1	hypertension
2	ulcer stomach or duodenum
3	serious intestinal disease
4	gall-stones/gall-bladder
5	liver disease or cirrhosis
6	inguinal hernia
7	kidney stone
8	kidney disease-serious
9	chronic cystitis
10	prostate complaints (males)
11	prolapse (females)
12	thyroid disease
13	back problems, hernia
14	epilepsy
15	dizziness with falling
16	migraine
17	serious skin disease
18	decubitus-ulcer
19	allergy/hay-fever
20	serious consequences accident
21	other serious consequences/burns
22	consequences surgery/operations
23	disease of nervous system
24	Parkinson

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

25	mental problems, incl. depression
26	other → to be coded

Table Other diseases: kothsi02, kothsi08 (K)

value	value label
1	hypertension
2	ulcer stomach or duodenum
3	serious intestinal disease
4	gall-stones/gall-bladder
5	liver disease or cirrhosis
6	inguinal hernia
7	kidney stone
8	kidney disease-serious
9	chronic cystitis
10	prostate complaints (males)
11	prolapse (females)
12	thyroid disease
13	back problems, hernia
14	epilepsy
15	dizziness with falling
16	migraine
17	serious skin disease
18	decubitus-ulcer
19	allergy/hay-fever
20	serious consequences accident
21	other serious consequences/burns
22	consequences surgery/operations
23	disease of nervous system
24	Parkinson
25	mental problems, incl. depression
26	hearing impairment
27	gout
28	eye complaints/diseases
29	Sleep Apnea (OSAS)
30	TIA (the past 3 years)
31	other → to be coded

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

****)

Table Month

value	value label
1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

*****)

Table Joints(I)

value	value label
1	right hip
2	left hip
3	both hips
4	right knee
5	left knee
6	both knees
7	right hand/fingers
8	left hand/fingers
9	both hands/fingers
10	right hand/wrist
11	left hand/wrist
12	both hands/wrists
13	toes right foot
14	toes left foot
15	toes both feet
16	right foot/ankle
17	left foot/ankle
18	both feet/ankles
19	neck
20	back
21	right shoulder
22	left shoulder
23	other

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

*****)

Table Joints(J, K)

value	value label
1	hip
2	knee
3	fingers
4	hand/wrist
5	toes
6	foot/ankle
7	neck
8	back
9	shoulder
10	other

Variable information: LASAB035 / LASAC035 / LASAD035 / LASAE035 / LAS2B035 / LASAF035 / LASAG035 / LASAH035 / LAS3B035 / LASMB035 / LASAI035 / LASAJ035 / LASAK035; LASAB235 / LASAC235 / LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235 / LASAI235 / LASAJ235 / LASAK235 (scale values); LASAB435 / LASAC435 (scale values)

LASAB235 / LASAC235

name	label	values
b/cnochrot	# chronic diseases incl Others	no valid data(-1)
b/cnochrom	# chronic diseases from 7 Majors	no valid data(-1)
xnochrot	(longitudinal) # chronic diseases incl Others	no valid data(-1)
xnochrom	(longitudinal) # chronic diseases from 7 Majors	no valid data(-1)

LASAD235 / LASAE235 / LAS2B235 / LASAF235 / LASAG235 / LASAH235 / LAS3B235 / LASMB235[†] / LASAI235 / LASAJ235 / LASAK235

name	label	values
Not in wave MB : d/e/b/f/g/h/b/i/j/knochrot	Number chronic diseases incl. others	no valid data(-1)
d/e/b/f/g/h/b/b/i/j/knochrom	Number chronic diseases from 7 majors	no valid data(-1)

LASAB435 see LASAB035, replace prefix 'b' by 'x'

name	label	values
xcara01	CNSLD: asthma, chr bronch, emphysema	na, interview terminated(-5), na, asked(-1), no(0), yes(1)
etc.		

LASAC435 see LASAC035, replace prefix 'c' by 'x'

name	label	values
xcara01	CNSLD: asthma, chr bronch, emphysema	na, see XRMCH(-5), na, asked(-1), no, never(0), no, BCARA01 yes(1), yes, BCARA01 no(2), yes, BCARA01 yes(3)
etc.		