```
* Encoding: UTF-8.
************************************************************.
**********Physical activity LASA I***********.
************************************************************.
COMPUTE filter_$=(ILPHYA01 = 4).
VARIABLE LABEL filter_$ 'ILPHYA01 = 4 (FILTER)'.
VALUE LABELS filter_$ 0 'Not Selected' 1 'Selected'.
FORMAT filter_$ (f1.0).
FILTER BY filter_$.
EXECUTE .
************************************************************.
**** WALKING TOTAL TIME PAST TWO WEEKS ****.
************************************************************.
compute loopi=-9.
if (ILPHYA07<1) loopi=-9.
if (ILPHYA06=1) loopi=0.
if (ILPHYA07=1) loopi=0.
if (ILPHYA07=2) and (ILPHYA08 ge 1) and (ILPHYA09 ge 1) loopi=(ILPHYA08*ILPHYA09)/14.
Variable label loopi "total walktime calculated in minutes per day".
execute.
fre loopi.
execute.
*Many people have missing the frequence or the duration of the activity - veel mensen hebben een missing op alleen
frequentie of alleen duur activiteit.
*Therefore impute the missing values - daarom missende waarden in bepaalde gevallen imputeren.
*that is what you do with the syntax below, separately for each sex - dat gebeurt hieronder voor elk geslacht
afzonderlijk.
*Imputation values are different for each wave. (In short, the value that you assign to each missing value is equal to
the mean value for each sex separately.
*There is a file at Jan with the means for each wave). - imputatiewaarden verschillen per meetmoment!.
*The variable WALKING - de variabele lopen.
if (ILPHYA06=2 and ILPHYA07=2 and ILPHYA08<1 and sex=2) ILPHYA08=14.
if (ILPHYA06=2 and ILPHYA07=2 and ILPHYA08<1 and sex=1) ILPHYA08=16.
if (ILPHYA06=2 and ILPHYA07=2 and ILPHYA09<1 and sex=2) ILPHYA09=33.
if (ILPHYA06=2 and ILPHYA07=2 and ILPHYA09<1 and sex=1) ILPHYA09=31.
if (ILPHYA07=2) and (ILPHYA08 ge 1) and (ILPHYA09 ge 1) loopi=(ILPHYA08*ILPHYA09)/14.
if (loopi>720) loopi=720.
execute.
fre loopi.
execute.
************************************************************.
**** CYCLING TOTAL TIME PAST TWO WEEKS ****.
************************************************************.
compute fieti=-9.
if (ILPHYA11<1) fieti=-9.
if (ILPHYA10=1) fieti=0.
if (ILPHYA11=1) fieti=0.
if (ILPHYA11=2) and (ILPHYA12 ge 1) and (ILPHYA13 ge 1) fieti= (ILPHYA12*ILPHYA13)/14.
```

```
Variable label fieti "total byclyling time in minutes per day".
execute.
fre fieti.
execute.
*The inputation of variable biking- de variabele fietsen imputeren.
if (ILPHYA10=2 and ILPHYA11=2 and ILPHYA12<1 and sex=2) ILPHYA12=11.
if (ILPHYA10=2 and ILPHYA11=2 and ILPHYA12<1 and sex=1) ILPHYA12=11.
if (ILPHYA10=2 and ILPHYA11=2 and ILPHYA13<1 and sex=2) ILPHYA13=25.
if (ILPHYA10=2 and ILPHYA11=2 and ILPHYA13<1 and sex=1) ILPHYA13=26.
if (ILPHYA11=2) and (ILPHYA12 ge 1) and (ILPHYA13 ge 1) fieti= (ILPHYA12*ILPHYA13)/14.
if (fieti>720) fieti=720.
execute.
fre fieti.
execute.
************************************************************.
**** SPORT 1 TOTAL TIME PAST TWO WEEKS ****.
************************************************************.
compute sport1i=-9.
if (ILPHYA21<1) sport1i=-9.
if (ILPHYA21=1 or ILPHYASP=1) sport1i=0.
if (ILPHYA21=2) and (ILPHYA23 ge 1) and (ILPHYA24 ge 1) sport1i=(ILPHYA23*24)/14.
Variable label sport1i "total sport time calculated in minutes per day".
execute.
fre sport1i.
execute.
* Imputation of variable sport1 - de variabele sport1 imputeren.
if (ILPHYA21=2 and ILPHYA23<1 and ILPHYA22=11 and sex=2) ILPHYA23=6.
if (ILPHYA21=2 and ILPHYA23<1 and ILPHYA22=21 and sex=2) ILPHYA23=4.
if (ILPHYA21=2 and ILPHYA23<1 and ILPHYA22=23 and sex=2) ILPHYA23=16.
if (ILPHYA21=2 and ILPHYA23<1 and ILPHYA22=112 and sex=2) ILPHYA23=5.
execute.
if (ILPHYA21=2 and ILPHYA24<1 and ILPHYA22=11 and sex=2) ILPHYA24=88.
if (ILPHYA21=2 and ILPHYA24<1 and ILPHYA22=21 and sex=2) ILPHYA24=120.
if (ILPHYA21=2 and ILPHYA24<1 and ILPHYA22=84 and sex=2) ILPHYA24=138.
if (ILPHYA21=2 and ILPHYA24<1 and ILPHYA22=112 and sex=2) ILPHYA24=96.
execute.
if (ILPHYA21=2 and ILPHYA23<1 and ILPHYA22=11 and sex=1) ILPHYA23=5.
if (ILPHYA21=2 and ILPHYA23<1 and ILPHYA22=102 and sex=1) ILPHYA23=4.
execute.
if (ILPHYA21=2 and ILPHYA24<1 and ILPHYA22=11 and sex=1) ILPHYA24=106.
if (ILPHYA21=2 and ILPHYA24<1 and ILPHYA22=102 and sex=1) ILPHYA24=154.
execute.
if (ILPHYA21=2 and ILPHYA23 ge 1 and ILPHYA24 ge 1) sport1i=(ILPHYA23*ILPHYA24)/14.
if (sport1i>720) sport1i=720.
execute.
fre sport1i.
************************************************************.
**** SPORT 2 TOTAL TIME PAST TWO WEEKS ****.
************************************************************.
*calculate total time per day spend on sport2 in past two weeks.
compute sport2i=-9.
if (ILPHYA25<1) sport2i=-9.
```

```
if (ILPHYA25=1 or ILPHYASP=1) sport2i=0.
if (ILPHYA25=2) and (ILPHYA27 ge 1) and (ILPHYA28 ge 1) sport2i=(ILPHYA27*ILPHYA28)/14.
Variable label sport2i "total sport2time calculated in minutes per day".
execute.
fre sport2i.
execute.
* Imputation of the variable sport2 - de variabele sport2 imputeren.
if (ILPHYA25=2 and ILPHYA27<1 and ILPHYA26=41 and sex=2) ILPHYA27=2.
execute.
if (ILPHYA25=2 and ILPHYA28<1 and ILPHYA26=11 and sex=2) ILPHYA28=83.
if (ILPHYA25=2 and ILPHYA28<1 and ILPHYA26=21 and sex=2) ILPHYA28=103.
if (ILPHYA25=2 and ILPHYA28<1 and ILPHYA26=32 and sex=2) ILPHYA28=67.
if (ILPHYA25=2 and ILPHYA28<1 and ILPHYA26=41 and sex=2) ILPHYA28=55.
execute.
if (ILPHYA25=2) and (ILPHYA27 ge 1) and (ILPHYA28 ge 1) sport2i=(ILPHYA27*ILPHYA28)/14.
if (sport2i>720) sport2i=720.
if (sport1i=0 and sport2i=-9) sport2i=0.
execute.
fre sport2i.
*************************************************************************.
**** LIGHT HOUSHOLD ACTIVITIES PAST TWO WEEKS ****.
*************************************************************************.
*compute total time per day spend on light houshold activities in past two weeks.
compute lhuisi=-9.
if (ILPHYA32<1) lhuisi=-9.
if (ILPHYA31=1) lhuisi=0.
if (ILPHYA32=1) lhuisi=0.
if (ILPHYA32=2) and (ILPHYA33 ge 1) and (ILPHYA34 ge 1) lhuisi=(ILPHYA33*ILPHYA34)/14.
Variable label lhuisi "total licht huishoudentime calculated in minutes per day".
execute.
fre lhuisi.
execute.
*Imputation of the variable Light household activities/work - de variablen licht huishoudelijk werk
imputeren.
if (ILPHYA31=2 and ILPHYA32=2 and ILPHYA33<1 and sex=2) ILPHYA33=13.
if (ILPHYA31=2 and ILPHYA32=2 and ILPHYA33<1 and sex=1) ILPHYA33=11.
if (ILPHYA31=2 and ILPHYA32=2 and ILPHYA34<1 and sex=2) ILPHYA34=103.
if (ILPHYA31=2 and ILPHYA32=2 and ILPHYA34<1 and sex=1) ILPHYA34=56.
if (ILPHYA32=2 and ILPHYA33 ge 1 and ILPHYA34 ge 1) lhuisi=(ILPHYA33*ILPHYA34)/14.
if (lhuisi>720) lhuisi=720.
execute.
fre lhuisi.
execute.
*************************************************************************.
**** HEAVY HOUSHOLD ACTIVITIES PAST TWO WEEKS ****.
*************************************************************************.
*calculate total time per day spend on heavy household activities in past two weeks.
compute zhuisi=-9.
if (ILPHYA36<1) zhuisi=-9.
if (ILPHYA35=1) zhuisi=0.
if (ILPHYA36=1) zhuisi=0.
if ((ILPHYA36=2) and (ILPHYA37 ge 1) and (ILPHYA38 ge 1)) zhuisi=(ILPHYA37*ILPHYA38)/14.
```

```
Variable label zhuisi "total zwaar huishoudentijd calculated in minutes per day".
execute.
fre zhuisi.
execute.
*Imputation of the variable HEAVY HOUSEHOLD ACTIVITIES - de variabele zwaar huishoudelijk werk imputeren.
if (ILPHYA35=2 and ILPHYA36=2 and ILPHYA37<1 and sex=2) ILPHYA37=5.
if (ILPHYA35=2 and ILPHYA36=2 and ILPHYA37<1 and sex=1) ILPHYA37=4.
if (ILPHYA35=2 and ILPHYA36=2 and ILPHYA38<1 and sex=2) ILPHYA38=72.
if (ILPHYA35=2 and ILPHYA36=2 and ILPHYA38<1 and sex=1) ILPHYA38=72.
if (ILPHYA36=2 and ILPHYA37 ge 1 and ILPHYA38 ge 1) zhuisi=(ILPHYA37*ILPHYA38)/14.
if (zhuisi>720) zhuisi=720.
execute.
fre zhuisi.
execute.
*************************************************************************.
**** PHYSICAL ACTIVITY TOTAL SCORE **********************.
*************************************************************************.
missing value loopi fieti sport1i sport2i lhuisi zhuisi (-9).
count misacth= loopi fieti sport1i sport2i lhuisi zhuisi (-9).
fre misacth.
execute.
*was activity pattern normal in past two weeks, yes/no.
compute normali=-9.
if (ILPHYA39=2) normali=1.
if (ILPHYA39=1) normali=0.
if (ILPHYA39<1) normali=-9.
Variable label normali "was activity pattern normal in past two weeks".
value labels normali (1)"ja"(0) "nee" (-9) "missing".
execute.
fre normali.
execute.
compute totacti= SUM. (loopi, fieti, sport1i, sport2i, lhuisi, zhuisi).
Variable label totacti "totale activiteit op I".
compute nspoacti= SUM. (loopi, fieti, lhuisi, zhuisi).
Variable label nspoacti "geen sportactiviteit".
compute spoacti= SUM. (sport1i, sport2i).
Variable label spoacti "sportactiviteit".
fre spoacti nspoacti totacti.
execute.
**************

*************************************************************************.
**** TOTAL SCORE IN KCAL/DAY*******************************.
*************************************************************************.
*assigning MET-scores.
missing value imed153 (-1 -2 -3).
execute.
compute loopik= 3.5* imed153 *(loopi/60).
compute fietik= 4.5* imed153 *(fieti/60).
compute lhuisik=2.5*imed153 *(lhuisi/60).
compute zhuisik=4.5* imed153 *(zhuisi/60).
```

```
execute.
*sport1.
if (ILPHYA22 = 11) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 12) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 13) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 21) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 22) sport1ik = 8.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 23) sport1ik = 3.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 31) sport1ik = 3.5* imed153 *(sport1i/60) .
if (ILPHYA22 = 32) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 33) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 34) sport1ik = 5.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 41) sport1ik = 5.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 42) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 51) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 52) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 53) sport1ik = 10.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 54) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 61) sport1ik = 7.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 71) sport1ik = 5.5* imed153 *(sport1i/60) .
LASA046_syntaxI.txt[6-3-2019 9:57:43]
if (ILPHYA22 = 72) sport1ik = 3.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 73) sport1ik = 5.5* imed153 *(sport1i/60) .
if (ILPHYA22 = 81) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 82) sport1ik = 5.5* imed153 *(sport1i/60) .
if (ILPHYA22 = 83) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 84) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 85) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 86) sport1ik = 5.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 87) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 88) sport1ik = 3.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 91) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 92) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 93) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 101) sport1ik = 4.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 102) sport1ik = 3.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 103) sport1ik = 3.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 111) sport1ik = 6.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 112) sport1ik = 2.5* imed153 *(sport1i/60) .
if (ILPHYA22 = 113) sport1ik = 5.0* imed153 *(sport1i/60) .
if (ILPHYA22 = 114) sport1ik = 4.0* imed153 *(sport1i/60) .
execute.
*sport2.
if (ILPHYA26 = 11) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 12) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 13) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 21) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 22) sport2ik = 8.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 23) sport2ik = 3.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 31) sport2ik = 3.5* imed153 *(sport2i/60) .
if (ILPHYA26 = 32) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 33) sport2ik = 4.0* imed153 *(sport2i/60) .
```

```
if (ILPHYA26 = 34) sport2ik = 5.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 41) sport2ik = 5.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 42) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 51) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 52) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 53) sport2ik = 10.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 54) sport2ik = 6.0* imed153 *(sport2i/60).
if (ILPHYA26 = 61) sport2ik = 7.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 71) sport2ik = 5.5* imed153 *(sport2i/60) .
if (ILPHYA26 = 72) sport2ik = 3.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 73) sport2ik = 5.5* imed153 *(sport2i/60) .
if (ILPHYA26 = 81) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 82) sport2ik = 5.5* imed153 *(sport2i/60) .
if (ILPHYA26 = 83) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 84) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 85) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 86) sport2ik = 5.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 87) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 88) sport2ik = 3.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 91) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 92) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 93) sport2ik = 6.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 101) sport2ik = 4.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 102) sport2ik = 3.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 103) sport2ik = 3.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 111) sport2ik = 6.0* imed153 *(sport2i/60) .
LASA046_syntaxI.txt[6-3-2019 9:57:43]
if (ILPHYA26 = 112) sport2ik = 2.5* imed153 *(sport2i/60) .
if (ILPHYA26 = 113) sport2ik = 5.0* imed153 *(sport2i/60) .
if (ILPHYA26 = 114) sport2ik = 4.0* imed153 *(sport2i/60) .
execute.
compute totactik= SUM. (loopik, fietik, sport1ik, sport2ik, lhuisik, zhuisik).
Variable label totactik "totale activiteit op I kcal/day".
compute nspoactik= SUM. (loopik, fietik, lhuisik, zhuisik).
Variable label nspoactik "geen sportactiviteit kcal/day".
compute spoactik= SUM. (sport1ik, sport2ik).
Variable label spoactik "sportactiviteit kcal/day".
fre spoactik nspoactik totactik.
execute.
*******TOTAL SCORE IN METhours/week******.
compute loopi_meth= 3.5*(loopi/60)*7.
compute fieti_meth= 4.5*(fieti/60)*7.
compute lhuisi_meth=2.5*(lhuisi/60)*7.
compute zhuisi_meth=4.5*(zhuisi/60)*7.
execute.
*sport1.
if (ILPHYA22 = 11) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 12) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 13) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 21) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 22) sport1i_meth = 8.0*(sport1i/60)*7 .
if (ILPHYA22 = 23) sport1i_meth = 3.0*(sport1i/60)*7 .
```

```
if (ILPHYA22 = 31) sport1i_meth = 3.5*(sport1i/60)*7 .
if (ILPHYA22 = 32) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 33) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 34) sport1i_meth = 5.0*(sport1i/60)*7 .
if (ILPHYA22 = 41) sport1i_meth = 5.0*(sport1i/60)*7 .
if (ILPHYA22 = 42) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 51) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 52) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 53) sport1i_meth = 10.0*(sport1i/60)*7 .
if (ILPHYA22 = 54) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 61) sport1i_meth = 7.0*(sport1i/60)*7 .
if (ILPHYA22 = 71) sport1i_meth = 5.5*(sport1i/60)*7 .
if (ILPHYA22 = 72) sport1i_meth = 3.0*(sport1i/60)*7 .
if (ILPHYA22 = 73) sport1i_meth = 5.5*(sport1i/60)*7 .
if (ILPHYA22 = 81) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 82) sport1i_meth = 5.5*(sport1i/60)*7 .
if (ILPHYA22 = 83) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 84) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 85) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 86) sport1i_meth = 5.0*(sport1i/60)*7 .
if (ILPHYA22 = 87) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 88) sport1i_meth = 3.0*(sport1i/60)*7 .
if (ILPHYA22 = 91) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 92) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 93) sport1i_meth = 6.0*(sport1i/60)*7 .
LASA046_syntaxI.txt[6-3-2019 9:57:43]
if (ILPHYA22 = 101) sport1i_meth = 4.0*(sport1i/60)*7 .
if (ILPHYA22 = 102) sport1i_meth = 3.0*(sport1i/60)*7 .
if (ILPHYA22 = 103) sport1i_meth = 3.0*(sport1i/60)*7 .
if (ILPHYA22 = 111) sport1i_meth = 6.0*(sport1i/60)*7 .
if (ILPHYA22 = 112) sport1i_meth = 2.5*(sport1i/60)*7 .
if (ILPHYA22 = 113) sport1i_meth = 5.0*(sport1i/60)*7 .
if (ILPHYA22 = 114) sport1i_meth = 4.0*(sport1i/60)*7 .
execute.
*sport2.
if (ILPHYA26 = 11) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 12) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 13) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 21) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 22) sport2i_meth = 8.0*(sport2i/60)*7 .
if (ILPHYA26 = 23) sport2i_meth = 3.0*(sport2i/60)*7 .
if (ILPHYA26 = 31) sport2i_meth = 3.5*(sport2i/60)*7 .
if (ILPHYA26 = 32) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 33) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 34) sport2i_meth = 5.0*(sport2i/60)*7 .
if (ILPHYA26 = 41) sport2i_meth = 5.0*(sport2i/60)*7 .
if (ILPHYA26 = 42) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 51) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 52) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 53) sport2i_meth = 10.0*(sport2i/60)*7 .
if (ILPHYA26 = 54) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 61) sport2i_meth = 7.0*(sport2i/60)*7 .
```

```
if (ILPHYA26 = 71) sport2i_meth = 5.5*(sport2i/60)*7 .
if (ILPHYA26 = 72) sport2i_meth = 3.0*(sport2i/60)*7 .
if (ILPHYA26 = 73) sport2i_meth = 5.5*(sport2i/60)*7 .
if (ILPHYA26 = 81) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 82) sport2i_meth = 5.5*(sport2i/60)*7 .
if (ILPHYA26 = 83) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 84) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 85) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 86) sport2i_meth = 5.0*(sport2i/60)*7 .
if (ILPHYA26 = 87) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 88) sport2i_meth = 3.0*(sport2i/60)*7 .
if (ILPHYA26 = 91) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 92) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 93) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 101) sport2i_meth = 4.0*(sport2i/60)*7 .
if (ILPHYA26 = 102) sport2i_meth = 3.0*(sport2i/60)*7 .
if (ILPHYA26 = 103) sport2i_meth = 3.0*(sport2i/60)*7 .
if (ILPHYA26 = 111) sport2i_meth = 6.0*(sport2i/60)*7 .
if (ILPHYA26 = 112) sport2i_meth = 2.5*(sport2i/60)*7 .
if (ILPHYA26 = 113) sport2i_meth = 5.0*(sport2i/60)*7 .
if (ILPHYA26 = 114) sport2i_meth = 4.0*(sport2i/60)*7 .
execute.
compute totacti_meth= SUM. (loopi_meth, fieti_meth, sport1i_meth, sport2i_meth, lhuisi_meth,
zhuisi_meth).
Variable label totacti_meth "total activity in I-wave in METhours/week".
compute nspoacti_meth= SUM. (loopi_meth, fieti_meth, lhuisi_meth, zhuisi_meth).
Variable label nspoacti_meth "no sport activity I-wave METhours/week".
compute spoacti_meth= SUM. (sport1i_meth, sport2i_meth).
Variable label spoacti_meth "sport activity in I-wave METhours/week".
LASA046_syntaxI.txt[6-3-2019 9:57:43]
fre spoacti_meth nspoacti_meth totacti_meth.
execute.
```