

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network  
size)

**LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047**

name	label	values
b/c/d/e/b/f/g/h/b/i/jnwmem	network member id = respondent id followed by 2 digits 01..99(max). Each occurrence describes a network relation with R	none
b/c/d/e/b/f/g/h/b/i/jdomain	domain in which nominated	household(1), children/-in-law(2), other kin(3), neighborhood(4), work/school(5), organizations(6), other non-kin(7), forgotten(8), RCF/SYS addition(9)
b/c/d/e/b/f/g/h/b/i/jnwinhh	sharing the household with R	unknown(-1), not sharing(0), sharing household(1)
b/c/d/e/b/f/g/h/b/i/jnwtype	relationship type (What relationship do you have with ...? / In welke relatie staat ... tot u?)	spouse or partner(1), biological son or daughter(11), son/daughter of partner, step, adoptive, foster (specification available)(12), stepchild(13), adoptive child(14), foster child (= non-kin)(15), child-in-law(21), former child-in-law(22), brother or sister (including half or step)(30), brother/sister-in-law(40), father or mother(51), father/mother-in-law(52), grandchild(53), partner of grandchild(54), cousin/niece/nephew(55), uncle/aunt(56), other kin; specification unknown(57), friend(60), neighbor(71), (living in) neighborhood(72), (former) colleague or his/her spouse(81), known through volunteer work(82), known through school, course, education(83), known through voluntary

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
 LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
 LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network size)

		organization (e.g. church, sports, political)(84), acquaintance(85), former neighbor(86), known through contact at street(87), housekeeper/nurse/home helper (88), professional, e.g. pastor, reverend, general practitioner(89), boarder, landlord(90), catholic sister(91), parent-in-law of child(92), former parent-in-law(93), former spouse/partner(94), other non-kin; specification unknown(95), other kin or non-kin; specification unknown(96)
b/c/d/e/b/f/g/h/b/i/jdomtyp	domain type (variable is recoded in Xnwinhh en Xnwtype)	housekeeper (in household)(1), acquaintance (in household)(2), catholic sister (in household)(3), parent (in household)(4), parent inlaw (in household)(5), niece/nephew (in household)(6), son/daughter-in-law (in household)(7), brother/sister-in-law (in household)(8), former partner (in household)(9), boarder/landlord (in household)(10), partner/spouse (in household)(11), biological son/daughter (in household)(12), brother/sister (in household)(13), grandson/daughter (in household)(14), friend (in household)(15), other, not specified (in household)(16), other nonkin, not specified (in household)(17), other kin, not specified (in household)(18), son/daughter of partner, step, adoptive, foster (in household)(19), biological son/daughter(21), son/daughter-in-law(22), son/daughter of partner, step, adoptive, foster (specification in Xnwtype)(23), former son/daughter-in-law, other specific cases(24), stepchild(25), adoptive child(26), foster child(27), parent(31), brother/sister (including half or step)(32),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 / LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 / LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network size)

		brother/sister-in-law(33), grandson/daughter(34), cousin/niece/nephew(35), uncle/aunt(36), other family; specification unknown(37), father/mother-in-law(38), partner/spouse of grandchild(39), neighbor(40) former neighbor(41), living in neighborhood(42), (former) colleague or his/her spouse(51), known through volunteer work(52), known through school, course, education(53), known through voluntary organization (e.g. church, sports, political)(60), other nonkin; specification unknown(70), friend(71), acquaintance(72), (former) colleague or his/her spouse ->51(73), known through voluntary organization (e.g. church, sports, political) ->60(74), known through contact at street(75), professional helper(76), professional, e.g. pastor, reverend, general practitioner(77), other kin or nonkin; specification unknown(78), professional helper (frequent contact)(79), partner/spouse outside household(80), former spouse/partner(81), parent of child-in-law(82), former parent-in-law(83), landlord(84), catholic sister(85), other kin or nonkin; specification unknown(86)
b/c/d/e/b/f/g/h/b/i/jnwsex	sex network member	unknown(-1), male(1),female(2)
b/c/d/e/b/f/g/h/b/i/jnwfreq	frequency of contact <1-8> ("How often are you in touch with ...?" / "Hoe vaak heeft u contact met ...")	NA: see 247(-6), RCF/SYS addition(-3), no answer(-1), never(1), yearly or less often(2), few times year(3), monthly(4), once every 2 weeks(5),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
 LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
 LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network size)

		weekly(6), few times week(7), daily or household member(8)
<b>Not in H, 3B, I, J:</b> b/c/d/e/b/f/grandom	used in ranking ties frequency	NA: see 247(-6), RCF/SYS addition(-3), missing(-1), lowest(0), highest (LSNa)(59), highest (LASA)(99)
b/c/d/e/b/f/g/h/b/i/j/freqran	ranking # frequency	NA: see 247(-6), RCF/SYS addition(-3), deleted by Interviewer(-1)
b/c/d/e/b/f/g/h/b/i/jnwtrav	travelling time to network member (minutes)	NA:rank>10/12(-7), NA:see 247(-6), NA:miss techn(-4), RCF/SYS addition(-3), no answer(-1), no time(0), 1 hour(60), >24 hours(1440)
<b>Only in B:</b> bnwpart	marital/partner status network member	NA:rank>10/12(-7), NA:see 247(-6), NA:miss techn(-4), RCF/SYS addition(-3), no answer(-1), w/partner(1), no partner(5)
b/c/d/e/b/f/g/h/b/i/jsequenc	sequence questions on support (e=emotional i=instrumental r=received g=given)	NA:rank>10/12(-7), NA:see 247(-6), RCF/SYS addition(-3), only missings(-1), er ir eg ig (1234), er ir ig eg (1243), er eg ir ig (1324), er eg ig ir (1342), er ig ir eg (1423), er ig eg ir (1432), ir er eg ig (2134), ir er ig eg (2143), ir eg er ig (2314), ir eg ig er (2341), ir ig er eg (2413), ir ig eg er (2431), eg er ir ig (3124), eg er ig ir (3142), eg ir er ig (3214), eg ir ig er (3241),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
 LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
 LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network size)

		eg ig er ir (3412), eg ig ir er (3421), ig er ir eg (4123), ig er eg ir (4132), ig ir er eg (4213), ig ir eg er (4231), ig eg er ir (4312), ig eg ir er (4321)
b/c/d/e/b/f/g/h/b/i/jemo_rec	emotional support received ("you told ... about your personal experiences and feelings")	NA:rank>10/12(-7), NA:see 247(-6), RCF/SYS addition(-3), no answer(-1), never(1), seldom(2), sometimes(3), often(4)
b/c/d/e/b/f/g/h/b/i/jemo_giv	emotional support given ("... told you about his/her personal experiences and feelings")	NA:rank>10/12(-7), NA:see 247(-6), RCF/SYS addition(-3), no answer(-1), never(1), seldom(2), sometimes(3), often(4)
b/c/d/e/b/f/g/h/b/i/jins_rec	instrumental support received ("... helped you with daily chores in and around the house")	NA:rank>10/12(-7), NA:see 247(-6), RCF/SYS addition(-3), no answer(-1), never(1), seldom(2), sometimes(3), often(4)
b/c/d/e/b/f/g/h/b/i/jins_giv	instrumental support given ("you helped ... with daily chores in and around the house")	NA:rank>10/12(-7), NA:see 247(-6), RCF/SYS addition(-3), no answer(-1), never(1), seldom(2), sometimes(3), often(4)
<b>Only in B:</b> bnwmsupp	most supportive network member	support Q's:no answer(-8), NA:rank>10(-7), NA:see 247(-6), NA:only 1 network member(-4), RCF/SYS addition(-3), as -1,partner not listed(-2), nobody/refusal/all(-1),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
 LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
 LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network  
 size)

		<p>&lt;&gt;partner,&lt;&gt;most supportive, no partner in network(0),                  &lt;&gt;partner,&lt;&gt;most supportive, partner in network(1),                  &gt;partner,&lt;&gt;most supportive, partner not on list in Q(2),                  partner, but not most supportive(3), most supportive=partner(4),                  most supportive, no partner in network(5),                  most supportive&lt;&gt;partner, partner on list in Q(6),                  most supportive&lt;&gt;partner, partner not on list in Q(7)</p>
<p><b>Not in B:</b>                  c/d/e/b/f/g/h/b/i/jnwconf</p>	<p>confidant identification                  (Which of all the identified persons is your confidant?                  / Welke van alle hiervoor genoemde personen beschouwt U als Uw vertrouwenspersoon?)</p>	<p>see 247(-6),                  RCF/SYS addition(-3),                  not the/a confidant(0),                  (1st) confidant(1),                  2nd confidant(2),                  3rd confidant(3),                  4th confidant(4),                  5th confidant(5),                  6th confidant(6),                  7th confidant(7),                  8th confidant(8),                  9th/last confidant(9)</p>

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network  
size)

**LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247**

name	label	values
b/c/d/e/b/f/g/h/b/i/j/mis247	missing delineation / contact frequency / characterics (travelling time) / supportive exchanges	no missings(0), support skip (4), support terminated(5), char skip(40), >char skip(44), >char terminated(55), size=0(111), >freq terminated(555), size=0(111), freq skip(444), >freq terminated(555), short version(3333), refusal R/skip by Interviewer(4444), terminated(5555), damaged information(6666)
b/c/d/e/b/f/g/h/b/i/j/nwsize	network size <0-80> count of "the people with whom you are in touch regularly and who are important to you"	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), none(0), 1 member(1), 10 members(10), 20 members(20), 30 members(30), 40 members(40), 50 members(50), 60 members(60), 70 members(70), maximum(80)
<b>Only in wave J:</b> Jnwdiversity	network diversity - number of roles in network <0-13> (contact frequency > monthly) (aggregate from network members 047-file)	phone (unit nonresponse)(-8), proxy (unit nonresponse)(-7), damaged information(-6), terminated interview(-5), refusal R/skip by I(-4), short version(-3)
<b>Only in wave J:</b> Jnwpcnonkin	percentage of nonkin <0- 100> (aggregate from network members 047-file)	phone (unit nonresponse)(-8,00), proxy (unit nonresponse)(-7,00), damaged information(-6,00), terminated interview(-5,00), refusal R/skip by I(-4,00), short version(-3,00),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network  
size)

		kin only   no network members (,00), non-kin only(100,0)
<b>Only in wave J:</b> Jnwdaily	frequency of contact in network: no - weekly - daily (aggregate from network members 047-file)	phone (unit nonresponse)(-8), proxy (unit nonresponse)(-7), damaged information(-6), terminated interview(-5), refusal R/skip by I(-4), short version(-3), no network members(0), weekly contact(1), several times/week(2), daily contact w/ other than partner(3), partner: living w/   daily contact(4)
b/c/d/e/b/f/g/h/b/i/jsq	sequence questions on support (e=emotional i=instrumental r=received g=given)	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), no members(-2), no oth members(-1), er ir eg ig (1234), er ir ig eg (1243), er eg ir ig (1324), er eg ig ir (1342), er ig ir eg (1423), er ig eg ir (1432), ir er eg ig (2134), ir er ig eg (2143), ir eg er ig (2314), ir eg ig er (2341), ir ig er eg (2413), ir ig eg er (2431), eg er ir ig (3124), eg er ig ir (3142), eg ir er ig (3214), eg ir ig er (3241), eg ig er ir (3412), eg ig ir er (3421), ig er ir eg (4123), ig er eg ir (4132), ig ir er eg (4213), ig ir eg er (4231), ig eg er ir (4312), ig eg ir er (4321)
b/c/d/e/b/f/g/h/b/i/jir	total instrumental support received <0-36>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3),



Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network  
size)

		only missings(-1), no (other) members(0), maximum (9x4)(36)
b/c/d/e/b/f/g/h/b/i/jig	total instrumental support given <0-36>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1), no (other) members(0), maximum (9x4)(36)
b/c/d/e/b/f/g/h/b/i/jer	total emotional support received <0-36>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1), no (other) members(0), maximum (9x4)(36)
b/c/d/e/b/f/g/h/b/i/jeg	total emotional support given <0-36>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1), no (other) members(0), maximum (9x4)(36)
b/c/d/e/b/f/g/h/b/i/jmir	mean instrumental support received <0-3>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1), no members/never support(0), seldom(1), sometimes(2), often(3)
b/c/d/e/b/f/g/h/b/i/jmig	mean instrumental support given <0-3>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1), no members/never support(0), seldom(1), sometimes(2), often(3)
b/c/d/e/b/f/g/h/b/i/jmer	mean emotional support received <0-3>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
 LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
 LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network size)

		no members/never support(0), seldom(1), sometimes(2), often(3)
b/c/d/e/b/f/g/h/b/i/jmeg	mean emotional support given <0-3>	damaged information(-6), terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), only missings(-1), no members/never support(0), seldom(1), sometimes(2), often(3)
<b>Not in B:</b> c/d/e/b/f/g/h/b/i/jconfnum	# confidants identified (see 047)	terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), no network members(-2), no answer(-1), no confidants identified(0), 1 confidant identified(1), 2 confidants identified(2), 3 confidants identified(3), 4 confidants identified(4), 5 confidants identified(5), 6 confidants identified(6), 7 confidants identified(7), 8 confidants identified(8), 9 confidants (maximum)(9)
<b>Not in B:</b> c/d/e/b/f/g/h/b/i/jconfinf	information on identification confidant	terminated interview(-5), refusal R/skip by Interviewer(-4), short version(-3), no network members(-2), no answer(-1), no confidant available(1), confidant not necessary(2), confidant(s) identified(3), all are confidant, 0 identified(4), all are confidant + identified(5), other(s) (not in network), 0 identified(6), other(s) (not in network) + identified(7)
<b>Only in wave J:</b> Jnwconfntype	confidant - relationship type (aggregate from network members 047-file)	terminated interview(-5), refusal R/skip by I(-4), short version(-3), not asked (observation LSNa; LASAb)(-2), no answer(-1), no network members; 'no confidant is available'; 'confidant is not necessary'(0),

Variable information:

LASAB047 / LASAC047 / LASAD047 / LASAE047 / LAS2B047 / LASAF047 /  
 LASAG047 / LASAH047 / LAS3B047 / LASAI047 / LASAJ047  
 LASAB247 / LASAC247 / LASAD247 / LASAE247 / LAS2B247 / LASAF247 /  
 LASAG247 / LASAH247 / LAS3B247 / LASAI247 / LASAJ247 (constructed: network  
 size)

		partner is # 1 among confidants(1), partner among confidants(2), (not 1-2) biological child among confidants(3), (not 1-3) non-biological child or child-in-law among confidants(4), (not 1-4) other kin among confidants(5), (not 1-5) friend among confidants(6), (not 1-6) other non-kin among confidants; 'all network members'; a person not in the network(7)
--	--	---