

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

**LASAB152**

| <b>name</b>   | <b>label</b>                   | <b>values</b>   |
|---|--------------------------------|---|
| bmmeduse  | Medication use                 | -2: no answer, skipped<br>-1: no answer, asked<br>1: no<br>2: yes   |
| bm#med  | number of medicines            | -3: na, wrong skip<br>-2: na, see BMMEDUSE  |
| bmmed1  | med. 1: name                   | none  |
| bmatc1  | med. 1: ATC-code (constructed) |   |
| bmmednr1  | med. 1: number (constructed)   | -2: na, see BM#MED<br>-1: na, asked   |
| bmdos1  | med. 1: dosage (in ml)         | -2: na, see BMMED<br>-1: R does not know  |
| bmdurat1  | med. 1: duration               | -3: no valid data<br>-2: na, see BM#MED<br>-1: na, asked<br>1: less than 1 month<br>2: 1 month to 1 year<br>3: 1 to 5 years<br>4: longer than 5 years<br>5: sometimes<br>6: only when necessary |
| <b><i>If bm#med &gt; 1 then repeat bmmedx to bmduratx for x=2 to bm#med (max=6)</i></b> |                                |   |
| bmmedvittab   | Tablets: vitamins              | -2: no answer, skipped<br>-1: no answer, asked<br>1: no<br>2: yes.  |
| bmmedcaltab   | Tablets: calcium               |   |
| bmmedfertab   | Tablets: ferro                 |   |
| bmmedvitiinj  | Injections: vitamins           |   |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

**LASAC152**

| name  | label                                | values   |
|---|--------------------------------------|--|
| cmmeduse  | Medication use                       | -5: na, interview terminated<br>-1: na, asked<br>1: no<br>2: yes   |
| cm#med  | number of medicines                  | -2: na, see CMMEDUSE   |
| cmmed1  | Medicine 1: name                     | none   |
| cmatc1  | Medicine 1: ATC-code (constructed)   |  |
| cmmednr1  | med. 1: number (constructed)         | -2: na, see CM#MED<br>-1: na, asked  |
| cmquant1  | Medicine 1: quantity                 | -3: na, wrong skip<br>-2: na, see CM#MED<br>-1: no valid data  |
| cmmeasu1  | Medicine 1: measurement              | none   |
| cmtad1  | Medicine 1: times a day              | -3: na, wrong skip<br>-2: na, see CM#MED<br>-1: no valid data<br>98: less than once a day<br>99: if necessary  |
| cmdurat1  | Medicine 1: duration                 | -3: na, wrong skip<br>-2: na, see CM#MED<br>-1: no valid data<br>1: less than 1 month<br>2: 1 month to 1 year<br>3: 1 to 5 years<br>4: longer than 5 years |
| <b><i>If cm#med &gt; 1 then repeat cmmedx to cmduratx for x=2 to cm#med (max=8)</i></b> |                                      |  |
| cmmedcort   | Ever use corticosteroïden > 3 months | -5: na, interview terminated<br>-1: na, asked<br>1: no<br>2: yes   |
| cmmedbis  | Use of biphosfonates last 10 years   |  |
| cmmedvittab   | Tablets: vitamines                   |  |
| cmmedcalltab  | Tablets: calcium                     |  |
| cmmedfertab   | Tablets: ferro                       |  |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

**LASAD152 / LASAE152 / LAS2B152 / LASAF152**

| name  | label                                  | values   |
|---|--|--|
| d/e/b/fmmeduse  | medication use                         | -1: na, asked<br>1: no<br>2: yes   |
| d/e/b/fm#med  | number of medicines                    | 0: no medicines  |
| d/e/b/fmmed1  | med. 1: name                           | none   |
| d/e/b/fmatc1  | med. 1: ATC-code (constructed)         |  |
| d/e/b/fmmednr1  | med. 1: number (constructed)           | -2: na, see D/E/B/FM#MED<br>-1: na, asked  |
| d/e/b/fmquant1  | med. 1: quantity                       | -2: na, see D/E/B/FM#MED<br>-1: na, asked  |
| d/e/b/fmmeasu1  | med. 1: measurement                    | -2: na, see D/E/B/FM#MED<br>-1: na, asked<br>1: microgramme<br>2: milligramme<br>3: gramme<br>4: other measurement                           |
| d/e/b/fm#timp1  | med. 1: # times a period               | -3: na, for thrombosis<br>-2: na, see D/E/B/FM#MED<br>-1: na, asked  |
| d/e/b/fmperio1  | med. 1: period                         | -2: na, see D/E/B/FM#MED<br>-1: na, asked<br>1: day<br>2: week<br>3: month<br>4: for thrombosis<br>5: as required<br>6: other kind of period |
| d/e/b/fmdurat1  | med. 1: duration                       | -2: na, see D/E/B/FM#MED<br>-1: na, asked<br>1: less than 1 month<br>2: 1 month to 1 year<br>3: 1 to 5 years<br>4: longer than 5 years       |
| <b><i>If dm#med &gt; 1 then repeat dmmedx to dmduratx for x=2 to dm#med (max=8)</i></b> |  |  |
| dmmedcort   | ever use corticosteroids > 3 months    | -1: na, asked<br>1: no   |
| e/b/fmmedcort   | use corticosteroids last 3 years       | 2: yes   |
| d/e/b/fmccs   | corticosteroid: name                   | none   |
| d/e/b/fmccsatc  | corticosteroid: ATC-code (constructed) |  |
| d/e/b/fmccsnr   | corticosteroid: number (constructed)   | -2: na, see D/E/B/FM#MED<br>-1: na, asked  |
| d/e/b/fmmedcortnm   | corticosteroids: # months              | <b>In E/B/F:</b><br>-3: only once/ short cure<br><b>In D/E/B/F:</b>  |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

|              |  |  |
|--------------|--|--|
|              |  | -2: na, see D/E/B/FMMEDCORT<br>-1: R does not know period / na, asked<br><b>In D:</b><br>99: 99 months or longer |
| d/emmedbis   | use of bisphosphonates last 3 years    | -1: na, asked<br>1: no<br>2: yes   |
| d/embff      | bisphosphonate: name                   | none   |
| d/embffatc   | bisphosphonate: ATC-code (constructed) |  |
| d/embffnr    | bisphosphonate: number (constructed)   |  |
| d/emmedbisnm | bisphosphonates: # months              | -2: na, see D/EM#MED<br>-1: na, asked  |
| dmmedvittab  | tablets: vitamins                      | -1: na, asked<br>1: no<br>2: yes   |
| dmmedcaltab  | tablets: calcium                       |  |
| dmmedfertab  | tablets: ferro                         |  |
| dmmeno82     | menopause: female sex hormones         | -2: na, male respondent<br>-1: na, asked<br>1: no<br>2: yes  |
| dmoes        | oestrogen: name                        | none   |
| dmoesatc     | oestrogen: ATC-code (constructed)      |  |
| dmoesnr      | oestrogen: number (constructed)        |  |
| dmmenonrm    | menopause: # months                    | -2: na, see DMMENO82<br>-1: R does not know period<br>99: 99 months or longer                                    |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152<sup>†</sup> / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352<sup>†</sup> / LASAI352 / LASAJ352 / LASAK352 (constructed)

**LASAG152 / LASAH152 / LAS3B152 / LASMB152<sup>†</sup> / LASAI152<sup>‡</sup> / LASAJ152<sup>‡</sup> / LASAK152<sup>‡</sup>**

| name               | label                    | values  |
|--------------------|--------------------------|---|
| g/h/b/i/j/kmmeduse | medication use           | -1: na, asked<br>1: no<br>2: yes  |
| g/h/b/i/j/km#med   | number of medicines      | <b>in G, H:</b><br>0: no medicines<br><b>in 3B, I, J, K:</b><br>-2: na, see B/I/J/KMMEDUSE<br>0: no medicines   |
| g/h/b/i/j/kmmed1   | med. 1: name             | none  |
| g/h/b/i/j/kmatc1   | med. 1: ATC-code         | -2: na see, G/H/B/I/J/KMMEDUSE(-2)<br>-1: na, asked   |
| g/h/b/i/j/kmquant1 | med. 1: quantity         | -2: na, see G/H/B/I/J/KM#MED<br>-1: na, asked   |
| g/h/b/i/j/kmmeasu1 | med. 1: measurement      | <b>in G, H:</b><br>-2: na, see G/HM#MED<br>-1: na, asked<br>1: microgramme<br>2: milligramme<br>3: gramme<br>4: other measurement<br><b>in 3B, I, J, K:</b><br>-2: na, see B/I/J/KM#MED<br>-1; na, asked<br>1: microgramme<br>2: milligramme<br>3: gramme<br>4: milliliter<br>5: unit per ml<br>6: percentage |
| g/h/b/i/j/km#timp1 | med. 1: # times a period | -3: na, for thrombosis<br>-2: na, see G/H/B/I/J/KM#MED<br>-1: na, asked   |
| g/h/b/i/j/kmperio1 | med. 1: period           | -2: na, see G/H/B/I/J/KM#MED<br>-1: na, asked<br>1: day<br>2: week<br>3: month<br>4: for thrombosis<br>5: as required<br>6: other kind of period  |
| g/h/b/i/j/kmdform1 | med. 1: dosage form      | <b>in G, H:</b><br>-2: na, see G/HM#MED<br>-1: na, asked<br>1: tablet<br>2: capsule<br>3: drops   |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

|   |   |   |
|---|---|---|
|   |   | 4: effervescent tablet<br>5: injection<br>6: inhaler<br>7: powder<br>8: ointment<br>9: other form<br><b>in 3B, I, J, K:</b><br>-2: na, see B/I/J/KM#MED<br>-1: na, asked<br>1: tablet<br>2: capsule<br>3: drops<br>4: effervescent tablet<br>5: injection<br>6: inhaler<br>7: powder<br>8: ointment<br>9: plaster<br>10: suppository<br>11: spray<br>12: other form |
| g/h/b/i/j/kmdurat1  | med. 1: duration                              | -2: na, see G/H/B/I/J/KM#MED<br>-1: na, asked<br>1: less than 1 month<br>2: 1 month to 1 year<br>3: 1 to 5 years<br>4: longer than 5 years  |
| <b>If g/h/b/i/j/km#med &gt; 1 then repeat g/h/b/i/j/kmmedx to g/h/b/i/j/kmduratx for x=2 to n<sup>1</sup></b> |   |   |
| <b>Only in G and H:</b><br>g/hmmedcort  | use corticosteroids last 3 years              | -1: na, asked<br>1: no<br>2: yes  |
| <b>Only in G:</b><br>gmccs  | corticosteroid: name                          | none  |
| <b>Only in G:</b><br>gmccsatc   | corticosteroid: ATC-code                      |   |
| <b>Only in G:</b><br>gmmedcortnm  | corticosteroids: # months                     | -3: only once / short cure<br>-2: na, see G/HMMEDCORT<br>-1: na, asked  |
| <b>Only in 3B:</b><br>bmmedcort   | use prescribed corticosteroids<br><b>ever</b> | -1: na, asked<br>1: no<br>2: yes  |

<sup>1</sup> **Wave G-3B:** If the number of medicines exceeded the limit in the instruction of the specific wave (in G this maximum was put to 10, in H: 14, in 3B: 8), the remaining medicines were recorded manually and processed into the SPSS-data file during the cleaning process.

**Wave I, J, K:** Since the interview was done by computer and programmed without an explicit limit to the number of medicines, *n* depends on the maximum amount of medicines found in the specific sample.

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

|                                    |  |   |
|------------------------------------|--|---|
| <b>Only in 3B:</b><br>bmccs1       | corticosteroid 1: name                   | none  |
| <b>Only in 3B:</b><br>bmccsatc1    | corticosteroid 1: ATC-code               |   |
| <b>Only in 3B:</b><br>bmmedcortnm1 | corticosteroids 1: # months              | -2: na, see BMMEDCORT<br>-1: na, asked  |
| <b>Only in 3B:</b><br>Bmccs2       | corticosteroid 2: name                   | none  |
| <b>Only in 3B:</b><br>bmccsatc2    | corticosteroid 2: ATC-code               |   |
| <b>Only in 3B:</b><br>bmmedcortnm2 | corticosteroids 2: # months              | -2: na, no second corticosteroid<br>-1: na, asked   |
| <b>Only in 3B:</b><br>bmmedvittab  | use of vitamin tablets (no prescription) | -1: na, asked<br>1: no<br>2: yes  |
| <b>Only in 3B:</b><br>bmvit1       | vitamin 1: name (in Dutch)               | none  |
| <b>Only in 3B:</b><br>bmvitfr1     | vitamin 1: frequency                     | -2: na, see BMMEDVITTAB<br>-1: na, asked<br>1: less than one day a week<br>2: 1-2 days a week<br>3: 3-4 days a week<br>4: 5-6 days a week<br>5: daily   |
| <b>Only in 3B:</b><br>bmvit2       | vitamin 2: name (in Dutch)               | none  |
| <b>Only in 3B:</b><br>bmvitfr2     | vitamin 2: frequency                     | -2: na, no second vitamin<br>-1: na, asked<br>1: less than one day a week<br>2: 1-2 days a week<br>3: 3-4 days a week<br>4: 5-6 days a week<br>5: daily |
| <b>Only in 3B:</b><br>bmvit3       | vitamin 3: name (in Dutch)               | none  |
| <b>Only in 3B:</b><br>bmvitfr3     | vitamin 3: frequency                     | -2: na, no third vitamin<br>-1: na, asked<br>1: less than one day a week<br>2: 1-2 days a week<br>3: 3-4 days a week<br>4: 5-6 days a week<br>5: daily  |
| <b>Only in 3B:</b><br>bmmedcaltab  | use of calcium tablets (no prescription) | -1: na, asked<br>1: no<br>2: yes  |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK352 (constructed)

|                                 |   |  |
|---------------------------------|---|--|
| <b>Only in 3B:</b><br>bmcalfcfr | calcium: frequency                          | -2: na, see BMMEDCALTAB<br>-1: na, asked<br>1: less than one day a week<br>2: 1-2 days a week<br>3: 3-4 days a week<br>4: 5-6 days a week<br>5: daily  |
| <b>Only in 3B:</b><br>bmdairy   | drinking dairy products after the age of 50 | -1: na, asked<br>1: with each meal (3 or more glasses a day)<br>2: not with each meal (1 or 2 glasses a day)<br>3: every week, but not every day<br>4: every week, but not every day<br>5: less than once a week |

**LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352† / LASAI352 / LASAJ352 / LASAK152**

| name                           | label  | values   |
|--------------------------------|--|--|
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_A | intestinal tract & metabolism                    | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_B | hematopoietic drugs                              | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_C | cardiovascular system                            | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_D | dermatologica                                    | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_G | urogenital system & sex hormones                 | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_H | systemic hormone preparations excl. sex hormones | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none) |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_J | systemic antimicrobial drugs                     | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_L | oncologic and immuno suppressors drugs           | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_M | musculoskeletal system                           | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_N | central nervous system                           | -2: na, see B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none  |

Variable information: LASAB152 / LASAC152 / LASAD152 / LASAE152 / LAS2B152 / LASAF152 / LASAG152 / LASAH152 / LAS3B152 / LASMB152† / LASAI152 / LASAJ152 / LASAK152; LASAB352 / LASAC352 / LASAD352 / LASAE352 / LAS2B352 / LASAF352 / LASAG352 / LASAH352 / LAS3B352 / LASMB352‡ / LASAI352 / LASAJ352 / LASAK352 (constructed)

|  |  |  |
|--|--|--|
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_P                         | antiparasitic drugs                        | -2: na, see<br>B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_R                         | respiratory system                         | -2: na, see<br>B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_S                         | sense-organs                               | -2: na, see<br>B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none |
| B/C/D/E/B/F/G/H/B/I/J/KMTYPE_V                         | miscellaneous                              | -2: na, see<br>B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none |
| B/C/D/E/B/F/G/H/B/I/J/KMITYPHOM                        | homeopathic medication                     | -2: na, see<br>B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none |
| B/C/D/E/B/F/G/H/B/I/J/KMITYPOTH                        | other medication<br>(unreadable/uncodable) | -2: na, see<br>B/C/D/E/B/F/G/H/B/I/J/KMMEDUSE<br>0: none |
| B/C/D/E/B/F/G/H/B/I/J/KMmedad                          | use of antidepressants                     | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMbenanx                         | use of anxiolytics<br>(benzodiazepines)    | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMbenhyp                         | use of hypnotics<br>(benzodiazepines)      | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMandiab                         | use of antidiabetics                       | 0: no<br>1: yes  |
| <b>Not in B, C, D, E, 2B, F:</b><br>G/H/B/I/J/KMandia1 | use of antidiabetics:<br>insulines         | 0: no<br>1: yes  |
| <b>Not in B, C, D, E, 2B, F:</b><br>G/H/B/I/J/KMandia2 | use of antidiabetics: oral                 | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_ino                         | use of inotropics                          | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_ari                         | use of antiarrhythmics                     | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_ang                         | use of nitrogens                           | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_hyp                         | use of antihypertensives                   | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_diu                         | use of diuretics                           | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_pvd                         | use of peripheral<br>vasodilators          | 0: no<br>1: yes  |
| B/C/D/E/B/F/G/H/B/I/J/KMed_ali                         | use of antilipaemics                       | 0: no<br>1: yes  |

†) MB not available yet

‡) For waves I, J and K the food supplements data have been processed in LASA174